			WATER	<u>NELL RI</u>	ECORD	Form V		(SA 82a-12	12		
[]]	ON OF WATER	R WELL:	FRACTION							RANGE N	
Sedgy			SW 1/		1/4 SV	V 1/4	23	<u> </u>	28 S	R 11	C E/W
		n nearest town or city			within city?						
	E. Shoffi		Wichita, Ka								
	ER WELL O		AUSMEYEF	CONS'	FRUCTIC	N			Board of Am	culture, Division of V	Votor Posourco
RR#,ST.	ADDRESS,		08 W. York						Board of Agri	culture, Division of v	valer Resource
	CITY,	STATE: Wic	hita, Kansa	s			ZIP CODE:	67215	Application Nur	iber:	
	E WELL'S LO	CATION 4	DEPTH OF CO	MPLETED V	VELL:	35	ft.	ELEVATION:			
	N "X" IN SEC	TION BOX: De	epth of groundwa	ter Encount	ered:		ft.		ft.		ft.
			ELL'S STATIC			FT. BE	LOW LAND S	URFACE MEAS	URED ON mo/d	ay/yr: 7/17	7/19
		-NE		Pump test da		water was		ft. after		of pumping @	gpm
	• NW+		Est. Yield:	gpm		water was		ft. after		of pumping @	gpm
Mile w		E E	Bore Hole Diame				35 f	t. and	in.	to	ft.
∠	X		ELL WATER TO		1.4				9. Dewaterii		ction well
	-s₩ -		1. Domestic	3. Feedlot		water supp	ly 7. Lawn	and garden on		.9	pecify below)
	1		2. Irrigation	4. Industria			ply 8. Air co		10. Monitorin		
	S	I \	Was a chemical/ba	cteriological sa			YES	NO		vhat mo/day/yr v	vas sample
	_	SL	ubmitted				Was	Water Well Disi	nfected?	YES I	NO
5 TYI	PE OF CAS	ING USED:	5. Wroug	aht Iron	7. Fibergla	ass 9	Other (Specif	fy below) CA	SING JOINTS: (Glued	Threaded
	. Steel	3. RPM (S	R)		-					Welded	Clamped
	2. PVC	> 4. ABS	6. Asbes	tos-Cement	8. Concre	te tile					
Blank cas	sing diamete	r 5	in. to	25 ft	., Dia.	in	to	ft.,	Dia. i	n. to	ft.
Casing h	eight above	land surface:	12 in.,		Weight:	2.35	lbs. / ft.	Wall t	hickness or gaug	e No214	
-	-	R PERFORATIO	,								
1. Stee	· _	Stainless Steel	5. Fibergla	ss (7. PVC	9	ABS	11. C	ther (specify)		
2. Bras		. Galvanized	6. Concrete	e Tile	8. RMP (SI	२) १	. Asbestos-Ce	ement 12. N	one used (open	hole)	
	-	RATION OPENIN		Gouradu	ranad	7	Torch out		lled holes	11. None (c	vnen holo)
1. Conti	nuous slot	3. Mill s	101 3	5. Gauzed w	rappeo	_	Torch cut			TT. NOTE (C	pen noie)
2. Louve	ered shutte	r 4. Keyp	ounched (6. Wire wraj	oped	<u>(8</u>	Saw cut	10. Otl	ner (specify)		
SCREEN -		TION INTERVAL	From	25	ft.	to 35	ft.,	From	ft.	to	ft.
			From		ft.	to	ft.,	From	ft.		
		CK INTERVALS:		24	ft.	to 35				to	ft.
G	RAVEL PA	JA INTERVALS.	From	24			ft.,	From	ft.	to	ft.
			From		ft.	to	ft.,	From	ft.	to	ft.
6 GROL	JT MATERI	ALS: 1. Neat	cement	2. Cer	nent Grout		3. Bentonit	e	Other bent	onite hole plu	ug
	Intervals:	From	ft. t	0	ft., Fror	n	ft. to	ft.,	From 4	ft. to	24 ft.
What is the	e nearest so	urce of possible c	contamination:			10 Lives		-			
1. Septic tank 4. Laterar mes								15. Oil well/C			
2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 16. Other (specify be										ecify below)	
3 Water	rtight sewe	f line 6. Seepa	age pit	9. Feed ya	rd	12. Ferti	izer storage				
	from well?	East	• •					How m	any feet? 10 f	t. plus	
From	То		LITHOLOG	IC LOG		Fro	n To		LITHOLO	GIC LOG	
0	3	topsoil									
3		clay									
8		fine sand									
22	27	medium sand	d								
27	35	<u>shale (grey)</u>									
	ļ										
				······				+			
<u> </u>	· · · · · · · · · · · · · · · · · · ·							1			
								1			
								+			
-	I							<u> </u>			
7 Cont	tractor's or L	andowner's Certif			1. construc	ted 2.	reconstructe	ed or 3.	plugged	under my jurisdict	ion and
was cor	mpleted on ((mo/day/year)	7/17/19)	and this reco	ord is true to	the best of my	/ knowledge and	belief.		
Kansas	Water Well	Contractor's Licer	nse No. 236		This wate	r well record	was complete	d on (mo/day/ye	ar) 7/1	9/19	
1							·F·•••			_	
· .		name of Harp	*** **	~	•		(signature)			. Harp	