		WATER W	ELL REC	ORD F	orm W	VC-5 KS	SA 82a-1	212			
1 LOCATION OF WATER WELL: FRACTION					SEC	SECTION NUMBER		TOWNSHIP NUMBER		RANGE NUMBER	
Sedgwick		NE 1/4		/4 NE	1/4	8	T	<b>28</b> S	R	1E EW	
Distance and direction fro	•			in city?							
101 E. 31st S		GROW SPR	, Kansas	C (VO E	arms)						
RR#,ST. ADDRESS		S. Meridian		(.01.				Board of Ag	riculture, Division	of Water Resource	
CITY,	STATE: Wich	ita, Kansas				IP CODE: 6	7217	Application Nu	mber: 20	200215	
3 LOCATE WELL'S LO	OCATION 4	DEPTH OF COMP	LETED WEL	.L: 4	0 ft.		ELEVATION	<b>1</b> :			
WITH AN "X" IN SE		oth of groundwater	r Encountered	d:	f	t.		ft.		ft.	
1 .	X WE	ELL'S STATIC WA	TER LEVEL	15	FT. BELO	OW LAND SU	RFACE MEA	SURED ON mo/	day/yr: 11	/11/20	
NW	NE		mp test data:	,			ft. after		s of pumping @		
w Wile		Est. Yield: ore Hole Diameter	gpm - 12	Well wa		40 ft.	ft. after		s of pumping @		
<del>-</del>	'	ELL WATER TO B		in.	to	<b>40</b> ft.	and	in.	to 11. II	π. <b>njection well</b>	
sw·	1		Feedlot		ter supply	7. Lawn a	nd garden o	9. Dewater	g	(Specify below)	
	2.	Irrigation 4.	Industrial	6. Oil field w	rater suppi	y 8. Air con		10. Monitori	ing <del>we</del> ll		
s		/as a chemical/bacte omitted	riological samp	le submitted to I	Department?	YES	NO Vater Well Dis		what mo/day/y	r was sample	
5 TYPE OF CAS					9.6	Other (Specify		ASING JOINTS:	Glued	Threaded	
1. Steel	3. RPM (\$R	5. Wrought	Iron	7. Fiberglass		Diriei (Specify DR-26	below) C	ASING JOIN 13.	Welded	Clamped	
2. PVC	> 4. ABS	6. Asbestos	s-Cement	8. Concrete t	ile SL	/K-20					
Blank casing diamet	er 8	in. to	25 ft.,	Dia.	in.	to	ft.,	Dia.	in. to	ft.	
Casing height above	e land surface:	5 in.,		Weight:	2.35	lbs. / ft.	Wal	I thickness or gau	ge No2	14	
1	TYPE OF SCREEN OR PERFORATION MATERIAL:										
	3. Stainless Steel	<ol> <li>Fiberglass</li> <li>Concrete T</li> </ol>	_	7. PVC		ABS Asbastas Car		Other (specify)	holo)		
	4. Galvanized		ne (	8. RMP (SR)	10. /	Asbestos-Cen	nent 12.	None used (oper	i iiole)		
SCREEN OR PERFO			Gauzed wrag	anad	7 <b>T</b> .	orch cut	0.0	rilled holes	11 None	( open hole)	
				•					11.140116	( open note)	
2. Louvered shutte	, p.	inched 6. 1	Wire wrappe	а		aw cut	10. C	ther (specify)			
SCREEN - PERFORA	ATION INTERVAL	From	25 ft			ft.,	From	ft.	to	ft.	
		From	ft			ft.,	From	ft.	to	ft.	
GRAVEL PA	CK INTERVALS:	From	<b>24</b> ft.			ft.,	From	ft.	to	ft.	
T 2		From	ft.	. to		ft.,	From	ft.	to	ft.	
GROUT MATERIALS: 1. Neat cement 2. Cement Grout 3. Bentonite Other bentonite he									plug		
Grout Intervals: What is the nearest s	From 4	ft. to	24 ft.,	From	ft	. to	ft.,	From	ft.	to ft.	
1. Septic tank 4. Lateral lines 7. Pit privy					10. Livesto	ck pens	13. Insecticide storage 15. Oil well/Gas well				
2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 16. Other (specify belo									(specify below)		
3. Watertight sew		ge plt 9	. Feed yard		12. <b>Fertiliz</b> e	er storage					
Direction from well? East							How	many feet? 25			
From To	topsoil	LITHOLOGIC	LOG		From	То		LITHOLO	OGIC LOG		
3 12	clay		***		<del>                                     </del>		,				
12 25	fine sand										
25 40	medium sand										
	<u> </u>				<del> </del>	1					
					<b>†</b>	1					
							——————————————————————————————————————				
	A 3 - 1 - 1										
		*/			<del>                                     </del>						
	1	*				1			<u> </u>		
<u> </u>					<u> </u>						
Contractor's or	Landowner's Certific			constructed	2. n	econstructed	or 3.	plugged	under my juris	diction and	
was completed on	(mo/day/year)	11/11/2020	ar	nd this record	is true to th	e best of my l	knowledge ar	nd belief.			
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 11/13/20											
under the business name of Harp Well and Pump Service by (signature) Todd S. Harb											