
WATER WELL R					ision of Water		MT-4	
Original Record					urces App. No.	m 1' N 1	Well ID	
1 LOCATION OF W. County: Sedgwick	ATER WEI	ıL:	Fraction SE¼ SE¼ SE½		tion Number 2	Township Numb	Per Range Number R 1 ■ E □ W	
	. 37	······································	d	Street or Rural Address where well is located (if unknown, distance and				
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:								
Address: 3620 East Sunnybrook, Suite A Misco Towel & Uniform								
Address:					ower & Onlichitorita on the Construction of th			
City: Wichita		State: KS	ZIP: 67210	2774 OUUI1	1003even Ot	rect, wierita, ito	01210	
3 LOCATE WELL 4 DEPTH OF COMPLETED WELL:26.5 ft. 5 Latitude:37.64553								
WITH "X" IN SECTION BOX:	Depth(s) G	roundwater	Encountered: 1)?	:1 ft.)17 (decimal degrees)	
N N	2) ft., or 4) Dry Well					Horizontal Datum: WGS 84 □ NAD 83 □ NAD 27		
	WELL'S STATIC WATER LEVEL: 21.30 ft. below land surface, measured on (mo-day-yr).11-10-202					Source for Latitude/Longitude:		
2007	above land surface, measured on (mo-day-yr)					☐ GPS (unit make/model:) (WAAS enabled? ☐ Yes ☐ No)		
NWNE		Pump test data: Well water was ft.				Land Survey Topographic Map		
W × E		after hours pumping gpm				Online Mapper:		
SW SE		Well water was ft.						
	after	after hours pumping gpm				_n . 1302.04 _{ft}	. Ground Level TOC	
S	Rore Hole	Estimated Yield:				Source: Land Survey GPS Topographic Map		
1 mile	ile—— Dote Hote Blanctet							
7 WELL WATER TO BE USED AS:								
1. Domestic:	5. 🗀] Public W	ater Supply: well ID		10. 🔲 Oil F	ield Water Supply: 1	ease	
☐ Household						11. Test Hole: well ID		
	☐ Lawn & Garden ☐ Livestock 7. ☐ Aquifer Recharge: well ID					☐ Cased ☐ Uncased ☐ Geotechnical		
Livestock 2. Irrigation						12. Geothermal: how many bores?		
3. Feedlot							ischarge Inj. of Water	
4. Industrial	Ē	Recovery	☐ Injection	CAUGCHON				
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ■ No If yes, date sample was submitted:								
Water well disinfected? Yes No								
8 TYPE OF CASING USED: ☐ Steel PVC ☐ Other								
Casing diameter 2 in. to 11.5 ft., Diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 0 in. Weight lbs./ft. Wall thickness or gauge No. Sch. 40								
Casing height above land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous Slot								
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)								
SCREEN-PERFORATED INTERVALS: From 11.5 ft. to 26.5 ft., From ft. to ft., From ft. to ft.								
GRAVEL PACK INTERVALS: From 9.5 ft. to 26.5 ft., From ft. to ft., From ft., From ft., From ft.								
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Concrete 0-2 feet Grout Intervals: From								
Grout Intervals: From								
Septic Tank								
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well								
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well								
Other (Specify) Dry. Cleaner. Direction from well? North Distance from well? 560 ft.								
Direction from well? .!\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	<u>ul</u>	CITITION	Distance from w		TO LI	ft	NY TICODIO DIMENTI CA	
	Boring log a		GIC LOG	FROM	10 Li	THO. LOG (cont.) o	r PLUGGING INTERVALS	
	oning log a	llacileu						
	· · · · · · · · · · · · · · · · · · ·						······································	
Notes:								
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo-day-year) 11/9/2021 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 759 This Water Well Record was completed on (mo-day-year) 12/26/2021 under the business name of RAZEK Environmental LLC Signature								
under the business name	of RAZEK	L'HUNICON	mental, LLC	Si	gnature	m. j. voust	Total WITC Cocking	
Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.								
Visit us at http://www.kdheks		•		KSA 82a-12			Revised 7/10/2015	

Project: Misco Towel & Uniform Log of Boring MT-4 ppB enviro-solutions Project Location: 2274 S Roosevelt St., Wichita, Kansas 112 SW 6th Avenue, Suite 201 Sheet 1 of 1 Topeka, Kansas 785.256.0045 **Project Number:** Date(s) 11/9/21 Drilled Logged By W. Totten Checked By CC Drilling Method Direct Push Total Depth of Borehole 27 Dnll String 2.25-in OD, 8.25-in OD Drill Rig Geoprobe Model 7822 DT Contractor Razek Environmental Surface Elevation Static Water Level and GW Elevation Sampling Method(s) Dual Tube TOC Elevation Borehole Location north of clinic Backfill PID Reading, ppm Sample Number Elevation (feet) Material Type Sample Type Depth (feet) Graphic Log Well Log REMARKS AND OTHER TESTS MATERIAL DESCRIPTION Topsoil, silty clay loam Clay, very silty, slightly plastic, some limestone fragments, brown, slightly sandy. 10 Sand layer CH Clay, very plastic, moist, black 15 CL-CH Clay, very plastic, sandy, silty, dark brown/black, no odor 20 СН-ОН Clay, very plastic, saturated, brown Saturated sand layer 25





100 1 in. = 200 ft.

MISCO TOWEL & UNIFORM 2774 S ROOSEVELT, WICHITA, KANSAS

KDHE#: C2-087-72804

Source: NAIP 2019 || Location: NW 1/4 of Sec 2 - T28S - R1E, Sedgwick County, KS



Drawn By: R Bath

Project Manager: J Polak

Date: 12/13/2021