1 LOCATION OF WATER WELL:	FRACTION	Water Well Record	Form WWC-5	KSA 82a-1212 Section Number	Township Number	Range Number
	ł	<b>45</b>			•	
Sedgwick	NE 1/4	SE 1/4 N	W 1/4	7	T 28 s	R 1E EW
Distance and direction frem nearest town or city street address of well if located within city?						
3401 S. Glenn	<u>Wichita, I</u>				<del></del>	
2 WATER WELL OWNER: REEV	ES, Mary J	ohndine Es	tate			
RR#, ST. ADRESS, BOX#: P.O. Box 3728  Board of Agriculture, Divivsion of Water Resource						vivsion of Water Resource
CITY, STATE, ZIP CODE: Wich				Application Number	Application Number:	
3 LOCATE WELL'S LOCATION WITH	4 DEPTH OF CON	TEETED WELL	22	ft. EL	EVATION:	
AN "X" IN SECTION BOX:	Depth(s) groundw	ater Encountered	1	ft.	2 ft.	3 ft.
	WELL'S STATIC W	ATER LEVEL 14	FT.	BELOW LAND SU	JRFACE MEASURED ON mo/day/yr	05/16/1994
NWNE	Pump test	t data: Well w	ater was	ft.	after hours pum	<b>ping</b> gpm
	Est. Yield	gpm: Well w	ater was	ft.	after hours pum	ping gpm
E E	Bore Hole Diameter	c in t	to	ft.	and in.	to ft.
-	WELL WATER 1 <del>60</del> 7	EUSED AS: 5	Public water	r supply	8 Air conditioning 11 I	njection well
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)						
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well						
₩as a chemical/bacteriological sample submitted to Department? Yes No 🗶 ; If yes, mo/day/yr sample was						
S submitted Water Well Disinfected? Yes X No						
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped						
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (Specify below) Welded						/elded
2 PVC 4 ABS 7 Fiberglass Threaded						
Blank casing Diameter 1 1/4	in. to	ft., Dia	in.	to	ft., Dia in.	to ft.
Casing height above land surface 1		welght		lbs. / ft.	Wall thickness or gauge No.	
TYPE OF SCREEN OR PERFORAT	B	7 PVC			ent	
1 Steel 3 Stainless Steel	5 Fiberglass	5 Fiberglass 8 RMP (SR)			)	
2 Brass 4 Galvanized stee	I	6 Concrete tile	9	ABS	12 None used (op	en hole)
SCREEN OR PERFORATION OPE	5 Gauzed wrapped			8 Saw cut 11 None (open hole)		
1 Continous slot 3 Mill slot		6 Wire wrapped			9 Drilled holes	
2 Louvered shutter 4 Key pu	7 Torch cut			10 Other (specify)		
SCREEN-PERFORATION INTERV			<b>6</b> E	`•	ft.	
SCREEN-PERFORATION INTERVALS: from from		ft. 1		ft., Fron		
GRAVEL PACK INTERVALS: from		ft. to ft. to		ft., From		ft.
from		ft. to		ft., Fro		ft. ft.
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole plug						
						ft. to ft.
What is the nearest source of possible	10 Lives		•	bandon water well		
1 Septic tank 4 Lateral lines		7 Pit privy 11		11 Fuel s	uel storage 15 Oil well/Gas well	
2 Sewer lines 5 Cess pool		8 Sewage lagoon		12 Fertil		Other (specify below)
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage None Apparent						Apparent
Direction from well?						
FROM TO LITHOLOGIC LOG		FROM TO		TO	PLUGGING INTERVALS	
			0	3	compacted topso	il
			3	10	cement grout	
			10	22	bentonite hole	plug
				1		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and						
was completed on (mo/day/year)						
Well Contractor's License No						
Under the business name of Harp Well & Pump Service Inc by (signature)						
Jane Frederick						
					Jane F	rederick