			WELL RECORD	LOUIL MAAAC.			1
1 LOCATION OF WAT	TER WELL:	Fraction			ction Number	; ·	Range Number
County: Sedgwick			NE ¼			T 28 S	R 1 (E/)V
Distance and direction	from nearest town	or city street add	dress of well if locate	d within city?	Fligh	t Line Monitor We	lls
1 500፣ ፑርፑ ሪ	f the inter	section of	Oliver & 31g	t Street	_	ichita, KS	52915060 MW-101
1				C DULCE	bouch, r	TOTT Ca, RD	32313000 1111 101
2 WATER WELL OW	_	•	=				
RR#, St. Address, Box	<pre>* # : P. O. B</pre>	ox 7730 i	M/S K11-65			Board of Agriculture,	Division of Water Resources
City, State, ZIP Code	Wichita	, KS 6727	7-7730			Application Number:	
3 LOCATE WELL'S L						TION: Approx Surf.	
AN "X" IN SECTION) BOX: [D	epth(s) Groundw	ater Encountered 1		ft. 2	2	3
T T	· · · · · · · · · · · · · · · · · · ·	VELL'S STATIC V	WATER LEVEL 2.	Q ft.	below land sur	face measured on mo/day/y	06/20/91
						fter hours p	i i
NV	NE _					•	
						fter hours p	
# w		lore Hole Diamete	erin. to			and	n. toft.
M I	V	VELL WATER TO	BE USED AS:	5 Public wat	er supply	8 Air conditioning 11	Injection well
7 '	1	1 Domestic	3 Feedlot	6 Oil field w	ater supply	9 Dewatering 12	Other (Specify below)
SW	SE	2 Irrigation				Monitoring well	
1 ! !		•			•		s, mo/day/yr sample was sub-
<u> </u>			icteriological sample s		-		· · · · · · · · · · · · · · · · · · ·
		nitted				ter Well Disinfected? Yes	No X
5 TYPE OF BLANK O			5 Wrought iron		rete tile		ed Clamped
1 Steel	3 RMP (SR)	1	6 Asbestos-Cement		(specify below		ded
(-)	4 ABS		7 Fiberglass			Thre	
Blank casing diameter	2 ir	1. to 11.0	ft., Dia	in. t	0	ft., Dia	in. to ft.
						ft. Wall thickness or gauge	
TYPE OF SCREEN O			,	(7)P		10 Asbestos-cem	1
			5 Fibereless				
1 Steel	3 Stainless s		5 Fiberglass)
2 Brass			6 Concrete tile	9 A		12 None used (o	·
SCREEN OR PERFOR			5 Gauz	ed wrapped		8 Saw cut	11 None (open hole)
1 Continuous slo	t (3) Mill	slot	6 Wire	wrapped		9 Drilled holes	
2 Louvered shutt	er 4 Key	punched	7 Torch	cut		10 Other (specify)	
SCREEN-PERFORATI			1.0 ft. to	51.0	ft Fro	m ft.	toft.
							toft.
CDAVEL DA	OK INTERVALE.					m ft.	
GRAVEL PA	CK INTERVALS:						
1		From			ft., Fro		to ft.
6 GROUT MATERIAL			Cement grout			Other	
Grout Intervals: From	m0 ft	. to 53.⊾5	ft., From	ft.	to	ft., From	ft. to
What is the nearest so	ource of possible co	ontamination:			10 Lives	tock pens 14 .	Abandoned water well
1 Septic tank 4 Lateral lines		lines	s 7 Pit privy		11 Fuel storage 15 Oil well/Gas well		
2 Sewer lines 5 Cess poo		ool			12 Fertil	zer storage (16)	Other (specify below)
3 Watertight sewer lines 6 Seepage						ticide storage Indus	trial Facility
•	· · ·	ge più	9 reedyard				······································
Direction from well? V	<u>lest</u>	LITUOLOGIO L		- FDOM	How ma		INTERVALS
FROM TO		LITHOLOGIC L	<u> </u>	FROM	TO		
					53.5	Bentonite-Cement	
					ļļ.	Casing was remove	d
				İ			
					1 1		
7 CONTRACTOR'S	OR LANDOWNER'S	S CERTIFICATIO	N: This water well w	as (1) constr	ucted. (2) reco	onstructed, on (3) holiuaged un	ider my jurisdiction and was
							ider my jurisdiction and was
completed on (mo/day	/year)	06/21	/9.1		and this reco	rd is true to the best of my k	nder my jurisdiction and was
completed on (mo/day. Water Well Contractor	/year)	06/21. 416	/9.1 This Water W	/ell Record w	and this reco	rd is true to the best of my k on (mo/day/yr)	
completed on (mo/day. Water Well Contractor under the business na	/year)	06/21 416 Terra	/91 This Water W con Consultan	/ell Record w	and this recorate completed by (signa	rd is true to the best of my k on (mo/day/yr)	nowledge and belief. Kansas