

1 LOCATION OF WATER WELL: County: Sedgwick	Fraction SE 1/4 NE 1/4 NW 1/4	Section Number 14	Township Number T 28 S	Range Number R 1 EWX
--	---	-----------------------------	----------------------------------	--------------------------------

Distance and direction from nearest town or city street address of well if located within city?
Approximately 1/8 mile east and 1/8 mile south of Wichita

2 WATER WELL OWNER: RR#, St. Address, Box # : City, State, ZIP Code	Boeing Company 3801 S. Oliver Wichita, KS 67210	Board of Agriculture, Division of Water Resources Application Number: N/A
---	--	---

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: 36.57 ft. ELEVATION: unknown
--	---

Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.

WELL'S STATIC WATER LEVEL **15.02** ft. below land surface measured on mo/day/yr **5-13-92**

Pump test data: Well water was **not ch'd** ft. after hours pumping gpm

Est. Yield **unknown** gpm: Well water was ft. after hours pumping gpm

Bore Hole Diameter: **6.1** in. to **37** ft., and in. to ft.

WELL WATER TO BE USED AS:

5 Public water supply	8 Air conditioning	11 Injection well
1 Domestic	3 Feedlot	6 Oil field water supply
2 Irrigation	4 Industrial	7 Lawn and garden only
		9 Dewatering
		10 Monitoring well
		12 Other (Specify below)

Was a chemical/bacteriological sample submitted to Department? Yes No **X**; If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes No **X**

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued X Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
2 PVC	4 ABS	7 Fiberglass	Welded
Blank casing diameter 2 in. to 13 ft., Dia in. to ft., Dia in. to ft.			Threaded
Casing height above land surface 18 in., weight 44 lbs./ft. Wall thickness or gauge No. 091			

TYPE OF SCREEN OR PERFORATION MATERIAL:	7 PVC	10 Asbestos-cement
1 Steel	3 Stainless steel	5 Fiberglass
2 Brass	4 Galvanized steel	6 Concrete tile
		8 RMP (SR)
		9 ABS
		11 Other (specify)
		12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire wrapped	9 Drilled holes
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify)

SCREEN-PERFORATED INTERVALS: From 13 ft. to 35 ft., From ft. to ft., From ft. to ft.
GRAVEL PACK INTERVALS: From 11 ft. to 37 ft., From ft. to ft., From ft. to ft.

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other Bentonite Holeplug
Grout Intervals: From ft. to ft., From ft. to ft., From 0 ft. to 11 ft.				
What is the nearest source of possible contamination:	1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens
	2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage
	3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage
				13 Insecticide storage
				14 Abandoned water well
				15 Oil well/Gas well
				16 Other (specify below)
				Ground already
Direction from well?				How many feet? contaminated

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	3	Topsoil			
3	6.5	Clay, brown, caliche, hard, silty			
6.5	15	Clay, tan, hard, silty			
15	17.5	Sand, fine, medium, loose, silty			
17.5	20	Clay, tan, hard, silty			
20	27.5	Sand and gravel, fine, very fine, some medium, loose, slightly silty, thin clay streaks			
27.5	34.5	Shale, weathered, yellow, black, hard, silty			
34.5	37	Shale, black, hard, silty			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) <u>constructed</u> , (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 5-13-92 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 185 This Water Well Record was completed on (mo/day/yr) 2-24-92 under the business name of Clarke Well & Equipment, Inc. by (signature) <i>[Signature]</i>
--