			WATER	WELL RECORD	Form WWC	-5 KSA 82a	-1212		
1 LOCATI	ON OF WA	TER WELL:	Fraction		s	ection Number	Township Number	Range Number	
County: Sedgwick NW ¼ SE ¼ NE Distance and direction from nearest town or city street address of well if located with the control of the cont						15	T 28 S	R 1 (E)V	
			-		=		Boeing Landf: , Wichita, KS	ill Remediation 52905122 RW-6	
			Military A		uric and	MACAL CITAL	, wichica, Kb	JEJOJIEZ KW O	
			80x 7730, M/ $8$				Board of Agricultur	e, Division of Water Resources	
			a, KS 6727				Application Number	·	
SI LOCATI	F WELL'S L	OCATION WITH	A DEBTH OF CO	MDI ETED WELL	23.75	# ELEVA		face Elev.: 1271.9	
AN "X"	IN SECTIO	N BOX:						t. 3	
<del>,</del> Г	<u></u>	<del>}                                    </del>						/yr 1/04/91	
1	i	i				and the second s		pumping gpm	
-	NM	NE	•					pumping gpm	
<u>.</u>	i							.in. to	
₹ w  -	J	1	WELL WATER TO	BE USED AS:	5 Public wa	ter supply	8 Air conditioning	11 Injection well	
ī	. – SW – –		1 Domestic	3 Feedlot	6 Oil field w	ater supply	9 Dewatering	12)Other (Specify below)	
	1	1 1	2 Irrigation	4 Industrial	7 Lawn and	garden only	10 Monitoring well Aq	uifer Remediation	
Į L	i		Was a chemical/ba	acteriological sample	e submitted to	Department? Yo	esIf y	/es, mo/day/yr sample was sub-	
_		5	mitted			Wa	ter Well Disinfected? Yes		
		CASING USED:		5 Wrought iron	8 Cond	crete tile		lued Clamped	
1 Sto		3 RMP (SF		6 Asbestos-Cemen		r (specify belov	,	elded	
(2)PV		4 ABS		7 Fiberglass				nreadedX	
								in. to ft.	
				n., weight				No. Schedule . 40	
1 Ste		R PERFORATION 3 Stainless		5 Fiberaless	() <sup>5</sup>	MP (SR)	10 Asbestos-ce		
2 Bra		4 Galvaniz		5 Fiberglass 6 Concrete tile	9 A		12 None used	(open hole)	
		RATION OPENIN			zed wrapped	.00	8 Saw cut	11 None (open hole)	
	ontinuous sid				e wrapped		9 Drilled holes	11 None (open note)	
	uvered shut		ey punched		ch cut				
		ED INTERVALS:		_		ft From	· · · · ·	it. toft.	
								it. toft.	
(	GRAVEL PA	CK INTERVALS:						t. toft.	
			From	ft. to		ft From		t. to ft.	
6 GROUT	MATERIAL	.: 1 Neat o		Cement grout	3Ben	tonite 4			
Grout Inter	rvals: Fro	m	ft. to 8.5.	ft., From	8.5 m. ft.	to. 10.5	ft., From	ft. toft.	
What is th	e nearest so	ource of possible	contamination:			10 Lives	ock pens 14	Abandoned water well	
<ol> <li>Septic tank</li> </ol>		4 Lateral lines		7 Pit privy		11 Fuel:		15 Oil well/Gas well	
2 Sewer lines		5 Cess pool		8 Sewage lagoon		12 Fertilizer storage		(16)Other (specify below)	
	•	ver lines 6 Seepa	age pit	9 Feedyard		13 Insec	ticide storage	Other (specify below) Landfill	
Direction f	<del></del>	NW I	LITUOLOGIO L		l rposs	How mar		2 INTERVALO	
FROM	TO	Clar Fill	LITHOLOGIC LO		FROM	то	PLUGGIN	G INTERVALS	
6.0	6.0		Brown, Red	-Brown	<del></del>	-			
6.0	9.0		Gray-Black						
9.0	20.0	Sand, Fine	•	M					
20.0	23.5	1	-Medium Bro						
23.5	25.0	ì	avel and Pel um Coarse w		hhhaa				
25.0	26.0	,	Shale, Green		bbles				
26.0	27.0		Shale, Gray						
		11000110100	Diazo, Cray				****		
7 CONTE	ACTOP'S		R'S CERTIEICATIO	N: This water well	was (1)	ructed (2) rocc	netructed or (3) plugged	under my jurisdiction and was	
_		year)	11/14/90					knowledge and belief. Kansas	
•	•	's License No		This Water	Well Record v		//_/	Mala	
	business na		Terracon C	onsultants,	Inc.	by (signat			
			nen DIFASE DDESS EII	RMI V and PRINT clearly	Please fill in blank		the correct answers. Serio op th	rete challes to Kansas Denarment	
	ICIIONS: Hee						NNER and retain one for your red		