

600' East of Seneca, North side of 47th S. Wichita, Kansas

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%; text-align: center;">4</td> <td style="width: 40%;"> DEPTH OF COMPLETED WELL Depth(s) groundwater Encountered 1 ft. </td> <td style="width: 10%; text-align: center;">ft.</td> <td style="width: 10%; text-align: center;">ELEVATION:</td> <td style="width: 10%; text-align: center;">2 ft.</td> <td style="width: 10%; text-align: center;">3 ft.</td> </tr> <tr> <td colspan="3"> WELL'S STATIC WATER LEVEL 10 FT. BELOW LAND SURFACE MEASURED ON </td> <td colspan="3"> mo/day/yr 03/10/1993 </td> </tr> <tr> <td colspan="6"> Pump test data: Well water was ft. after hours pumping gpm </td> </tr> <tr> <td colspan="6"> Est. Yield 80-125 gpm: Well water was ft. after hours pumping gpm </td> </tr> <tr> <td colspan="6"> Bore Hole Diameter 12 in. to 40 ft., and in. to ft. </td> </tr> <tr> <td colspan="6"> WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well </td> </tr> <tr> <td colspan="6"> 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) </td> </tr> <tr> <td colspan="6"> 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well </td> </tr> <tr> <td colspan="6"> Was a chemical/bacteriological sample submitted to Department? Yes No ☒ ; If yes, mo/day/yr sample was </td> </tr> <tr> <td colspan="6"> submitted Water Well Disinfected? Yes ☐ No ☐ </td> </tr> </table>	4	DEPTH OF COMPLETED WELL Depth(s) groundwater Encountered 1 ft.	ft.	ELEVATION:	2 ft.	3 ft.	WELL'S STATIC WATER LEVEL 10 FT. BELOW LAND SURFACE MEASURED ON			mo/day/yr 03/10/1993			Pump test data: Well water was ft. after hours pumping gpm						Est. Yield 80-125 gpm: Well water was ft. after hours pumping gpm						Bore Hole Diameter 12 in. to 40 ft., and in. to ft.						WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well						1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)						2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well						Was a chemical/bacteriological sample submitted to Department? Yes No ☒ ; If yes, mo/day/yr sample was						submitted Water Well Disinfected? Yes ☐ No ☐					
4	DEPTH OF COMPLETED WELL Depth(s) groundwater Encountered 1 ft.	ft.	ELEVATION:	2 ft.	3 ft.																																																								
WELL'S STATIC WATER LEVEL 10 FT. BELOW LAND SURFACE MEASURED ON			mo/day/yr 03/10/1993																																																										
Pump test data: Well water was ft. after hours pumping gpm																																																													
Est. Yield 80-125 gpm: Well water was ft. after hours pumping gpm																																																													
Bore Hole Diameter 12 in. to 40 ft., and in. to ft.																																																													
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well																																																													
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)																																																													
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well																																																													
Was a chemical/bacteriological sample submitted to Department? Yes No ☒ ; If yes, mo/day/yr sample was																																																													
submitted Water Well Disinfected? Yes ☐ No ☐																																																													

5 TYPE OF CASING USED:		5 Wrought iron		8 Concrete tile		CASING JOINTS:		Glued ☒ Clamped	
1 Steel	3 RMP (SR)	6 Asbestos-Cement		9 Other (Specify below)		Welded			
2 PVC	4 ABS	7 Fiberglass		SDR-26		Threaded			
Blank casing Diameter 8 in. to 10		ft., Dia		in. to		ft., Dia		in. to ft.	
Casing height above land surface 12 in.,		weight 5.594		lbs. / ft.		Wall thickness or gauge No.		.332	
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1 Steel		3 Stainless Steel		5 Fiberglass		7 PVC		10 Asbestos-cement	
2 Brass		4 Galvanized steel		6 Concrete tile		8 RMP (SR)		11 other (specify)	
						9 ABS		12 None used (open hole)	
SCREEN OR PERFORATION OPENING ARE:				5 Gauzed wrapped		8 Saw cut		11 None (open hole)	
1 Continous slot		3 Mill slot		6 Wire wrapped		9 Drilled holes			
2 Louvered shutter		4 Key punched		7 Torch cut		10 Other (specify)			
SCREEN-PERFORATION INTERVALS:									
		from 10		ft. to 40		ft., From		ft. to	
		from		ft. to		ft., From		ft. to	
GRAVEL PACK INTERVALS:		from 10		ft. to 40		ft., From		ft. to	
		from		ft. to		ft., From		ft. to	

6	GROUT MATERIAL: 1 Neat cement		2 Cement grout	3 Bentonite	4 Other	bentonite hole plug	
Grout Intervals: From 0		ft. to 10	ft., From	ft. to	ft., From	ft. to	ft.
What is the nearest source of possible contamination:				10 Livestock pens			
1 Septic tank		4 Lateral lines	7 Pit privy	11 Fuel storage		14 Abandon water well	
2 Sewer lines		5 Cess pool	8 Sewage lagoon	12 Fertilizer storage		15 Oil well/Gas well	
3 Watertight sewer lines		6 Seepage pit	9 Feedyard	13 Insecticide storage		16 Other (specify below)	
				None Apparent			

Direction from well? _____ **How many feet?** _____

[illegible]

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 03/10/1993 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 236 This Water Well Record was completed on (mo/day/yr) 06/24/93 Under the business name of Harp Well & Pump Service, Inc by (signature) Jane Grederrick