			Water Well Record	d Form WWC-5			
ك	F WATER WELL:	FRACTION			Section Number	Township Number	Range Number
	lgwick	NE 1/4		SE 1/4	19	T 28 s	R 1E EW
Distance and direc	ction frem nearest town or city	y street address of well if loca	ated within city?			-	
52nd South and Seneca, West side Wichita, Kansas							
	ELL OWNER: CITY	OF WICHIT	A % CARTE				
RR#, ST. ADR	RESS, BOX #: 6015	N. Broadw	ay			Board of Agriculture,	Divivsion of Water Resource
CITY, STATE,		nita, Kansas			67219	Application Numb	er:
		4 DEPTH OF COM	MPLETED WELL	40	ft. EL	LEVATION:	
AN "X" IN SEC	TION BOX:	Depth(s) groundwa	ater Encountered	1	ft.	2 ft.	3 ft.
 		WELL'S STATIC W		2 FT.	BELOW LAND SI	URFACE MEASURED ON mo/day/yr	11/17/1992
	W	Pump test		water was	ft.	after hours pur	mping gpm
	" I	Est. Yield 80 -125	5 gpm: Well	water was	ft.	after hours pur	mping gpm
w Mg w ——	E	Bore Hole Diameter	12 in.	to 40	ft.,	and in.	to ft.
= "		WELL WATER TO E	BE USED AS:	5 Public water	r supply		Injection well
	swSE	1 Domestic		6 Oil field wat			Other (Specify below)
		2 Irrigation	4 Industrial	7 Lawn and g	arden only	10 Monltoring well	
l ↓ ∟		Was a chemical/bacte	eriological sample su	abmitted to De	epartment? Yes	No X; If yes,	mo/day/yr sample was
	S	submitted			-	ater Well Disinfected? Yes	
5 TYPE OF	CASING USED:		5 Wrought iron	8	Concrete tile	CASING JOINTS:	Glued X Clamped
1 Steel	3 RMP (SR)		6 Asbestos-Ceme		Other (Specify		Welded
2 PVC	4 ABS		7 Fiberglass		DR-26		Threaded
Blank casing Di		in. to 10	ft., Dia	in.	to	ft., Dia in.	to ft.
	above land surface 1		weight 5		lbs. / ft.	Wall thickness or gauge No.	.332
	REEN OR PERFORAT	,	•	7	PVC	10 Asbestos-cen	
1 Steel	3 Stainless Steel		5 Fiberglass		RMP (SR)	11 other (speci	fy)
2 Brass	4 Galvanized steel	e l	6 Concrete tile	9	ABS	12 None used (open hole)
SCREEN OR	PERFORATION OPE	NING ARE:	5 Gau	zed wrapped		8 Saw cut	11 None (open hole)
1 Continous sle				e wrapped		9 Drilled holes	
2 Louvered shu	O IVERE BEO		7 Torcl	••		10 Other (specify)	
ļ	UFORATION INTERVA			n cut . to 40	e Froi		ft.
SCREEN	TORALION AND ALL.	ALS: from 10			ft., Froi		
CR CR	AVEL PACK INTERV			t. to 1. to 40	ft., Fro ft., Fro		
U.S.	AVEL PACK INTERV	VALS: Irom 10 from		t. to 4.U t. to	n., rro ft., Fro		
6 GROUT M.	IATERIAL: 1 Neat co	· · · · · · · · · · · · · · · · · · ·	Cement grout		ntonite	4 Other BENTONITE H	
Grout Intervals		ft. to 10	ft., From	ft.		ft., From	ft. to ft.
	arest source of possible	— -	16, 1 10	•	10 Livest		Abandon water well
1 Septic tank	-		7 Pit privy		11 Fuel s	-4	Oil well/Gas well
2 Sewer lines			8 Sewage lago	0 0n		5 13	Other (specify below)
3 Watertight s	o ccss j	-	9 Feedyard			44-444	e Apparent
Direction from	•	ige pit	* * *ו			How many feet?	e whhere
FROM TO		LITHOLOGIC LOG		FROM	ТО	PLUGGING INT	ERVALS
0 3	topsoil				1		JK 111000
3 8	sandy cl	av					
8 21	fine san				1	The state of the s	
21 40		o coarse s	and	+	1		
	**********	V VVV	auw		1		
					1		
<u> </u>				+	1		
<u> </u>					1		
				+	1		<u> </u>
					1		
				-	+		
 					+		
 				-	+ +		
				-	+		
				+	-1		
 							
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)							
was complet	ed on (mo/day/year)	736 ************************************	1994	, and this rec	ord is true to t	the best of my knowledge and 06/2	d belief. Kansas vvalei 94/03
Well Contract	tor's License No		This Water wenk	lecord was co	ompleted on the Asia	mo/day/yr)	<u> </u>
Under the business name of Harp Well & Pump Service, Inc. by (signature) Jane Grederick							
EAE						//	