

1 LOCATION OF WATER WELL: County: Wilson	Fraction NW 1/4 NE 1/4 SE 1/4	Section Number 12	Township Number T 28 S	Range Number R 13 E/W
--	---	-----------------------------	----------------------------------	---------------------------------

Distance and direction from nearest town or city street address of well if located within city?

3 1/2 miles North of New Albany

2 WATER WELL OWNER: RR#, St. Address, Box # : City, State, ZIP Code :	John L. Eddy Rt 1 Fall River, Kon 67047	Board of Agriculture, Division of Water Resources Application Number:
---	--	--

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: 65 ft. ELEVATION: 22 1/2 ft.
	Depth(s) Groundwater Encountered 1. 22 1/2 ft. 2. 15.5 ft. 3. March 4 86 ft. WELL'S STATIC WATER LEVEL 15.5 ft. below land surface measured on mo/day/yr Pump test data: Well water was 3.2 gpm. Well water was 11 ft. after 8 hours pumping 65 gpm. Bore Hole Diameter 10 in. to 11 ft., and 8 in. to 65 ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well Was a chemical/bacteriological sample submitted to Department? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued <input checked="" type="checkbox"/> Clamped <input type="checkbox"/>
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
2 PVC	4 ABS	7 Fiberglass	Welded <input type="checkbox"/>
Blank casing diameter 8 in. to 11 ft., Dia 24 in. to SDR 26 ft.			Threaded <input type="checkbox"/>
Casing height above land surface 24 in., weight SDR 26 lbs./ft. Wall thickness or gauge No. SDR 26			
TYPE OF SCREEN OR PERFORATION MATERIAL:	7 PVC	10 Asbestos-cement	
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	8 Saw cut	11 <u>None</u> (open hole)
1 Continuous slot	3 Mill slot	6 Wire wrapped	9 Drilled holes
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify)
SCREEN-PERFORATED INTERVALS:	From 1 ft. to 11 ft., From 11 ft. to 65 ft.		
GRAVEL PACK INTERVALS:	From 1 ft. to 11 ft., From 11 ft. to 65 ft.		

6 GROUT MATERIAL:	1 Neat cement	2 <u>Cement grout</u>	3 Bentonite	4 Other
Grout Intervals:	From 1 ft. to 11 ft., From 11 ft. to 65 ft.			
What is the nearest source of possible contamination:	1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens
	2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage
	3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage
				13 Insecticide storage
Direction from well?				14 Abandoned water well
				15 Oil well/Gas well
				16 Other (specify below)
				water wells in area

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	1	Soil			
1	16	Sand Rock			
16	23	Soft Rock			
23	30	Sand Rock			
30	37	Sandy Shale			
37	65	Shale			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) <u>constructed</u> , (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) March 4, 1986 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 393 This Water Well Record was completed on (mo/day/yr) April 8 86 under the business name of Country Water by (signature) Ray Weber
INSTRUCTIONS: Use typewriter or ball point pen, <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

030000008-50