				ER WELL RECORD	Form WWC-5				
	ON OF WA		Fraction			tion Number	Township Numb		_
County: (Wrlso	n	NW	4 SE 14N		36	T 28	S) R 13 (E)W
				address of well if loca					
IN	The	Town c	of Neu	Albany					
2 WATER	R WELL OW	NER: Silus	s Vaug	4	•				
RR#. St. /	Address, Bo	x # : _		_			Board of Agric	culture, Division of Water Re	sources
•	, ZIP Code	Fall	Kiver	Ks			Application No	umber:	
LOCATI	F WELL'S L	OCATION WITH	DEPTH OF	COMPLETED WELL	47	ft FLEVA	TION:		
AN "X"	IN SECTIO	N BOX:	Depth(e) Group	dwater Encountered	1 46	# 2	,	ft. 3	ft
		} 						o/day/yr	
1	i	1 1 1	•						
-	WW	NE						nours pumping	
1 1	ሶ							nours pumping	
Wie w		F.	1		to Y. <i>D</i>		-	in. to	ft.
٣ ا	!	! `	WELL WATER	TO BE USED AS:	5 Public water		8 Air conditioning		
ī l	S/W/		1 Domestic	3 Feedlot	6 Oil field wa	ter supply	9 Dewatering	12 Other (Specify belo	w)
	3 11	1 1 1	2 Irrigation	4 Industrial	7 Lawn and o	garden only 1	0 Observation well		
1 1	i		Was a chemica	l/bacteriological sample	e submitted to De	epartment? Ye	sNo	; If yes, mo/day/yr sample	was sub
1 -		S	mitted			Wat	ter Well Disinfected?	Yes No	
5 TYPE	OF BLANK	CASING USED:	_	5 Wrought iron	8 Concre	ete tile	CASING JOINT	S: Glued Clamped .	
ر_ 1 St	teel	3 RMP (S	SR)	6 Asbestos-Cemer	nt 9 Other	(specify below	()	Welded	
(2 P)	7C >	4 ABS	•	7 Fiberglass				Threaded	
Blank casi	ing diameter		in to 40					in. to	
								gauge No	
_	_	R PERFORATIO		III., weight	7 PV			tos-cement	
				5		_			
1 St		3 Stainles		5 Fiberglass		IP (SR)		(specify)	
2 Br		4 Galvania		6 Concrete tile	9 AB	5		used (open hole)	
		RATION OPENIN			uzed wrapped		8 Saw cut	11 None (open he	ole)
1 Co	ontinuous sk	ot 3 M	Aill slot	6 Wir	e wrapped		9 Drilled holes		
2 Lo	ouvered shut	ter 4 K	(ey punched		ch cut		,		
SCREEN-	PERFORAT	ED INTERVALS:						ft. to	
			From	ft. to		ft., Fror	n	ft. to	ft.
(GRAVEL PA	CK INTERVALS	: From	ft. to		ft., Fror	n	ft. to	ft.
			_	4 4-					
			From	ft. to		ft., Fror	n	ft. to	ft.
6 GROU	T MATERIA	L: Neat	cement					ft. to	
6 GROU	T MATERIA		cement	2 Cement grout	3 Bento	nite 4	Other		
Grout Inte	ervals: Fro	mØ	ft. to 40	2 Cement grout	3 Bento	onite 4 to	Other	ft. to	
Grout Inte	ervals: Fro ne nearest s	ource of possible	cement ft. to 10 contamination:	2 Cement grout	3 Bento	to10 Livest	Other	ft. to	
Grout Inte What is th	ervals: Frome nearest septic tank	ource of possible 4 Late	cement . ft. to #0 contamination: oral lines	2 Cement grout ft., From 7 Pit privy	3 Bento ft.	to	Other	ft. to	ft.
Grout Inte What is th 1 Se 2 Se	ervals: From e nearest septic tank ewer lines	ource of possible 4 Late 5 Cess	cement	2 Cement grout ft., From 7 Pit privy 8 Sewage la	3 Bento ft.	onite 4 to	Other	ft. to	ft.
Grout Inte What is th 1 Se 2 Se 3 W	ervals: Frome nearest septic tank ewer lines datertight sev	ource of possible 4 Late	cement	2 Cement grout ft., From 7 Pit privy	3 Bento ft.	to	Other	ft. to	ft.
Grout Inte What is th 1 Se 2 Se 3 W Direction	ervals: From e nearest septic tank ewer lines vatertight sever from well?	ource of possible 4 Late 5 Cess	cement	2 Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	nite 4 to	Other	ft. to	ft.
Grout Inte What is th 1 Se 2 Se 3 W	ervals: From e nearest septic tank ewer lines tatertight several from well?	ource of possible 4 Late 5 Cess ver lines 6 Seep	cement .ft. to HO contamination: cral lines s pool page pit	2 Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento ft.	to	Other	ft. to	ft.
Grout Inte What is th 1 Se 2 Se 3 W Direction	ervals: From e nearest septic tank ewer lines vatertight sever from well?	ource of possible 4 Late 5 Cess	cement .ft. to HO contamination: cral lines s pool page pit	2 Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	nite 4 to	Other	ft. to	ft.
Grout Inte What is th 1 Se 2 Se 3 W Direction	ervals: From the nearest septic tank ewer lines vatertight sever from well?	ource of possible 4 Late 5 Cess ver lines 6 Seep Top So	cement .ft. to	2 Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	nite 4 to	Other	ft. to	ft.
Grout Inte What is th 1 Se 2 Se 3 W Direction	ervals: From the nearest septic tank ewer lines vatertight sever TO 3 14	ource of possible 4 Late 5 Cess ver lines 6 Seep	cement .ft. to	2 Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	nite 4 to	Other	ft. to	ft.
Grout Inte What is th 1 Se 2 Se 3 W Direction	ervals: From the nearest septic tank ewer lines vatertight sever from well?	ource of possible 4 Late 5 Cess ver lines 6 Seep Top So	cement .ft. to	2 Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	nite 4 to	Other	ft. to	ft.
Grout Inte What is th 1 Se 2 Se 3 W Direction	ervals: From the nearest septic tank ewer lines vatertight sever TO 3 14	ource of possible 4 Late 5 Cess ver lines 6 Seep Top So	cement .ft. to	2 Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	nite 4 to	Other	ft. to	ft.
Grout Inte What is th 1 Se 2 Se 3 W Direction FROM 7 /4 /7	ervals: From the nearest septic tank ewer lines vatertight sever from well?	ource of possible 4 Late 5 Cess ver lines 6 Seep Top So Clay Grave/s	cement .ft. to	2 Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	nite 4 to	Other	ft. to	ft.
Grout Inte What is th 1 Se 2 Se 3 W Direction FROM 7 /4 /7	ervals: From the nearest septic tank ewer lines vatertight sever from well?	ource of possible 4 Late 5 Cess ver lines 6 Seep Top So Clay Grave/s	cement .ft. to	2 Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	nite 4 to	Other	ft. to	ft.
Grout Inte What is th 1 Se 2 Se 3 W Direction FROM 7 /4 /7	ervals: From the nearest septic tank ewer lines vatertight sever from well?	ource of possible 4 Late 5 Cess ver lines 6 Seep Top So Clay Grave/s	cement .ft. to	2 Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	nite 4 to	Other	ft. to	ft.
Grout Inte What is th 1 Se 2 Se 3 W Direction FROM 7 /4 /7	ervals: From the nearest septic tank ewer lines vatertight sever from well?	ource of possible 4 Late 5 Cess ver lines 6 Seep Top So Clay Grave/s	cement .ft. to	2 Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	nite 4 to	Other	ft. to	ft.
Grout Inte What is th 1 Se 2 Se 3 W Direction FROM 7 /4 /7	ervals: From the nearest septic tank ewer lines vatertight sever from well?	ource of possible 4 Late 5 Cess ver lines 6 Seep Top So Clay Grave/s	cement .ft. to	2 Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	nite 4 to	Other	ft. to	ft.
Grout Inte What is th 1 Se 2 Se 3 W Direction FROM 7 /4 /7	ervals: From the nearest septic tank ewer lines vatertight sever from well? TO 3 14 12 40	ource of possible 4 Late 5 Cess ver lines 6 Seep Top So Clay Grave/s	cement .ft. to	2 Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	nite 4 to	Other	ft. to	ft.
Grout Inte What is th 1 Se 2 Se 3 W Direction FROM 7 /4 /7	ervals: From the nearest septic tank ewer lines vatertight sever from well? TO 3 14 12 40	ource of possible 4 Late 5 Cess ver lines 6 Seep Top So Clay Grave/s	cement .ft. to	2 Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	nite 4 to	Other	ft. to	ft.
Grout Inte What is th 1 Se 2 Se 3 W Direction FROM 7 /4 /7	ervals: From the nearest septic tank ewer lines vatertight sever from well? TO 3 14 12 40	ource of possible 4 Late 5 Cess ver lines 6 Seep Top So Clay Grave/s	cement .ft. to	2 Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	nite 4 to	Other	ft. to	ft.
Grout Inte What is th 1 Se 2 Se 3 W Direction FROM 7 /4 /7	ervals: From the nearest septic tank ewer lines vatertight sever from well? TO 3 14 12 40	ource of possible 4 Late 5 Cess ver lines 6 Seep Top So Clay Grave/s	cement .ft. to	2 Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	nite 4 to	Other	ft. to	ft.
Grout Inte What is th 1 Se 2 Se 3 W Direction FROM 7 /4 /7	ervals: From the nearest septic tank ewer lines vatertight sever from well? TO 3 14 12 40	ource of possible 4 Late 5 Cess ver lines 6 Seep Top So Clay Grave/s	cement .ft. to	2 Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	nite 4 to	Other	ft. to	ft.
Grout Inte What is th 1 Se 2 Se 3 W Direction FROM O 3 /4 /7 40	ervals: From en earest septic tank ewer lines vatertight sever from well? TO 3 14 17 40 47	ource of possible 4 Late 5 Cess ver lines 6 Seep Top So Clay Grave/ Shale	cement ft. to #D e contamination: eral lines s pool page pit LITHOLOGIC	2 Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard C LOG	3 Bento ft.	nite 4 to	Other		ft.
Grout Inte What is th 1 Se 2 Se 3 W Direction FROM O .3 /4 /7 4/0	ervals: From enearest septic tank ewer lines vatertight sever from well? TO 3 14 17 40 47	ource of possible 4 Late 5 Cess ver lines 6 Seep Top So Clay Grave/ Shale Grave/	cement fit. to #D e contamination: eral lines s pool page pit LITHOLOGIC CER'S CERTIFICA	2 Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard C LOG	3 Bento ft.	nite 4 to	Other		ft.
Grout Inte What is th 1 Se 2 Se 3 W Direction FROM O 3 /4 /7 4/0 7 CONT	ervals: From enearest septic tank ewer lines vatertight sever from well? TO 3 14 12 40 47	ource of possible 4 Late 5 Cess ver lines 6 Seep Top So Clay Grave/ Grave/ OR LANDOWNE	cement fit to #0 e contamination: e contamination: e page pit LITHOLOGIC ER'S CERTIFICA 13 -88	2 Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard C LOG	3 Bento ft. agoon FROM	nite 4 to	Other	ft. to	and was
Grout Inte What is th 1 Se 2 Se 3 W Direction FROM O 3 /4 /7 4/O	ervals: From enearest septic tank ewer lines vatertight sever from well? TO 3 14 12 40 47	ource of possible 4 Late 5 Cess ver lines 6 Seep Top So Clay Grave/ Grave/ OR LANDOWNE	cement fit to #0 e contamination: e contamination: e page pit LITHOLOGIC ER'S CERTIFICA 13 -88	2 Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard C LOG	3 Bento ft. agoon FROM was (1) constru	nite 4 to	Other ft., From ft., From fock pens storage zer storage ticide storage ny feet? Lin Instructed, or (3) plug rd is true to the best	ft. to	and was
Grout Inte What is th 1 Se 2 Se 3 W Direction FROM 7 CONT Completed Water We	ervals: From the nearest septic tank ewer lines /atertight sev from well? TO 3 14 17 40 47 RACTOR'S on (mo/day ell Contractor)	ource of possible 4 Late 5 Cess ver lines 6 Seep Clay Crayello Shale Crayello Crayello Shale OR LANDOWNE	cement fit to HO e contamination: or al lines is pool page pit LITHOLOGIC ER'S CERTIFICATION AND AND AND AND AND AND AND AND AND AN	2 Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard C LOG	3 Bento ft. agoon FROM was (1) constru	nite 4 to	Other	ft. to	and was
Grout Inte What is th 1 Se 2 Se 3 W Direction FROM 7 CONT completed Water We under the	PRACTOR'S on (mo/day ell Contractor) business na	ource of possible 4 Late 5 Cess ver lines 6 Seep Clay Crave/ Shak Crave/ Shak Crave/ Shak Crave/	cement fit to HO. contamination: con	2 Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard C LOG TION: This water well This Water SE PRESS FIRMLY	was (1) constru	nite 4 to	other	ft. to	and was Kansas
Grout Inte What is th 1 Se 2 Se 3 W Direction FROM 7 CONT Completed Water We under the	PRACTOR'S on (mo/day ell Contractor) business na	ource of possible 4 Late 5 Cess ver lines 6 Seep Clay Crave/ Shak Crave/ Shak Crave/ Shak Crave/	cement fit to HO. contamination: con	2 Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard C LOG TION: This water well This Water SE PRESS FIRMLY	was (1) constru	nite 4 to	other	ft. to	and was Kansas