


1 LOCATION OF WATER WELL: County: Neosho Fraction: NE 1/4 1/4 1/4 Section Number: 24 Township Number: T 28 S Range Number: R 17 E

Distance and direction from nearest town or city street address of well if located within city?
4 miles SW of Chanute

2 WATER WELL OWNER: Keith Splane
 RR#, St. Address, Box #: RR# 1
 City, State, ZIP Code: Chanute, Kansas 66701
 Board of Agriculture, Division of Water Resources
 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

 4 DEPTH OF COMPLETED WELL: 53 ft. ELEVATION:
 Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.
 WELL'S STATIC WATER LEVEL 18 ft. below land surface measured on mo/day/yr
 Pump test data: Well water was 30 ft. after 1 hours pumping 12 gpm
 Est. Yield 2.1 gpm: Well water was ft. after hours pumping gpm
 Bore Hole Diameter 9.5/8 in. to 53 ft., and in. to ft.
 WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well
 Was a chemical/bacteriological sample submitted to Department? Yes.....No ; If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes No

5 TYPE OF CASING USED:
 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped
 PVC 4 ABS 7 Fiberglass Welded
 Blank casing diameter 5 in. to 53 ft., Dia. in. to ft., Dia. in. to ft.
 Casing height above land surface 12 in., weight 1.4 lbs./ft. Wall thickness or gauge No. sch. 40
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement
 Brass 4 Galvanized steel 6 Concrete tile 9 ABS None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE:
 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 Louvered shutter 4 Key punched 6 Wire wrapped Drilled holes
 Torch cut 10 Other (specify)
 SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.
 GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
 Grout Intervals: From 0 ft. to 17 ft., From ft. to ft., From ft. to ft.
 What is the nearest source of possible contamination:
 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
 Insecticide storage none
 Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	2	02 Sand/brown/silted			
2	15	23 Sandstone/reddish/hard			
15	18	02 sand/silted/brownish red			
18	24	Sand/white/water			
24	25	01 Clay/white			
25	31	Sand/white/water			
31	33	05 Sand/redish			
33	34	01 Clay/white			
34	42	Sand/red			
42	49	Sand/white/water			
49	50	05 Sand/redish			
50	53	29 Sand/hard white & redish/ laminated lime			
		53' TOTAL DEPTH			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 7/3/84 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 380 This Water Well Record was completed on (mo/day/yr) 7/24/84 under the business name of N & W Enterprises, Inc. by (signature) Virginia L. Norris

INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY
T 28 R 17 BW SEC. 24 1/4 1/4

DP