WATER WELL RECORD	Form WWC	-5	Divisio	n of Wate	er Resources; App. No.	
1 LOCATION OF WATER WELL County: VESSO	L: Fraction NF/4NF 1/4		Section N		Township Number T S	Range Number R
Distance and direction from nearest town or city street address of well if Global Positioning Systems (decimal degrees, min. of 4 digits)						
located within gity?	2 11. Le	' I	Latitude			
3739 Katy HVE	2 Chante KS		Longitud	ie:		
2 WATER WELL OWNER: C! RR#, St. Address, Box # : 3	Andre White		Elevation Datum:	n:		
City Ctata ZID Code	139 Katy Ave			llection	Method:	
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL'S						
LOCATION	Pinciped				5.250	Bores Planed
WITH AN "X" IN Depth(s) C	Groundwater Encountered (1) STATIC WATER LEVEL					
	Pump test data: Well water wasft. after hours pumping gpm					
Est. Yield. J.Dgpm: Well water was						
WELL WATER TO BE USED AS: 5 Public water supply  WELL WATER TO BE USED AS: 5 Public water supply  1 Domestic 3 Feedlot 6 Oil field water supply  Dewatering 11 Injection well  Dother (Specify below)						
W E 1 Domesti	on 4 Industrial 7 Domest	ic (lawn &	garden)	10 Moi	nitoring well 4 ose 1	loan Hest tun
CW CF	mical/bacteriological sample subi					, ,
Sample wa	as submitted	Water	well disi	nfected?	Yes No	
5 TYPE OF CASING USED:	5 Wrought Iron 8 Con	crete tile		CASIN	G JOINTS: Glued,	Clamped
1 Steel 3 RMP (SR)	6 Asbestos-Cement 9 Othe	r (specify	below)	CHOIN	Welded.	rusida
2 PVC 4 ABS	7 Fiberglass .H.J	D. Poly	ettingle	ae	Threaded	
1 Steel 3 RMP (SR) 2 PVC 4 ABS Blank casing diameter	to ft., Diameter	if	. to	ft.,	, Diameter	in. toft.
Casing height above land surface. 3.4. in., Weight 5 DL1.1lbs./ft. Wall thickness or guage No. 160 PS.1						
TYPE OF SCREEN OR PERFORATION MATERIAL: No ~c  1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)						
1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)						
SCREEN OR PERFORATION OPEN		.,		- CIIICIII	12 Trone asea (open	noicy
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)						
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw cut 10 Other (specify)						
SCREEN-PERFORATED INTERVALS: From						
From						
From						
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other						
Grout Intervals: From 250 ft. to ft., From ft. to ft., From ft. to ft. what is the nearest source of possible contamination:						
Septic tank  Containing the hearest source of possible containing to the hearest source of the hearest s						
	2 4	11 Fuel sto			bandoned water well	below)
		12 Fertilize			0	
Direction from well?				5.Q		
	THOLOGIC LOG	FROM	ТО		PLUGGING INT	
0 5 Selectory				5-2	50 - Boses	Plagged
5 49 sandstake						
Ste 104 Sandstone		250	3	High	Solids Bent	ماني
104 115 Shale				77	Joi 43 Jeny	26.4
115 120 Limestone - Wet						
120 175 Slale						
175 188 Linestone		ļ				
188 208 Shele						
208 250 Unitone	WIEDIS CEDTIFICATION. T	lais sustant		(1)		. 1
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year)						
Kansas Water Well Contractor's License No. 56. 1 This Water Well Record was completed on (mo/day/year)						
under the business name of Trans Groupe Dev. Inc. by (signature) with G.						
INSTRUCTIONS: Use typewriter or ball point pen. <u>PIEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fift in blanks, underline or circle the correct answers. Send top						
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at						
http://www.kdheks.gov/waterwell/index.html.						