

WATER WELL RECORD Form WWC-5

Original Record Correction Change in Well Use

Division of Water Resources App. No.

Well ID

Well ID

1 LOCATION OF WATER WELL: County: Fraction Section Number Township Number Range Number

2 WELL OWNER: Last Name: Business: Address: City: State: ZIP: Street or Rural Address where well is located

3 LOCATE WELL WITH "X" IN SECTION BOX: N W E S

4 DEPTH OF COMPLETED WELL: Depth(s) Groundwater Encountered: WELL'S STATIC WATER LEVEL: Pump test data: Estimated Yield: Bore Hole Diameter:

5 Latitude: Longitude: Datum: Source for Latitude/Longitude: 6 Elevation: Source:

7 WELL WATER TO BE USED AS: 1. Domestic: 2. Irrigation: 3. Feedlot: 4. Industrial: 5. Public Water Supply: 6. Dewatering: 7. Aquifer Recharge: 8. Monitoring: 9. Environmental Remediation: 10. Oil Field Water Supply: 11. Test Hole: 12. Geothermal: 13. Other

Was a chemical/bacteriological sample submitted to KDHE? Water well disinfected?

8 TYPE OF CASING USED: CASING JOINTS: Casing diameter: Casing height above land surface: TYPE OF SCREEN OR PERFORATION MATERIAL: SCREEN OR PERFORATION OPENINGS ARE: SCREEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS:

9 GROUT MATERIAL: Grout Intervals: Nearest source of possible contamination: Direction from well? Distance from well?

Table with 6 columns: FROM, TO, LITHOLOGIC LOG, FROM, TO, LITHO. LOG (cont.) or PLUGGING INTERVALS. Includes a Notes section.

11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.



**ENVIRONMENTAL WORKS**  
OUR EXPERTISE. YOUR SUCCESS.

**ENVIRONMENTAL WORKS INC.**  
1731 Locust Street  
Kansas City, Missouri 64108  
Phone: 816-285-8410 Fax: 816-285-8409  
www.environmentalworks.com

Boring Number: MW-1

Project : Merle Kelly Ford  
Location : 3501 S. Santa Fe Ave.  
City/State : Chanute, Kansas  
Drilled By : Sara Rick  
Logged By : Carmelo Blazekovic  
Drilling Method: 7822DT Geoprobe  
Sampling Method : Dual Tube 5' Continuous Sampler

Project Number : 210061  
Date Drilled : 3/15/2021  
Inspected by : Carmelo Blazekovic  
Drafted by : Jordan Benningfield  
Boring Depth : 5.5 ft bgs  
Water Level - Static : ft. BGS

DEPTH BELOW	LITHOLOGY		SAMPLING AND WELL DATA					
	LITHOLOGIC SYMBOL	GEOLOGIC DESCRIPTION OF SOIL AND ROCK STRATA	Well Construct.	PID Value	PID (ppm)	Recovery	Sample Interval	Remarks
0		GRAVEL		0.0	0			1625: Begin boring
0 - 2.5		SILTY CLAY, brownish yellow (10YR 6/8), high plasticity, moist, medium consistency		0.0	0			
2.5 - 5.0		SILTY CLAY, very dark gray (10YR 3/1), high plasticity, moist, medium consistency		0.0	0	3.75 / 5.0		
5.0 - 5.5		CLAYEY SILT, very pale brown (10YR 7/4), low plasticity, very moist, medium consistency		1.7	1.7		MW-1 3.5-4.5' 1640	Sampled for VOCs, RCRA Metals, KS MRH/HRH, KS TPH LRH Duplicate sample MW-1D taken at 1645.
5.5		Refusal at 5.5 ft bgs due to sandstone		0.0	0	0.5 / 0.5		DPT refusal on sandstone at 5.5 ft bgs 1640: Start clean up

Notes : Located south of truck repair shop.

Drilled By : Sara Rick  
 Logged By : Carmelo Blazekovic  
 Drilling Method: 7822DT Geoprobe  
 Sampling Method : Dual Tube 5' Continuous Sampler

Drafted by : Jordan Benningfield  
 Boring Depth : 5.5 ft bgs  
 Water Level - Static : ft. BGS

DEPTH BELOW	LITHOLOGY		SAMPLING AND WELL DATA					
	LITHOLOGIC SYMBOL	GEOLOGIC DESCRIPTION OF SOIL AND ROCK STRATA	Well Construct.	PID Value	PID (ppm)	Recovery	Sample Interval	Remarks
								4.0 / 5.0
								5.0 / 5.0

Notes : Located south of truck repair shop.

Drilled By : Sara Rick  
 Logged By : Carmelo Blazekovic  
 Drilling Method: 7822DT Geoprobe  
 Sampling Method : Dual Tube 5' Continuous Sampler

Drafted by : Jordan Benningfield  
 Boring Depth : 5.5 ft bgs  
 Water Level - Static : ft. BGS

DEPTH BELOW		LITHOLOGY	SAMPLING AND WELL DATA				
LITHOLOGIC SYMBOL	GEOLOGIC DESCRIPTION OF SOIL AND ROCK STRATA	Well Construct.	PID Value	PID (ppm)	Recovery	Sample Interval	Remarks
				0 10			
							5.0 / 5.0
							5.0 / 5.0

Notes : Located south of truck repair shop.

Drilled By : Sara Rick  
 Logged By : Carmelo Blazekovic  
 Drilling Method: 7822DT Geoprobe  
 Sampling Method : Dual Tube 5' Continuous Sampler

Drafted by : Jordan Benningfield  
 Boring Depth : 5.5 ft bgs  
 Water Level - Static : ft. BGS

LITHOLOGY		SAMPLING AND WELL DATA						
DEPTH BELOW	LITHOLOGIC SYMBOL	GEOLOGIC DESCRIPTION OF SOIL AND ROCK STRATA	Well Construct.	PID Value	PID (ppm)	Recovery	Sample Interval	Remarks
								<p>1010: Sto</p> <p>5.0 /</p> <p>5.0</p> <p>Trace gravel at 28 ft. BGS</p> <p>1135: Drill</p>

Notes : Located south of truck repair shop.

Drilled By : Sara Rick  
 Logged By : Carmelo Blazekovic  
 Drilling Method: 7822DT Geoprobe  
 Sampling Method : Dual Tube 5' Continuous Sampler

Drafted by : Jordan Benningfield  
 Boring Depth : 5.5 ft bgs  
 Water Level - Static : ft. BGS

DEPTH BELOW	LITHOLOGY		SAMPLING AND WELL DATA					
	LITHOLOGIC SYMBOL	GEOLOGIC DESCRIPTION OF SOIL AND ROCK STRATA	Well Construct.	PID Value	PID (ppm)	Recovery	Sample Interval	Remarks
					0 10			

Notes : Located south of truck repair shop.