

WATER WELL RECORD Form WWC-5

Original Record Correction Change in Well Use

Division of Water Resources App. No.

[Blank box for App. No.]

Well ID

[Blank box for Well ID]

1 LOCATION OF WATER WELL:

County:

Fraction

1/4 1/4 1/4 1/4

Section Number

Township Number

Range Number

T

S

R

E

W

2 WELL OWNER: Last Name:

Business:

Address:

Address:

City:


State:

ZIP:

First:

Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:

3 LOCATE WELL WITH "X" IN SECTION BOX:



4 DEPTH OF COMPLETED WELL:

Depth(s) Groundwater Encountered: 1) ... ft. 2) ... ft. 3) ... ft., or 4) Dry Well ... WELL'S STATIC WATER LEVEL: ... ft. Pump test data: Well water was ... ft. after ... hours pumping ... gpm ... Estimated Yield: ... gpm Bore Hole Diameter: ... in. to ... ft. and ... in. to ... ft.

5 Latitude: ... (decimal degrees)

Longitude: ... (decimal degrees)

Datum: WGS 84 NAD 83 NAD 27

Source for Latitude/Longitude:

- GPS (unit make/model: ...) (WAAS enabled? Yes No) Land Survey Topographic Map Online Mapper:

6 Elevation: ... ft. Ground Level TOC

Source: Land Survey GPS Topographic Map Other

7 WELL WATER TO BE USED AS:

- 1. Domestic: Household Lawn & Garden Livestock 2. Irrigation 3. Feedlot 4. Industrial 5. Public Water Supply: well ID 6. Dewatering: how many wells? 7. Aquifer Recharge: well ID 8. Monitoring: well ID 9. Environmental Remediation: well ID Air Sparge Soil Vapor Extraction Recovery Injection 10. Oil Field Water Supply: lease 11. Test Hole: well ID Cased Uncased Geotechnical 12. Geothermal: how many bores? a) Closed Loop Horizontal Vertical b) Open Loop Surface Discharge Inj. of Water 13. Other (specify):

Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted: ...

Water well disinfected? Yes No

8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded

Casing diameter ... in. to ... ft., Diameter ... in. to ... ft., Diameter ... in. to ... ft. Casing height above land surface ... in. Weight ... lbs./ft. Wall thickness or gauge No. ...

TYPE OF SCREEN OR PERFORATION MATERIAL:

- Steel Stainless Steel PVC Other (Specify) Brass Galvanized Steel None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

- Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify) Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)

SCREEN-PERFORATED INTERVALS: From ... ft. to ... ft., From ... ft. to ... ft., From ... ft. to ... ft.

GRAVEL PACK INTERVALS: From ... ft. to ... ft., From ... ft. to ... ft., From ... ft. to ... ft.

9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other

Grout Intervals: From ... ft. to ... ft., From ... ft. to ... ft., From ... ft. to ... ft.

Nearest source of possible contamination: No potential source of contamination within 200 ft.

- Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well Other (Specify)

Direction from well? Distance from well? ft.

10 FROM TO LITHOLOGIC LOG FROM TO LITHO. LOG (cont.) or PLUGGING INTERVALS

Table with columns for FROM, TO, LITHOLOGIC LOG, FROM, TO, LITHO. LOG (cont.) or PLUGGING INTERVALS

Notes:

11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. This Water Well Record was completed on (mo-day-year) under the business name of

Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.



ENVIRONMENTAL WORKS
OUR EXPERTISE. YOUR SUCCESS.

ENVIRONMENTAL WORKS INC.
1731 Locust Street
Kansas City, Missouri 64108
Phone: 816-285-8410 Fax: 816-285-8409
www.environmentalworks.com

Boring Number: MW-4

Project : Merle Kelly Ford
Location : 3501 S. Santa Fe Ave.
City/State : Chanute, Kansas
Drilled By : Sara Rick
Logged By : Carmelo Blazekovic
Drilling Method: 7822DT Geoprobe
Sampling Method : Dual Tube 5' Continuous Sampler

Project Number : 210061
Date Drilled : 3/15/2021
Inspected by : Carmelo Blazekovic
Drafted by : Jordan Benningfield
Boring Depth : 6.0 ft bgs
Water Level - Static : ft. BGS

DEPTH BELOW	LITHOLOGY		SAMPLING AND WELL DATA					
	LITHOLOGIC SYMBOL	GEOLOGIC DESCRIPTION OF SOIL AND ROCK STRATA	Well Construct.	PID Value	PID (ppm)	Recovery	Sample Interval	Remarks
0		GRAVEL		0.0	0			1625: Begin boring
0 - 2		SILTY CLAY, very dark grayish brown (10YR 3/2), high plasticity, moist, medium consistency		0.0				
2 - 3.5		SILTY CLAY, brownish yellow (10YR 6/8), high plasticity, moist, medium consistency		0.0		5.0 / 5.0	MW-4 2.0-3.0' 1530	Sampled for VOCs, RCRA Metals, KS MRH/HRH, KS TPH LRH
3.5 - 5.8		CLAYEY SILT, (10YR 7/4), low plasticity, moist, medium consistency		0.0				
5.8 - 6.0		SANDSTONE (10YR 6/8), fine grained, moist, weak, extremely weathered, micaceous Refusal at 6.0 ft bgs due to sandstone		0.0		1.0 / 1.0		DPT refusal on sandstone at 6.0 ft bgs 1545: Start hollow stem auger

Notes : Located approximately 50 feet south of truck repair shop and 35' west of MW-1.

Drilled By : Sara Rick
 Logged By : Carmelo Blazekovic
 Drilling Method: 7822DT Geoprobe
 Sampling Method : Dual Tube 5' Continuous Sampler

Drafted by : Jordan Benningfield
 Boring Depth : 6.0 ft bgs
 Water Level - Static : ft. BGS

DEPTH BELOW		LITHOLOGY	SAMPLING AND WELL DATA				
LITHOLOGIC SYMBOL	GEOLOGIC DESCRIPTION OF SOIL AND ROCK STRATA	Well Construct.	PID Value	PID (ppm)	Recovery	Sample Interval	Remarks
				0 10			
							4.0 / 5.0
							5.0 / 5.0

Notes : Located approximately 50 feet south of truck repair shop and 35' west of MW-1.

Drilled By : Sara Rick
 Logged By : Carmelo Blazekovic
 Drilling Method: 7822DT Geoprobe
 Sampling Method : Dual Tube 5' Continuous Sampler

Drafted by : Jordan Benningfield
 Boring Depth : 6.0 ft bgs
 Water Level - Static : ft. BGS

DEPTH BELOW		LITHOLOGY	SAMPLING AND WELL DATA				
LITHOLOGIC SYMBOL	GEOLOGIC DESCRIPTION OF SOIL AND ROCK STRATA	Well Construct.	PID Value	PID (ppm)	Recovery	Sample Interval	Remarks
				0 10			
							5.0 / 5.0
							5.0 / 5.0

Notes : Located approximately 50 feet south of truck repair shop and 35' west of MW-1.

Drilled By : Sara Rick
 Logged By : Carmelo Blazekovic
 Drilling Method: 7822DT Geoprobe
 Sampling Method : Dual Tube 5' Continuous Sampler

Drafted by : Jordan Benningfield
 Boring Depth : 6.0 ft bgs
 Water Level - Static : ft. BGS

LITHOLOGY		SAMPLING AND WELL DATA						
DEPTH BELOW	LITHOLOGIC SYMBOL	GEOLOGIC DESCRIPTION OF SOIL AND ROCK STRATA	Well Construct.	PID Value	PID (ppm)	Recovery	Sample Interval	Remarks
								<p>1010: Sto</p> <p>5.0 /</p> <p>5.0</p> <p>Trace gravel at 28 ft. BGS</p> <p>1135: Drill</p>

Notes : Located approximately 50 feet south of truck repair shop and 35' west of MW-1.

Drilled By : Sara Rick
 Logged By : Carmelo Blazekovic
 Drilling Method: 7822DT Geoprobe
 Sampling Method : Dual Tube 5' Continuous Sampler

Drafted by : Jordan Benningfield
 Boring Depth : 6.0 ft bgs
 Water Level - Static : ft. BGS

DEPTH BELOW	LITHOLOGY		SAMPLING AND WELL DATA					
	LITHOLOGIC SYMBOL	GEOLOGIC DESCRIPTION OF SOIL AND ROCK STRATA	Well Construct.	PID Value	PID (ppm)	Recovery	Sample Interval	Remarks
					0 10			

Notes : Located approximately 50 feet south of truck repair shop and 35' west of MW-1.