Locur	ONOFWA		I EDAG	TION	Water W	Vell Record	Form WWC-5	KSA 82a-1212	T				
		TER WELL:	FRAC					Section Number	er Tow	vnship Number	Range Numb	er	
Sedgwick NE 1/4							₩ 1/4	7	Т	28 s	R 2E	E/W	
Distance and direction frem nearest town or city street address of well if located within city? Intersection of Kansas & Topeka on McConnell Air Force Base Wichita, KS.													
	er well o								r Force	Base Wi	<u>chita, K</u>	<u>s.</u>	
		-110	CONNEL:	L AIK	FORCE	5 BA	5 L i	MW4A		Board of Agriculture, Di	vivsion of Water Resou	ırce	
RR#, ST. ADRESS, BOX#: CITY, STATE, ZIP CODE: Wichita, Kansa					67210				Application Number:				
_		OCATION WITH				Apparation Apparation Number							
	N SECTIO			•	ater Encoun		1	ft.	2	ft.	3	ft.	
ltΓ		1		_	ATER LEV		FT.	BELOW LAND	SURFACE MEA	ASURED ON mo/day/yr	07/29/1	999	
	; NW	NE		Pump test	t data:	Well w	vater was	ft.	after	hours pum	• •	gpm	
	;	X	Est. Yield		gpm:	Well v	vater was	ft.	after	hours pum	ping	gpm	
W III		E	Bore Hole I	Diameter 4	inknown	in.	to	ft.	and	in.	to	ft.	
1			WELL WA	TER TO	USED AS	S: 5	5 Public water	supply	8 Air cond	ditioning 11 Iı	ijection well		
1 Domestic											ther (Specify belo) (WC	
2 Irrigation					4 Industrial 7 Lawn and garden only 10 Moni					toring well			
+ L	i	S		ucal/bacte	riological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was							vas	
5 TYPI	E OE CA	SING USED:	submitted						Water Well D		X No	_	
1 Steel	E OF CA	3 RMP (SR)				5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped 6 Asbestos-Cement 9 Other (Specify below) Welded							
2 PVC		4 ABS			7 Fibergla		ıı y	Other (Specif	y below)		reided hreaded		
l	D!		<u>. </u>		•			_	^				
Blank casi			in. to	.	ft.,	Dia	in.	to lbs. / ft.	•	Dia in.	to fi	i.	
Casing height and surface 36 in., TYPE OF SCREEN OR PERFORATION MATERIAL:						weight lbs. / ft. Wall thickness or gauge No. 7 PVC 10 Asbestos-					nt		
1 Steel	3 Stainless Steel	5 Fiberglass			RMP (SR)		11 other (specify	1 other (specify) N/A					
2 Brass	4 Galvanized ste	6 Concrete tile			ABS		12 None used (op	12 None used (open hole)					
SCREEN	REPORATION OF	5 Gauzed wrappe				8 Saw	cut	11 None (open	hole)				
1 Continous siot 3 Mill slot						6 Wire wrapped			9 Drilled holes				
2 Louvere	ed shutte	r 4 Key p	unched			7 Torch	cut		10 Otl	her (specify) N	′ a		
SCREEN-PERFORATION INTERVALS: from ft. to ft., From ft. to												ft.	
				rom		ft.		ft., Fi		ft. to		ft.	
GRAVEL PACK INTERVALS: from							to	ft., From		ft, to		, ft.	
			1	rom		ft.	to	ft., F	rom	ft. to		ft.	
6 GROU			cement	2 C	ement grout	t	3 Ber	tonite	4 Other	<u>_</u> bentonite	hole pl	uģ	
Grout Inte		ft. From			to		From 3	1					
What is the nearest source of possible contamination:					7 DV				estock pens		14 Abandon water well		
1 Septic tank 4 Lateral lines						privy			l storage		15 Oil well/Gas well		
2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit					8 Sewage lagoon 9 Feedyard			12 Fertilizer storage 16 Other (specify l			``	1	
	_		age pit		9 Fee	dyard		10 1111	·	none	Apparen	t	
Direction :		FROM TO			How many feet? PLUGGING INTERVALS								
FROM	TO		LITHOLOG	ne noo			0	3	surfa	ce clay an		1	
							3	11		nite hole		:	
												:	
									<u> </u>				
									ļ				
<u> </u>									<u> </u>				
									<u> </u>				
 							<u> </u>		<u> </u>				
							1						
													
-							+				- data		
17							1	1	J	(a) 1 ·	lood - 11-47		
CONI	FRACTO	OR'S OR LANDOWN	ER'S CERTIFICA	ATION: Th	is water we 1000	ll was (1) construct	ed, (2) recon	structed, or	(3) plugged under n	ny jurisdiction a	nd	
was completed on (mo/day/year)													
Under f	nınacıdı he husir	rs License No ness name of.Hi	arp We	11 &	Pump S	erv	ice. Ir	C bv /s	: (IIIO/Gay/yi) signature)	y	_		
3						. ,,-,-,-			J	Todd L	. Harp		