Country E See Se
Street or Rural Address where well is located (if mahnow, distance and distances and
Address
Address
Success
A DEPTH OF COMPLETED WELL: Special degrees Depth(s) Groundwater Encountered: 1)
Depth(s) Groundwater Encountered: 1
2
SW NE
S
Sort Hole Diameter:
1. Domestic:
Household
Livestock
Livestock S. Monitoring: well ID 12. Geothermal: how many bores? a) Closed Loop Horizontal Vertical b) Open Loop Surface Discharge Inj. of Water Sparge Soil Vapor Extraction b) Open Loop Surface Discharge Inj. of Water Stating Stati
2.
A. Industrial Recovery Injection 13. Other (specify):
Was a chemical/bacteriological sample submitted to KDHE?
Water well disinfected? Yes No 8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in. Weight Wall thickness or gauge No. 100 MATERIAL: Steel Stainless Steel Fiberglass DVC Other (Specify) Steel Stainless Steel Fiberglass DVC Other (Specify) Other (Specify) Other (Specify) Other (Specify) Other (Specify
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Diameter in. to in. Treaded in. to in. to in. Treaded in. to in. Treaded in. to in. Treaded in. to in
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No ft. TYPE OF SCREEN OR PERFORATION MATERIAL: Steel
Casing height above land surface
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel Fiberglass PVC Other (Specify) Brass Galvanized Steel Concrete tile None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify) Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole) SCREEN-PERFORATED INTERVALS: From And It. to It., From It., From It. to It., From It., From It. to It., From It.,
□ Brass □ Galvanized Steel □ Concrete tile □ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: □ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify) □ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From □ Other, From □ ft., From □ ft., From □ ft. GRAVEL PACK INTERVALS: From □ Other □ Other Grout Intervals: □ Neat cement □ Cement grout □ Bentonite □ Other Grout Intervals: From □ ft., From □ ft. From □ ft. From □ ft. Nearest source of possible contamination: □ Septic Tank □ Lateral Lines □ Pit Privy □ Livestock Pens □ Insecticide Storage □ Sewer Lines □ Cess Pool □ Sewage Lagoon □ Fuel Storage □ Abandoned Water Well □ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify) □ Other (Specify) □ Other (Specify) □ Other (Specify) □ Direction from well? □ Distance from well? □ Other (Specify)
SCREEN OR PERFORATION OPENINGS ARE: Continuous Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify) Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole) SCREEN-PERFORATED INTERVALS: From
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify) □ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From □ ft. to □ ft., From □ ft. to □ ft., From □ ft. to □ ft. GRAVEL PACK INTERVALS: From □ Louvered Shutter □ Cement grout □ Bentonite □ Other Grout Intervals: From □ ft. to □ Semant grout □ Bentonite □ Other Grout Intervals: From □ ft. to □ ft., From □ ft. to □ ft. Nearest source of possible contamination: □ Septic Tank □ Lateral Lines □ Pit Privy □ Livestock Pens □ Insecticide Storage □ Sewer Lines □ Cess Pool □ Sewage Lagoon □ Fuel Storage □ Abandoned Water Well □ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify) □ Distance from well? □ Distance from well? □ ft.
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From
SCREEN-PERFORATED INTERVALS: From
9 GROUT MATERIAL: Neat cement Cement grout Mentonite Other Grout Intervals: From ft. to ft., From ft., From ft. to ft., From ft., Fr
Grout Intervals: From
Nearest source of possible contamination: Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well Other (Specify) Direction from well? ft.
Septic Tank
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well ☐ Other (Specify) ☐ Distance from well? ☐ It. ft.
Other (Specify) Direction from well? Distance from well?
Direction from well?
10 FROM TO LITHOLOGIC LOG FROM TO LITHO. LOG (cont.) or PLUGGING INTERVALS
6 1 TOO 8011
15 Carl
15 41 Fire Sard
41 50 Fine- med sand
50 54 Shale
Su shale Notes:
The state of the s
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed, reconstructed, or plugged
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed, preconstructed, or plugged under my jurisdiction and was completed on (mo-day-year)
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year)

KSA 82a-1212

Revised 9/10/2012

Visit us at http://www.kdheks.gov/waterwell/index.html