LF34-MW15R

WATER WELL RECORD	Form W	WC-5	Division of Wate	er Resources App. N	o	
1 LOCATION OF WATER WEI County: Sedgwick	LL: Fraction 4 NE 4 NV	1/4 SW 1/4 Sec	tion Number	Township No. T 28 S	Range Number R 2	
Street/Rural Address of Well Location; if unknown, distance & direction			oal Positioning	System (GPS) in	nformation:	
from nearest town or intersection: If at owner's address, check here .			Latitude: .37,62560 (in decimal degrees)			
Well located within McConnell AFB, Wichita, KS			Longitude: 97.25797 (in decimal degrees) Elevation: □ Datum: ✓ WGS 84, □ NAD 83, □ NAD 27			
2 WATER WELL OWNER: 22 CEI/CEIER			Collection Method:			
RR#, Street Address, Box #: 15657830 Pittsburg St. Suite 120		e 120 🗔 🗔	GPS unit (Make/Model: Garmin 60C			
City, State, ZIP Code : McConnell AFB, KS 67221-3617			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☑ 3-5 m, ☐ 5-15 m, ☐ >15 m			
3 LOCATE WELL WITH AN "X" IN 4 DEPT	H OF COMPLETED WELI	r. 31	A			
N WELL'S	WELL'S STATIC WATER LEVEL. Drv					
EST. YIE	EST. YIELDgpm. Well water wasft. after hours pumpinggpm					
w E Bore Hole Diameter 8.29in. to .31ft., andin. toft.						
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well Domestic Feedlot Oil field water supply Dewatering Other (Specify below)						
SW SE						
Was a chemical/bacteriological sample submitted to Department? Yes No						
S If yes, mo/day/yr sample was submitted						
mile Water well disinfected?						
5 TYPE OF CASING USED: Steel PVC Other						
Casing diameter .2 in. to .20.0 ft., Diameter ft., Diameter ft., Diameter ft.						
Casing height above land surface. Flush in., Weight						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)						
SCREEN OR PERFORATION OPENINGS ARE:						
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)						
□ Louvered shutter □ Key punched □ Wire wrapped □ Saw cut □ Other (specify)						
From						
GRAVEL PACK INTERVALS: From. 31.0 ft. to .18.0 ft., From ft. to						
From						
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other						
Grout Intervals: From 18.0 ft. to 16.0 ft., From 16.0 ft. to 2 ft., From . ft. to . ft. to . ft. ft. ft. ft. ft. ft. ft. ft. ft. f						
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)						
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☑ Fuel storage ☐ Abandoned water well						
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Direction from well Distance from well						
	OLOGIC LOG	FROM TO			JGGING INTERVALS	
0 31 Clay						
	Lieuwin					
	The state of the s					
		-				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged						
under my jurisdiction and was completed on (mo/day/year) .10/16/2014 and this record is true to the best of my knowledge and belief.						
Kansas Water Well Contractor's License No7.10 This Water Well Record was completed on (no/day/year) .12/6/2014						
under the business name of Below Ground Surface. Inc. by (signature)						
INSTRUCTIONS: Use ty pewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Depar tment of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include <u>fee</u> of \$5.00 for each constructed well. Vi sit us at						
http://www.kdheks.gov/waterwell/index.html.						
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy						