FT06 - MW 19 R

Division of Water Resources App. No

WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No.
1 LOCATION OF WATER WELL:		Section Number Township No. Range Number
County: Sedgwick	1/4 1/4 SE 1/4 NE 1/4	/8 (18) T 28 S R 2 ØE □W
Street/Rural Address of Well Locations from nearest town or intersection: If at	; if unknown, distance & direction	Global Positioning System (GPS) information: Latitude: .37.62105(in decimal degrees)
1		Longitude: 97.24678 (in decimal degrees)
Well located within McConnell AFI	B, Wichita, KS	Elevation:
2 WATER WELL OWNER: 22 CF		- <u>Datum</u> : ✓ WGS 84, □ NAD 83, □ NAD 27
	I/CEIER	Collection Method:  GPS unit (Make/Model: Garmin 60C)
C'A CA-A- ZID C-A-	830 Pittsburg St. Suite 120 nnell AFB, KS 67221-3617	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey
IVICCOI	Ineli AFB, NS 67221-3617	Est. Accuracy:
3 LOCATE WELL	COMPLETED WELL .24.5	0
		ft. (2) ft. (3) ft.
N WELL'S STAT		
		ft. after hours pumping gpm
		ft. after hours pumping gpm
w               <sub>¥</sub>   E   Bore Hole Dian		ft., andft.
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well  Domestic Feedlot Oil field water supply Dewatering Other (Specify below)		
SW   SE		
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No		
S If yes, mo/day/yr sample was submitted		
Water well disinfected? ☐ Yes ☑ No		
5 TYPE OF CASING USED: Steel PVC Other		
CASING JOINTS: Glued Clamped Welded Threaded		
Casing diameter 2 in. to .14.5 ft., Diameter in. to ft., Diameter in. to ft.		
Casing height above land surface. Flush in., Weight		
Steel Stainless Steel		Other (Specify)
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)		
SCREEN OR PERFORATION OPENINGS ARE:  Continuous slot  Mill slot  Gauze wrapped  Torch cut  Drilled holes  None (open hole)		
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)		
SCREEN-PERFORATED INTERVALS: From24.5		
From		
GRAVEL PACK INTERVALS:		ft., From ft. to ft.
6 GROUT MATERIAL: VI Neat cen	nent Cement grout D Bento	
Grout Intervals: From 12.5 ft.	to 10.5 ft. From 10.5	nite
What is the nearest source of possible contamination:		
	ines Pit privy Livestock	=
☐ Sewer lines ☐ Cesspool ☐ Watertight sewer lines ☐ Seepage		
Direction from well		from well
FROM TO LITHOLO	GIC LOG FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS
0 25.5 Clay		
7 CONTRACTOR'S OR LANDOWNE	P'S CERTIFICATION: This work	ar well was 🗖 constructed 🗆 reconstructed as 🗀 alice
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   constructed,  reconstructed, or  plugged under my jurisdiction and was completed on (mo/day/year) .10/21/2014 and this record is true to the best of my knowledge and belief.		
Kansas Water Well Contractor's License No. 710 This Water Well Record was completed on (mg/day/year) 12/6/2014		
under the business name of Below Ground Surface, Inc. by (signature)		
INSTRUCTIONS: Use ty pewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367.		
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at		
http://www.kdheks.gov/waterwell/index.html.  KSA 82a-1212 Check: White Copy. Pink Copy.		
NOA 024-1212		Check: White Copy, Blue Copy, Pink Cop