County: <u>Sedgwick</u> Fraction NW SW NW SE Sec. 6	T 28 S R 2 BW
CORRECTION(S) TO WATER WELL COMPLETION REC (to rectify lacking or incorrect information)	ORD (WWC-5)
Owner: Mc Connell AFB	
Location was listed as: Location cha	
Section-Township-Range: None Given 6-	- 285-2E) SW NW SE
Fraction (1/4 1/4 1/4):) SW NW SE
Other changes: Initial statements:	
Changed to:	
Comments:	
Verification method: Latitude \$ longitude, KGS'	LEO" conversion tool,
Verification method: Latitude \$\(\langle \) longitude, KGS and mapping tool on KGS website Submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., La	
	initials: 12/9/2015
Submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lato: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420,	wrence, KS 66047-3726 ' ' Topeka, KS 66612-1367.

WATER WELL REC	ORD	F	orm WV	WC-5	Divisio	on of Water	r Resources App. N	SS01-PI03	
1 LOCATION OF WAT		Fraction			Section N		Township No.		
County: Sedgwick	DR WELL	1/4	1/4	1/4 1/4	l	· carrio ci	T S		
Street/Rural Address of	Well Location:					ositionina	System (GPS) i		
from nearest town or in					Latitude	37 640	7390	(in decimal degrees)	
	tersection. If at t	owner s addi	ess, check	nere	Latitude.		7.000 532733	(in decimal degrees)	
McConnell AFB					Longitud	19. 19.9.1 :91 He eee at	tached log	(in decimal degrees)	
						Elevation: see attached log			
2 WATER WELL OW	NFD: M-O	II A CD			<u>Datum</u> : ☐ WGS 84, ☑ NAD 83, ☐ NAD 27				
RR#, Street Address, B	111000111	nell AFB			Collection		75.7.1.1		
	юх и .				GPS	unit (Mak	ce/Model:)	
City, State, ZIP Code :					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m				
1 LOCATE WELL					Est. Accur	racy: V	3 m, <u></u> 3-5 m, <u></u>		
3 LOCATE WELL	4 DEPTH OF	COMPLET	en wett	29		Ç,			
								(2)	
SECTION BOX:	Depth(s) Ground	iwater Enco	untered	(1).9	II.	(2)	II.	(3) ft.	
	WELL'S STAT	IC WATER	LEVEL	!tt	below land	i surface r	neasured on mo/o	day/yr	
	Pump	test data:	Well water	r was	ft. aft	ter	hours pun	nping gpm	
								nping gpm	
w I I E	Bore Hole Diam	eter 4.5	in. to .?	29	t., and	in.	to	.ft.	
	WELL WATER	TO BE USI	ED AS:	Public wat	er supply	☐ Ge	othermal 🗹	Injection well	
	☐ Domestic	☐ Feedlo	t □ (- Oil field wat	er supply			Other (Specify below)	
ow oe	☐ Irrigation								
	Was a chemical/								
S		day/yr samp					103 🔲 110		
	Water well disin								
5 TYPE OF CASING US				Other			••••		
CASING JOINTS: 🔲 🤇	Glued 🔲 Clar	nped 🔲 🛚	Welded	☐ Threaded	i				
Casing diameter .2	in. to .15	ft., D	iameter	in.	to	ft., D	iameter	in. to ft.	
Casing height above lan	d surface0	in.	. Weight		lbs./ft.,	Wall thic	kness or gauge N	_{10.} SCH-40	
TYPE OF SCREEN OR P					•		6 6		
	nless Steel			Г	Other (Spec	cify)			
☐ Brass ☐ Galv	vanized Steel	None u	sed (open ho	ole)	· \ 1	,			
SCREEN OR PERFORA	TION OPENING	S ARE:	` '	,					
Continuous slot									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)									
SCREEN-PERFORATED INTERVALS: From 15 ft. to 25 ft., From ft. to ft.									
From									
GRAVEL PACK	INTERVALS:	From 13	f	ft to 29	ft	From	ft	. to ft.	
GIGIT ED TITION									
From									
Grout Intervals: From									
	•		: Г	□ T :t1-		1		ha- (i£, b-1)	
☐ Septic tank☐ Sewer lines		nes ☐ Pit pr ☐ Sewaa		☐ Livestock ☐ Fuel storag		Insecticide	storageO	ther (specify below)	
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Direction from well ☐ Distance from well									
								LICCINIC INTERDIVALS	
FROM TO	LITHOLOG			FROM	TO L	JITO. LO	od (cont.) of PL	UGGING INTERVALS	
0 29 Tan gra	y clay and som	ie sand					.		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged									
under my jurisdiction and was completed on (mo/day/year) 07/18/2014 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contra									
under the business name o	f ARS Techn	ologies. Inc			by (sign	ature)	Che Vil	1	
INSTRUCTIONS: Use tynew	riter or ball point per	n. PLEASF PR	ESS FIRMLY	and PRINT c	early. Please f	fill in blanks	and check the correct	at answers. Send one conv to	
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send one copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									

http://www.kdheks.gov/waterwell/index.html

INJECTION WELL CONSTRUCTION LOG Project Name McConnell AFB PBR Inj. Well No. SS01-P103						
Location SS001	Project No.	16170799				
Installed By ARS Technologies Inspected By Michael A. Riggle		Date Started 7/20 Date Completed				
Method of Installation 8040 DT Geoprobe Direct	ct Push (Open Hole)					
Remarks						
			BGS Elevation (feet)			
	Depth of riser be	elow ground	0.34 / 1366.97			
<u>i</u>	Ground Elevatio		/_1367,31_			
	I.D./Type of surf					
	Type of surface s Portland	seal Cement Concrete				
	Depth of surface	seal	/			
		cement -				
	Bentonite Gr	out	110 / 12562			
	Depth to top of s		11.0 / 1356.3			
	Depth of top of f	•	<u>13.0</u> / <u>1354.3</u>			
	Depth of top of a		<u>15.0</u> / <u>1352.3</u>			
	20-40 sieve s					
-	2" Schedule 40					
	Screen slot size	0.010-inch				
	Depth of bottom Depth of bottom	of screen of plugged blank section	25.0 / 1342.3 25.0 / 1342.3			
	Type of backfill well	below observation 20-40 sieve sand				
	Depth of bottom	-	<u>29.0</u> / <u>1338.3</u>			
	Diameter of bori	ng 4.5 inches				