CORRECTION(S) TO WATER WELL CON (to rectify lacking or incorrection) Owner: McConnell AFB	ect information)
Location was listed as:	Location changed to:
Section-Township-Range: None Given	18-285-2E
Section-Township-Range: None Given Fraction (1/4 1/4 1/4):	NW SW SW NE
Other changes: Initial statements:	
Changed to:	
Comments:	
Verification method: <u>Latitude \$ longitude</u> and mapping tool on KG_S	-, KGS' "LEO" conversion tool,
	website.

WATE	R WEL	L REC	CORD		Form W	VWC-5		Division of Wate	r Resources App. N	FT07-PI02
			TER WELL:	Fraction			T _S	Section Number	Township No.	Range Number
	ty: Sed		iek weel.	1/4	1/4	1/4 1/		cotton runnoci	T S	R DE DW
			f Well Location;					lahal Dasitianina	- ~	
							G	HODRI POSITIONING	System (GPS) in	ilormation:
	from nearest town or intersection: If at owner's address, check here .						+	Latitude: 37.6152760 (in decimal degrees) Longitude: -097.2523815 (in decimal degrees)		
McC	Connell A	٩FB					1 5	ongitude: TYP! :4	tochod log	(in decimal degrees)
									tached log	
2 WA	TER WI	ELL OW	NFR: Macan	II A E D					4, 🗹 NAD 83, 🗀	J NAD 27
		Address, l		nell AFB			2	Collection Method:	2.5.1.1	
)
City,	State, Z	IP Code	:							c Map, Land Survey
2 100	A SPEC ANDE						E	st. Accuracy: V	3 m, <u></u> 3-3 m, <u></u>	5-15 m, □ >15 m
3 LOCA			4 DEDTH OF	COMDI ET	ren wei	r 28		ft.		
	H AN "X'									
SECI	TION BO N	л:	Depun(s) Ground	iwater Enco	unterea	6 ^{(1).y}		. II. (2)	II. ((3) ft.
			WELL'S SIAI	IC WATER	LEVEL	. <u></u> 1	t. bel	low land surface r	measured on mo/d	ay/yr
										ping gpm
L-NV	v N	E	EST. YIELD	gpm.	Well water	er was		ft. after	hours pum	pinggpm
w		E	Bore Hole Diam	eter 4.5	in. to .	.28	ft., a	andin.	to	ft.
├			WELL WATER	TO BE US	ED AS:	Public wa	iter s	supply	othermal 🗹 I	njection well
cu.	/ s	.	□ Domestic	☐ Feedle						Other (Specify below)
SM	(3:	E	☐ Irrigation							
								epartment?		
	S								103 🔲 140	
	1 mile		Water well disir							
		<u>'</u>								
			SED: Stee					•••••	••••	
CASIN	G JOINT	`S: 🔲	Glued 🔲 Clar	nped 🔲	Welded	☐ Threade	ed			
Casin	g diamet	er .2	in. to .10	ft.,	Diameter	in	. to	ft., D	iameter	in. to ft.
Casin	g height	above lar	nd surface0	ir	Weigh	nt	11	bs./ft. Wall thic	kness or gauge N	o. SCH-40
TYPE C	OF SCRE	EN OR I	PERFORATION	MATERIA	L:			*	- 0 - 0 -	
	Steel		nless Steel			Г	□ Otł	her (Specify)	,,	
	Brass	Gal	vanized Steel		ised (open	hole)		(-1)	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
SCREE	N OR PI	ERFORA	TION OPENING		· ·	,				
					vrapped	☐ Torch cut		Drilled holes	☐ None (open hol	e)
			Key punched	☐ Wire w	rapped	Saw cut	┌	Other (specify)		'
SCREE	N-PERF	ORATEI	DINTERVALS:	From 10		ft to 24		ft From	fi	to ft.
	From									
	OICAVI	L I MCI								
From ft. to ft., From ft. to ft.										
	6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other									
Grout Intervals: From 0 ft. to 8 ft., From ft. to ft., From ft. to ft.										
What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)										
	Septic tar					Livestock		_	-	er (specify below)
	Sewer lin		☐ Cesspool		ge lagoon	Fuel stora		☐ Abandoned		
			nes 🗌 Seepage p			Fertilizer				• • • • • • • • • • • • • • • • • • • •
		n wen						m well		
FROM	TO		LITHOLOG			FROM	TO	O LITHO. LO	OG (cont.) <u>or</u> PLU	IGGING INTERVALS
0	28	Gray cl	ay and some sa	nd						
		·· · · · · · · · · · · · · · · · · · ·								
	•									
						1				
7 CONT	RACTO	R'S OF	LANDOWNER	S'S CERTI	FICATIO	N: This was	ter w	ell was 🖊 constr	ucted D reconstr	ucted or Dalugged
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged under my jurisdiction and was completed on (mo/day/year) .07/13/2014 and this record is true to the best of my knowledge and belief.										
Kansas Water Well Contractor's License No. 890 This Water Well Record was completed on (mo/day/year) .09/22/2014										
under the business name of ARS Technologies, Inc. by (signature)										
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send one copy to										
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.										
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at										

http://www.kdheks.gov/waterwell/index.html

Project Name McConnell AFB PBR Location FT007 Installed By ARS Technologies		Project No. 16170799 Date Started 7/14/2014 Date Started 7/14/2014			
			BGS Elevation (feet)		
	Depth of riser below	w ground	0.37/_1353.09		
	Ground Elevation I.D./Type of surface 8 inch/stainless ste		0 / 1353.46		
	D	ement Concrete	3.0 / 1350		
	Depth of surface se I.D./Type of riser p Type of backfill	cement -			
	Bentonite Grou Depth to top of sea Type of seal		6.0 / 1347.5		
	Depth of top of filte Depth of top of screen	-	8.0 / 1345.5 10.0 / 1343.5		
	Type of filter pack 20-40 sieve sand I.D./Type of screen 2" Schedule 40 PV				
	Type of backfill bel	plugged blank section low observation 20-40 sieve sand	24.0 / 1329.5 24.0 / 1329.5		
	Depth of bottom of Diameter of boring	-	/		

.