County: Sedawick Fraction NW SWSW NE	Sec. /8 T 28 S R 2 EW
CORRECTION(S) TO WATER WELL COMI	tinformation)
Owner: McConnell AFB	
Location was listed as:	Location changed to:
Section-Township-Range: None Given	18-285-2E NW SW SW NE
Fraction (¼ ¼ ¼):	NW SW SW NE
Other changes: Initial statements:	
Changed to:	
Comments:	
Verification method: <u>Latitude \$ longitude</u> and mapping tool on KG-5 u	KGS' "LEO" conversion tool,
Submitted by: Kansas Geological Survey, Data Resources Library, 1930 Cto: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jack	initials: DRL date: 2/9/2015
Submitted by: Kansas Geological Survey, Data Resources Library, 1930 Cto: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jac	kson, Suite 420, Topeka, KS 66612-1367.

WATER WELL REC	CORD	Form W	WC-5	Di	vision of Wate	r Resources App. N	FT07-PI03
1 LOCATION OF WA	TER WELL:	Fraction					Range Number
County: Sedgwick		1/4 1/4	1/4 1/4	i .		T S	R DE DW
Street/Rural Address of	f Well Location; i	f unknown, distance &	& direction	Globa	d Positioning	System (GPS) in	
from nearest town or in	itersection: If at a	owner's address, checl	k here $\square$ .	Latitu	ide:37.615	2625	(in decimal degrees)
McConnell AFB		,	_	Long	itude: -097.2	524432	(in decimal degrees)
Wicconnell Al B				Eleva	tion: see at	tached log	
						4, <b>☑</b> NAD 83, □	
2 WATER WELL OW		nell AFB		Collec	ction Method:		
RR#, Street Address, I	30x #:				GPS unit (Mak	e/Model:	
City, State, ZIP Code	:				Digital Map/Ph	oto, 🔲 Topographi	c Map, 🛮 Land Survey
1.00.75		·		<u> Est. A</u>	ccuracy: 🔽 <	3 m, ∐ 3-5 m, ∐	] 5-15 m, □ >15 m
3 LOCATE WELL	4 DEDTH OF 4	COMPLETED WEL	т 28		c.		
WITH AN "X" IN SECTION BOX:						c.	(2)
SECTION BOX:	Depui(s) Ground	iwater Encountered	۱). ۱	II.	(2) 	II. (	(3) ft. lay/yr
'   '							pinggpm
NW NE	EST. YIELD	gpm. Well wate	r was		. after	hours pum	ppinggpm
W     E		eter 4.5 in. to					
		TO BE USED AS:	] Public wat	er suppl	ly $\square$ Ge	othermal 🛂 1	injection well
SWSE	Domestic	☐ Feedlot ☐	Oil field water	er supply	y $\square$ De	watering ⊔ (	Other (Specify below)
	☐ Irrigation	☐ Industrial ☐	Domestic-lay	vn & ga	rden ∐ Mo	nitoring well	
		bacteriological sample				Yes ∐ No	
S  1 mile		day/yr sample was sub			····		
·		fected? Yes 🔽					
5 TYPE OF CASING U							
CASING JOINTS:	Glued 🔲 Clan	nped 🔲 Welded	☐ Threaded	į.			
Casing diameter .2	in. to .10	ft., Diameter	in.	to	ft., D	iameter	in. to ft.
Casing height above lan	id surface0	in., Weight	• •••••	lbs./f	t, Wall thic	kness or gauge N	o SCH-40
TYPE OF SCREEN OR I	PERFORATION	MATERIAL:					
	nless Steel			Other (S	Specify)		
		None used (open h	ole)				
SCREEN OR PERFORATION OPENINGS ARE:							
Continuous slot  Mill slot  Gauze wrapped  Torch cut  Drilled holes  None (open hole)							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)							
SCREEN-PERFORATED INTERVALS: From 10 ft. to 24 ft., From ft. to ft.							
From							
GRAVEL PACK							
C CDOUT MATERIAL							to ft.
6 GROUT MATERIAL	Neat ceme	ent Cement grout	t ∐ Bentor	nte L	Other		
			1	It. to	It.,	From	ft. toft.
What is the nearest source			□ T :			. 🗆 🗆	/ '0 1 1 \
Septic tank Sewer lines	☐ Cesspool		☐ Livestock p☐ Fuel storag		☐ Insecticide ☐ Abandoned	-	ner (specify below)
☐ Watertight sewer li			Fertilizer st		Oil well/ga		
Direction from well							
FROM TO	LITHOLOG		FROM	TO			JGGING INTERVALS
	ay and some sa	<del>```</del>	TROM	10	LIIIIO. L	30 (cont.) <u>or</u> 1 L c	AGUITO INTLICANES
Gray Ci	ay and some sa	<u>IIU</u>					
<u> </u>			<del> </del>				
	<del> </del>		<del> </del>				
			+				
			-				
			ļ				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ✓ constructed, ☐ reconstructed, or ☐ plugged							
under my jurisdiction and was completed on (mo/day/year) .07/14/2014 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No. 890 This Water Well Record was completed on (ho/day/year)/09/22/2014 under the business name of ARS Technologies, Inc. by (signature)							
under the business name of	$_{ m f}$ ARS Techno	ologies, Inc.	· · · · · · · · · · · · · · · · · · ·	. by (s	ignature)	Mr Chil	4
INSTRUCTIONS: Use typew	riter or ball point pen	. <u>PLEASE PRESS FIRML)</u>	and <u>PRINT</u> clo	arly. Ple	ase fill in blanks	and check the correct	answers. Send one copy to
Kansas Department of Telephone 785-296-5524. Sen		nent, Bureau of Water, Geo CR WELL OWNER and reta					

http://www.kdheks.gov/waterwell/index.html

INJECTION WELL	CONSTRUCTION LOG			
Location FT007 Installed By ARS Technologies Inspected By Michael A. Riggle Method of Installation 7720 DT Geoprobe HSA Remarks	Name McConnell AFB PBR Inj. Well No. FT07-PI03 FT007 Project No. 16170799 By ARS Technologies Date Started 7/14/2014			
		BGS Elevation (feet)		
	— Depth of riser below ground	0.26 / 1352.84		
	—Ground Elevation  I.D./Type of surface casing  8 inch/stainless steel vault	0 / 1353.10		
	Type of surface seal  Portland Cement Concrete  Depth of surface seal	6.0 / 1347		
	- I.D./Type of riser pipe 2 inches  - Type of backfill cement - Bentonite Grout	6.0/_1347.1_		
	<ul><li>Depth to top of seal</li><li>Type of seal Granular Bentonite</li></ul>	0.0 / 1347.1		
	<ul><li>Depth of top of filter pack</li><li>Depth of top of screen</li></ul>	8.0 / 1345.1 10.0 / 1343.1		
	Type of filter pack  20-40 sieve sand  I.D./Type of screen			
	2" Schedule 40 PVC  Screen slot size 0.010-inch	240 / 12201		
	<ul> <li>Depth of bottom of screen</li> <li>Depth of bottom of plugged blank section</li> <li>Type of backfill below observation</li> <li>well</li></ul>	24.0 / 1329.1 24.0 / 1329.1		
	— Depth of bottom of boring  Diameter of boring 8 inches	<u>28.0</u> / <u>1325.1</u>		