County: <u>Sedawick</u> Fraction <u>SE SW SE S</u>	E Sec. 7 T 28 S R 2 EW
CORRECTION(S) TO WATER WELL COM (to rectify lacking or incorrect Owner: McConnell AFB	et information)
Location was listed as:	Location changed to:
Section-Township-Range: None Given	7-285-2 E
Section-Township-Range: None Given Fraction (1/4 1/4 1/4):	SE SW SE SE
Other changes: Initial statements:	
Changed to:	
Comments:	
Verification method: Latitude \$ longitude	- KGS' "LEO" conversion tool
Verification method: Latitude \$ longitude and mapping tool on KG-5	website.
Submitted by: Kansas Geological Survey, Data Resources Library, 1930 C	initials: ARL date: 2/9/2015
Submitted by: Kansas Geological Survey, Data Resources Library, 1930 C	Constant Ave., Lawrence, KS 66047-3726
to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jac	ekson, Suite 420, Topeka, KS 66612-1367.

WATER WELL RECORD	Form WWC-5	Division of Wate	r Resources App. No	o. F106-P102
1 LOCATION OF WATER WELL:	Fraction	Section Number	Township No.	Range Number
County: Sedgwick	1/4 1/4 1/4 1/4		T S	R □E □W
Street/Rural Address of Well Location;	if unknown, distance & direction	Global Positioning	System (GPS) in	formation:
from nearest town or intersection: If at	owner's address, check here .	Latitude: .37.621	2603	(in decimal degrees)
McConnell AFB		Longitude: -097.2	471745	(in decimal degrees)
		Elevation: see at	tached log	
2 WATER WELL OWNER: McCon	II AED	Datum: WGS 8	4, 🗹 NAD 83, 🗌	NAD 27
RR#, Street Address, Box #:	nell AFB	Collection Method:	57	
City, State, ZIP Code :		GPS unit (Mak	re/Model:)
City, butte, 211 code		Est. Accuracy: \square	3 m \square 3-5 m \square	c Map, 🔽 Land Survey
3 LOCATE WELL				J-13 III,
WITH AN "X" IN 4 DEPTH OF	COMPLETED WELL 33	ft.		
SECTION BOX: Depth(s) Groun	dwater Encountered _(1).7	ft. (2)	ft.	3)ft.
N WELL'S STAT	dwater Encountered (1).7	below land surface r	neasured on mo/d	ay/yr
i I I I I I Pumi	o test data: well water was	tt. after	hours pumi	ning gnm
EST. YIELD	gpm. Well water was	ft. after	hours pum	pinggpm
w	neter 4.5 in. to .33	t., andin.	to	ft.
WELL WATER	R TO BE USED AS: Public wat	er supply 🔲 Ge	othermal 🗹 I	njection well
Domestic	☐ Feedlot ☐ Oil field water	er supply 🔲 De	watering [] (Other (Specify below)
☐ ☐ Irrigation	☐ Industrial ☐ Domestic-lay	vn & garden 🔲 Mo	nitoring well	
	/bacteriological sample submitted to		Yes 🗌 No	
	/day/yr sample was submitted			
water well disir	nfected? Yes 📝 No			
5 TYPE OF CASING USED: Stee				
CASING JOINTS: Glued Clar	mped 🗌 Welded 🔲 Threaded	l		
Casing diameter .2 in. to .14	ft., Diameter in.	to ft., D	iameter	. in. to ft.
Casing height above land surface	in., Weight	lbs./ft., Wall thic	kness or gauge No	sCH-40
TYPE OF SCREEN OR PERFORATION				
☐ Steel ☐ Stainless Steel ☐ Brass ☐ Galvanized Steel		Other (Specify)		
SCREEN OR PERFORATION OPENING				
✓ Continuous slot	Gauze wrapped Torch cut	☐ Drilled holes	☐ None (open hole	.,
Louvered shutter Key punched	☐ Wire wrapped ☐ Saw cut	Other (specify)	I None (open note	"
SCREEN-PERFORATED INTERVALS:	From 14 ft. to 28	ft From	ft. t	oft
	From ft. to	ft From	ft t	o ft
GRAVEL PACK INTERVALS:	From12 ft. to33	ft., From	ft. 1	to ft.
	From ft. to	ft., From	ft t	o ft l
6 GROUT MATERIAL: Neat ceme Grout Intervals: From 0 ft. to	ent Cement grout Benton	nite 🔲 Other		
Grout Intervals: From ft. to	ft., From	ft. to ft.,	From	. ft. toft.
What is the nearest source of possible conta	amination:	_	_	
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)				
Sewer lines Cesspool Watertight sewer lines Seepage	☐ Sewage lagoon ☐ Fuel storage it ☐ Feedyard ☐ Fertilizer st			
Direction from well		orage ☐ Oil well/ga from well		
FROM TO LITHOLOG				GGING INTERVALS
0 33 Gray clay and some sa		10 Limo. LC	JG (COIII.) OI I LO	SOUND HATEK AND
Sidy didy dila sollle se				
	 			
				-
7 CONTRACTOR'S OR I ANDOWNE	2'S CERTIFICATION. This	r well was 🗖	noted Discourage	noted on Direction 1
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged under my jurisdiction and was completed on (mo/day/year) .07/12/2014 and this record is true to the best of my knowledge and belief.				
Kansas Water Well Contractor's License No. 890 This Water Well Record was completed on (mo/day/year) .09/22/2014				
under the business name of ARS Technology	ologies. Inc.	by (signature)	ou uno day/year)	.xx:==== !T
INSTRUCTIONS: Use typewriter or ball point per	. PLEASE PRESS FIRMLY and PRINT cle	arly. Please fill in blanks	and check the correct of	enswers Send one copy to
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send one copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.				
Telephone 785-296-5524. Send one copy to WATI	ER WELL OWNER and retain one for your i	ecords. Include fee of \$5	5.00 for each construct	ed well. Visit us at

http://www.kdheks.gov/waterwell/index.html

INJECTION WELL CONSTRUCTION LOG					
oject Name McConnell AFB PBR cation FT006 rtalled By ARS Technologies pected By Michael A. Riggle thod of Installation 7822 DT Geoprobe HSA marks Inj. Well No. FT06-PI02 Project No. 16170799 Date Started 7/11/2014 Date Completed 7/11/2014		16170799 /2014			
		BGS Elevation (feet)			
	Depth of riser below ground	0.45 / 1355.59			
	Ground Elevation I.D./Type of surface casing 8 inch/stainless steel vault				
	Type of surface seal Portland Cement Concrete				
	Depth of surface seal I.D./Type of riser pipe 2 inches	3.0 / 1353.04			
	Type of backfill cement - Bentonite Grout	105 / 124554			
	Depth to top of seal Type of seal Granular Bentonite	10.5 / 1345.54			
	Depth of top of filter pack	<u>12.5</u> / <u>1343.54</u>			
	Depth of top of screen	14.5 / 1341.54			
	Type of filter pack 20-40 sieve sand				
	I.D./Type of screen 2" Schedule 40 PVC				
	Screen slot size				
	Depth of bottom of screen Depth of bottom of plugged blank section	28.5 / 1327.54 28.5 / 1327.54			
	Type of backfill below observation well 20-40 sieve sand				
	Depth of bottom of boring	33.0 / 1323.04			
	Diameter of boring 8 inches				