County: <u>Sedawick</u> Fraction <u>SE SW SE S</u>	ESec. 7 T 28 S R 2 EW
CORRECTION(S) TO WATER WELL COMP	
Owner: Mc Connell AFB	
Location was listed as:	Location changed to:
Section-Township-Range: None Given  Fraction (4 4 4):	7-285-2E
Fraction (¼ ¼ ¼):	SE SW SE SE
Other changes: Initial statements:	
Changed to:	
Comments:	
Verification method: Latitude \$ longitude, and mapping tool on KGS w	KGS' "LEO" conversion tool,
and mapping root on 119 w	initials: APL date: 2/9/2015
Submitted by: Kansas Geological Survey, Data Resources Library, 1930 Corto: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jacks	nstant Ave., Lawrence, KS 00047-3720

WATER WELL RECORD	Form WWC-	
1 LOCATION OF WATER WELL: County: Sedgwick	Fraction 1/4 1/4 1/4	Section Number Township No. Range Number T S R E W
Street/Rural Address of Well Location;	if unknown, distance & dire	ction Global Positioning System (GPS) information:
from nearest town or intersection: If at	owner's address, check here	Latitude: .37.6212184 (in decimal degrees)
McConnell AFB		Longitude: -097.2472302 (in decimal degrees)
WCGOTHER AT B		Elevation: see attached log
A THE TOTAL OF THE PARTY OF THE		<u>Datum</u> : ☐ WGS 84, ☑ NAD 83, ☐ NAD 27
2 WATER WELL OWNER: McCor	nell AFB	Collection Method:
RR#, Street Address, Box #:		☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☑ Land Survey
City, State, ZIP Code :		Est. Accuracy: $\square$ <3 m, $\square$ 3-5 m, $\square$ 5-15 m, $\square$ >15 m
3 LOCATE WELL		Est. Mediacy. V 5 m, 5 5 m, 5 15 m,
WITH AN "X" IN 4 DEPTH OF	COMPLETED WELL 33	ft.
SECTION BOX: Depth(s) Groun	ndwater Encountered (1)	ft. (2) ft. (3) ft.
N WELL'S STAT	FIC WATER LEVEL 7	ft. (2) ft. (3) ft ft. below land surface measured on mo/day/yr
Pum	n test data: Well water was	ft. after hours pumping gpm
	onm Well water was	ft. after hours pumping gpm
w NW NE EST. HELD Bore Hole Dian	neter 4.5 in to 33	ft., and
WELL WATE	R TO BE USED AS:   Pu	olic water supply  Geothermal  Injection well
│		eld water supply   Dewatering   Other (Specify below)
SW SE Domestic	☐ Industrial ☐ Dom	estic-lawn & garden  Monitoring well
Was a chemica	l/bacteriological sample sub	nitted to Department?  Yes No
s If yes, me	o/day/yr sample was submitte	d
	nfected? ☐ Yes ☑ No	
5 TYPE OF CASING USED: Ste	el Me PVC 🔲 Other	
CASING JOINTS: Glued Cla	imped    weided    l	nreaded in to ft
Casing diameter .4 in. to	It., Diameter	in to
		lbs./ft., Wall thickness or gauge No. SCH-40
TYPE OF SCREEN OR PERFORATION		Other (Specify)
Steel Stainless Steel	PVC	☐ Other (Specify)
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)  SCREEN OR PERFORATION OPENINGS ARE:		
	Gauze wrapped To	ch cut Drilled holes None (open hole)
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)		
SCREEN-PERFORATED INTERVALS	From 14 ft. to	
	From ft. to	ft., From ft. to ft.
GRAVEL PACK INTERVALS:	From12 ft. to	
	From ft. to	ft. to ft., From ft.
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other		
Grout Intervals: From 0 ft. to 12 ft., From ft. to ft., From ft. to ft., From ft. to ft.		
What is the nearest source of possible contamination:		
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)		
Sewer lines Cesspoo		el storage
☐ Watertight sewer lines ☐ Seepage	. — . — _	rtilizer storage
Direction from well		istance from well
FROM TO LITHOLO		OM TO LITHO. LOG (cont.) or PLUGGING INTERVALS
0 33 Gray clay and some s	sand	
7 CONTRACTOR'S OR LANDOWNI	R'S CERTIFICATION:	his water well was 🗸 constructed, 🗌 reconstructed, or 🗌 plugged
under my jurisdiction and was completed on (mo/day/year) .07/12/2014 and this record is true to the best of my knowledge and belief.		
Kansas Water Well Contractor's License No. 890 This Water Well Record was completed on yho/day year 09/22/2014		
under the business name of ARS Tech	nologies, Inc.	by (signature)
INSTRUCTIONS: Use typewriter or ball point p	en. PLEASE PRESS FIRMLY and	PRINT clearly. Please fill in blanks and check the correct answers. Send one copy to
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.  Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at		

FT06-PI03

INJECTION WELL  Project Name McConnell AFB PBR Location FT006 Installed By ARS Technologies Inspected By Michael A. Riggle Method of Installation 7822 DT Geoprobe HSA Remarks	Data Stantad 7/10/2014
	BGS Elevation (feet)
	-Depth of riser below ground0.41 /1354.69
	—Ground Elevation 0 / 1355.10  — I.D./Type of surface casing 8 inch/stainless steel vault
	Type of surface seal
	Type of backfill cement -  Bentonite Grout  Depth to top of seal 10.5 / 1344.60  Type of seal Granular Bentonite
	— Depth of top of filter pack  — Depth of top of screen  — Type of filter pack  20-40 sieve sand  — I.D./Type of screen  2" Schedule 40 PVC
	Screen slot size 0.010-inch  Depth of bottom of screen Depth of bottom of plugged blank  Type of backfill below observation well 20-40 sieve sand  Depth of bottom of boring  Diameter of boring 8 inches