WATER WELL R	ECORD	Form '	WWC-5	D	ivision of Water			
Original Record			ge in Well Use	Re	sources App. No		Well ID	
1 LOCATION OF W		L:	Fraction		ection Number			
County: Sedgwick			1/4 1/4 SW	1/4 SE 1/4	6	T 28 S		
2 WELL OWNER: La			First:				(if unknown, distance and	
Business: 22 CEI/CEIER Address: 15657830 Pittsburg St., Suite 120 Mark Hands and printersection): If at owner's address, check here:								
Address: Well located within McConnell AFB, Wichita, KS								
City: McConnell AFB State: KS ZIP: 67221-3617								
3 LOCATE WELL 4 DEPTH OF COMPLETED WELL:25.3 ft. 5 Latitude:37.63792								
WITH "X" IN		Depth(s) Groundwater Encountered: 1)						
SECTION BOX:		2)						
		WELL'S STATIC WATER LEVEL:ft. Source for Latitude/Longitude:						
	□ below land surface, measured on (mo-day-yr)							
NW NE	□ above land surface, measured on (mo-day-yr)							
w		Pump test data: Well water was						
		after hours pumping gpm						
sw se		after hours pumping gpm						
	Estimated Yield:							
S mile	Bore Hole I	Bore Hole Diameter: 8.25 in. to 26.0 ft. and Source: ☐ Land Survey ☐ GPS ☐ Topographic Ma						
1 mile in. to ft. Uother								
1. Domestic:			ater Supply: well ID		. 10. □ 00	Field Water Supply:	lease	
Household			ng: how many wells?			ole: well ID		
☐ Lawn & Garden						☐ Cased ☐ Uncased ☐ Geotechnical		
Livestock						12. Geothermal: how many bores?		
2. Irrigation	9. Environmental Remediation: well ID ☐ Air Sparge ☐ Soil Vapor Extraction					a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Water		
3. ☐ Feedlot 4. ☐ Industrial] Air Sparg] Recovery						
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ■ No If yes, date sample was submitted:								
8 TYPE OF CASING USED: ☐ Steel ■ PVC ☐ Other								
Casing diameter 2.0 in. to 15.0 ft., Diameter in. to ft., Diameter in. to ft.								
Casing diameter								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ Fiberglass ■ PVC ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous Slot ■ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)								
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)								
SCREEN-PERFORATED INTERVALS: From .25.0 ft. to .15.0 ft., From ft. to ft., From ft. to ft.								
GRAVEL PACK INTERVALS: From 26.0. ft. to 12.0. ft., From ft. to ft., From ft. to ft.								
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From 12.0 ft. to 9.0 ft., From 9.0 ft. to 1.52 ft., From ft. to ft. Nearest source of possible contamination:								
Septic Tank								
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well								
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well								
Other (Specify) Direction from well? Distance from well?								
10 FROM TO			GIC LOG	FROM			Rt. or PLUGGING INTERVALS	
	Clay	THOLO	GIC LUG	FROM	10	LITHO. LOG (cont.)	of PLUGGING INTERVALS	
20.0	Jiay							
Notes:								
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo-day-year) 9/10/2015 and this record is true to the best of my knowledge and belief								
Kansas Water Well Contractor's License No. 7.10 This Water Well Record was completed on (mo-day-year) .12/3/2015								
under the business name	e of Below.	Ground 2	surtace, Inc	~~ j	••••			
Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.								
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 1/20/2015								