WATER WELL R		WWC-5		ision of Water		i	
Original Record		ge in Well Use		urces App. No		Well ID	
1 LOCATION OF W.		Fraction		tion Number	Township Numb		
County: Sedgwick ¼ ¼ % SE¼ 6 T 28 S R 2 ■ E							
2 WELL OWNER: La		1				(if unknown, distance and	
Business: 22 CEI/CEIER Address: 15657830 Pittsburg St., Suite 120 direction from nearest town or intersection): If at owner's address, check here:							
Address: Well located within McConnell AFB, Wichita, KS							
City: McConnel	I AFB State: KS	ZIP: 67221-3617			•	•	
3 LOCATE WELL			25.0 0		27 6271	E	
WITH "X" IN		MPLETED WELL:		5 Latitud	e:	5(decimal degrees)	
SECTION BOX:	Depth(s) Groundwater Encountered: 1)					06 (decimal degrees)	
N	WELL'S STATIC WATER LEVEL: ft.					4 □ NAD 83 □ NAD 27	
	below land surface, measured on (mo-day-yr)				Source for Latitude/Longitude: ■ GPS (unit make/model: Garmin 60c)		
NWNE	above land surface		■ Gr,	(WAAS enabled? ■ Yes □ No)			
	Pump test data: Well v		□Lar	☐ Land Survey ☐ Topographic Map			
W E	after hour	gpm		Online Mapper:			
SW SE	Well						
XI	anter nours pumping					□ Ground Loyal □ TOC	
250000000000000000000000000000000000000				and 6 Elevation:ft. ☐ Ground Level ☐ TOC Source: ☐ Land Survey ☐ GPS ☐ Topographic Map			
S mile							
mile in. to it. Uther							
1. Domestic:		ater Supply: well ID		10 🗆 🗆	Field Water Supply In	ease	
☐ Household		ng: how many wells?					
Lawn & Garden	7. Aguifer P		11. Test Hole: well ID				
Livestock	7. ☐ Aquifer Recharge: well ID				12. Geothermal: how many bores?		
2. Irrigation	9. Environmental Remediation: well ID				a) Closed Loop		
3. ☐ Feedlot	🔲 Air Sparg		xtraction			scharge	
4. 🗌 Industrial	☐ Recovery	☐ Injection		13. 🔲 Oth	er (specify):		
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ■ No If yes, date sample was submitted:							
Water well disinfected? ☐ Yes ■ No							
8 TYPE OF CASING USED: ☐ Steel ■ PVC ☐ Other							
Casing diameter 2.0 in to 14.8 ft., Diameter in to ft., Diameter in to 5.7 ft. Casing height above land surface -0.2 in Weight Ibs/ft. Wall thickness or gauge No. Sch. 40.							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel ☐ Fiberglass ■ PVC ☐ Other (Specify)							
Brass Galvanized Steel Concrete tile None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE: ☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)							
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)							
SCREEN-PERFORATED INTERVALS: From .24.8 ft. to .14.8 ft., From ft. to ft. to ft.							
GRAVEL PACK INTERVALS: From 26.0. ft. to 12.0. ft., From ft. to ft., From ft. to ft.							
9 GROUT MATERIAL: ■ Neat cement □ Cement grout ■ Bentonite □ Other							
Nearest source of possible contamination:							
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage							
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well							
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well							
☐ Other (Specify)							
10 FROM TO	LITHOLO		FROM			PLUGGING INTERVALS	
		GIC LUG	FROM	10 1	THO. LOG (cont.) of	PLUGGING IN TERVALS	
20.0	Clay						
			 				
			 				
			Notes:				
110163.							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged							
under my jurisdiction and was completed on (mo-day-year) 4/21/2015 and this record is true to the best of my knowledge and belief							
Kansas Water Well Contractor's License No(10							
under the business name	of Below Ground S	Surface, Inc	get.	·>			
under the business name of Below Ground Surface, Inc. Mail I white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section,							
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.							
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 1/20/2015							