WATER WELL R		WWC-5		sion of Water			
Original Record		ge in Well Use		urces App. No.		Well ID	
1 LOCATION OF W.		Fraction	1	tion Number	Township Numb		
County: Sedgwick	SE ¼	6 T 28 S R 2 ■ E □ W					
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and							
Business: 22 CEI/CE						r's address, check here:	
Address: 15657930 Ditteburg St. Suito 120							
Address: Well located within McConnell AFB, Wichita, KS							
City: McConnel	I AFB State: KS	ZIP: 67221-3617					
3 LOCATE WELL	A DEPTH OF CON	MIETED WELL.	25.0 4	F T -4'4 3	37 6370	8 / / / / / /	
WITH "X" IN	4 DEPTH OF COMPLETED WELL:25,0 ft. Depth(s) Groundwater Encountered: 1) ft. 5 Latitude:						
SECTION BOX:							
N						4 □ NAD 83 □ NAD 27	
	WELL'S STATIC WATER LEVEL:						
'   -	above land surface						
NW NE	Pump test data: Well v			(WAAS enabled?			
	afterhour			☐ Land Survey ☐ Topographic Map ☐ Online Mapper:			
W E							
SW   SE	Well water was ft. after hours pumping gpm						
	Estimated Yield:gpm 6 1				6 Elevation:		
S							
mile	Boie Hole Diameter	in. to	ft		Other		
7 WELL WATER TO BE USED AS:							
1. Domestic:		ater Supply: well ID		10 🗆 🗆 🗆	ield Water Sunnly 1	ease	
		ng: how many wells?		10. GOIII	eru water suppry. R	asc	
☐ Household ☐ Lawn & Garden			11. Test Hole: well ID Geotechnical				
Livestock	7. ☐ Aquifer Recharge: well ID						
	9. Environmental Remediation: well ID						
2. ☐ Irrigation 3. ☐ Feedlot	J. Environment ☐ Air Sparg			b) Open Loop  Surface Discharge  Inj. of Water			
4. ☐ Industrial	☐ Recovery		ZAHACHOH				
	·						
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ■ No If yes, date sample was submitted:							
Water well disinfected? ☐ Yes ■ No							
8 TYPE OF CASING USED: ☐ Steel ☐ PVC ☐ Other							
Casing diameter							
Casing diameter 2.0 in. to 14.8 ft., Diameter in. to ft., Diameter in. to 5.2 in. Weight 5.7 lbs./ft. Wall thickness or gauge No. Sch. 40							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel ☐ Fiberglass ■ PVC ☐ Other (Specify)							
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)							
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)							
SCREEN-PERFORATED INTERVALS: From .24.8 ft. to .14.8 ft., From ft. to ft., From ft. to ft.							
GRAVEL PACK INTERVALS: From							
9 GROUT MATERIAL: ■ Neat cement □ Cement grout ■ Bentonite □ Other							
Nearest source of possible contamination:							
Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage							
Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well							
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well							
Other (Specify)							
Direction from well? ft.							
10 FROM TO	LITHOLO		FROM			PLUGGING INTERVALS	
	Clay	J.J. 200	1				
20.0	Jidy						
			+				
			Notes:				
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged							
under my jurisdiction and was completed on (mo-day-year) 4/21/2015 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No. 7.10							
under the business name	e of Below Ground S	Surface, Inc	w	8			
Mail 1 white copy ald	ong with a fee of \$5.00 for ea	ch constructed well to: Kar	nsas Department	of Health and En	vironment, Bureau of W	ater, GWTS Section,	
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.							
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 1/20/2015							