			Form V			ision of Water			
		Correction				urces App. No.		Well ID	
		VATER WEI	LL:	Fraction NE'4 NW 4 NE 1		tion Number 31	Township Numb	er Range Number R 2 ■ E □ W	
						tor Rural Address where well is located (if unknown, distance and			
Business: direction from nearest								r's address, check here:	
Address: 1156 E WATERS EDGE CIR									
Address: City:	DERBY		State: KS	ZIP: 67037					
3 LOCAT		4 DEPTH			75 A	5 T -44-4			
WITH "		4 DEPTH OF COMPLETED WELL:75				Longitude:			
1	2) ft., or 4) Dr					Horizontal Datum: WGS 84 NAD 83 NAD 27			
	WELL'S STATIC WATER LEVEL: below land surface, measured on (mo-					Source for Latitude/Longitude:			
		below I	and surface,	measured on (mo-day measured on (mo-day	-yr).0-7.13/2010 -vr)	′ □ GPS)	
NW	NE		Pump test data: Well water was ft.			(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map ☐ Online Mapper:			
w x	E	after	after hours pumpinggpr						
SW	SE	after	Well water was ft. after hours pumping gpm						
		Estimated Y	d Yield:gom			6 Elevation:ft. Ground Level TOC			
	S	Bore Hole I	Bore Hole Diameter:9.5 in. to75			Source:			
mile in. to ft. Uother									
7 WELL WATER TO BE USED AS: 1. Domestic: 5. □ Public Water Supply: well ID									
	omestic: 5. ☐ Public Water Supply: well ID					10. ☐ Oil Field Water Supply: lease			
. –	■ Lawn & Garden 7. ☐ Aquifer Recharge: well ID					☐ Cased ☐ Uncased ☐ Geotechnical			
_	☐ Livestock 8. ☐ Monitoring: well ID					12. Geothermal: how many bores?			
2. ☐ Irrigati 3. ☐ Feedlo	2. ☐ Irrigation 9. Environmental Remediation: well ID 3. ☐ Feedlot ☐ Air Sparge ☐ Soil Vapor Ext					a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Water			
4. Industrial Recovery					Extraction			scharge Inj. of Water	
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ■ No If yes, date sample was submitted:									
Water well disinfected? ■ Yes □ No									
8 TYPE OF CASING USED: ☐ Steel ☐ PVC ☐ Other									
Casing diameter 5 in to 75 ft., Diameter in to ft., Diameter in to ft., Diameter in to 5. Casing height above land surface 12 in Weight 15./ft. Wall thickness or gauge No. SDR-26									
Casing height above land surface									
Steel □ Stainless Steel □ Fiberglass ■ PVC □ Other (Specify)									
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)									
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole) SCREEN-PERFORATED INTERVALS: From .35 ft. to .45 ft., From .55 ft. to .75 ft., From ft. to ft.									
GRAVEL PACK INTERVALS: From									
9 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ■ Bentonite ☐ Other									
Grout Intervals: From									
Nearest source of possible contamination: ☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage									
☐ Sewer	Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well								
■ Watertight Sewer Lines									
☐ Other (Specify) Direction from well? NORTH Distance from well? 100+ ft.									
10 FROM	TO		ITHOLOG		FROM			PLUGGING INTERVALS	
0		TOP SOIL							
1	19	CLAY						444	
19			LAY/FINE SAND MIX						
26		FINE SAND		****					
32		MED SAND	ANDSTONE						
46 51		SHALE	<u> </u>		Notes:	Notes:			
TO OTITLE TOOLS.									
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged									
under my jurisdiction and was completed on (mo-day-year) 04/13/16 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 884. This Water Well Record was completed on (mo-lay year) 94/18/2016. under the business name of WENINGER DRILLING, LLC. Signature									
Mail	1 white copy a	long with a fee of	\$5.00 for each	constructed well to: Ka	nsas Department	of Health and En	vironment, Bureau of Wa	ater, GWTS Section,	
				66612-1367. Mail one to			for your records. Teleph-		
visit us at http	o://www.kdhek	s.gov/waterwell/i	naex.html		KSA 82a-12	14		Revised 7/10/2015	