WATER WELL RECORD Form WWC-5 KSA 82a-1212													
LOCATION OF WATER WELL:	FRACTION	FRACTION					N NUMBER	TOWNSHIP NUMBER		RANG	RANGE NUMBER		
Sedgwick	SW 1/	/4 SE	1/4	$\mathbf{s}\mathbf{w}$	1/4		11	Т	28 s	R	2E	E/W	
Distance and direction from nearest town or city s	treet address of	well if located	within cit	y?									
13133 E Twin Mill Street		Derby	, Kan	sas									
<u> </u>	RP HOME								Board of A	griculture, Division	n of Water	r Resource	
,-	N. Collecti		A										
	ita, Kansas			- 11	0		CODE:		Application N	lumber:			
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	EPTH OF CO	MPLETED \	WELL:	11	U	ft.		ELEVATION					
N Dep	th of groundwa	ater Encoun	tered:			ft.			ft.			ft.	
	LL'S STATIC \	WATER LE	√EL	42	FT. B	ELOW	LAND SU		SURED ON m	o/day/yr: 1	0/21/1	6	
NW NE		Pump test d		Well wat				ft. after		urs of pumping	_	gpm	
₩ w E Bo	Est. Yield:	gpm 1	•	Well wa		to 110	0 ft.	ft. after		urs of pumping	_	gpm	
1 1 1	re Hole Diame LL WATER TO			1.	'	0 110	U II.	and	in.	44	o Injectio	ft. n well	
	Domestic	3. Feedlot		Public wa	ter sup	ply <	7. Lawn a	nd garden or	9. Dewate	g	-	ify below)	
2.	Irrigation	4. Industri		Oil field w			8. Air con		10. Monito	ring well	•		
· ·	as a chemical/ba	cteriological s	ample su	bmitted to (Departme	ent?	YES	NO		s, what mo/day		sample	
	mitted						Was W	ater Well Dis	infected?	(YES)	NO		
TYPE OF CASING USED:	5. Wroug	ght Iron	7. F	iberglass		9. Othe	er (Specify	below) C/	ASING JOINTS	Glued	Th	readed	
1. Steel 3. RPM (SR	,	stos-Cemen	t 8.0	Concrete ti	ile	SDR-	26			Welded	Cl	amped	
2. PVC 4. ABS Blank casing diameter 5		. –		Dia.		-	40	ft.,	Dia.	:- 4-		4	
•	n. to	_	t.,			in.	to			in. to		ft.	
Casing height above land surface:	12 in.,		W	eight:	2.35	lbs.	/ ft.	Wall	thickness or ga	auge No.	214		
TYPE OF SCREEN OR PERFORATION 1. Steel 3. Stainless Steel	MATERIAL: 5. Fibergla		7. P	VC		9. ABS	:	11. (Other (specify)				
2. Brass 4. Galvanized	6. Concret			MP (SR)			estos-Cem		None used (ope	en hole)			
		o no	0. 10	(0.1)		10. 7.30	03.03-0011		10/10 0000 (0)	o.,,			
SCREEN OR PERFORATION OPENING		5 Gaurada	vranno			7 Torol	h cut	a De	illed holes	11 Nor	e (one	n hole)	
1. Continuous slot 3. Mill slot 5. Gauzed wrapped								Drilled holes 11. None (open hole)			i iioie,		
2. Louvered shutter 4. Key pu	nched	6. Wire wra	pped		~	B. Saw	cut	10. O	ther (specify)				
SCREEN - PERFORATION INTERVAL	From	45	ft.	to	11	10 f	t.,	From	ft.	to		ft.	
	From		ft.	to		f	ft.,	From	ft.	to		ft.	
GRAVEL PACK INTERVALS:	From	24	ft.	to	1	10 f	t.,	From	ft.	to		ft.	
	From		ft.	to)	f	ft.,	From	ft.	to	,	ft.	
GROUT MATERIALS: 1. Neat of	ement	2 Ce	ment G	rout		3 F	Bentonite	-	Other be	ntonite hole	nlug		
Grout Intervals: From 4		to 24				ft.	to	ft	From		to	ft.	
What is the nearest source of possible co													
1. Septic tank 4. Lateral	lines	7. Pit priv	-			stock p		13. Inse	cticide storage				
2. Sewer lines 5. Cess P	ool	8. Sewage	e lagooi	n '	11. Fue	l storaç	ge	14. Abar	ndon water we	ell 16. Otne	r (speci	fy below)	
3. Watertight sewer line 6. Seepag	je pit	9. Feed ya	ard		12. Fert	ilizer s	torage						
Direction from well? West	ITHOLOG	210.1.00			1 =		~ 1	How	many feet? 4				
	ITHOLOG	SIC LOG			Fro	<u>m</u>	То	-	LITHOL	OGIC LO	<u> </u>		
0 3 topsoil 3 40 clay					+-			********					
3 40 clay 40 105 grey shale					 	\dashv							
105 110 limestone							*						
					1								
						-							
				-	-								
					 						-		

							1						
						\Box							
					-	\dashv							
						ш							

7 Contractor's or Landowner's Certification: This water well was 1. Constructed 2. reconstructed or 3. plugged under my jurisdiction and was completed on (mo/day/year) 10/21/16 and this record is true to the best of my knowledge and belief.

Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 10/24/16

under the business name of Harp Well and Pump Service

by (signature)

Todd S. Harp