WATER WELI Original Record	RECORD Fo	orm WWC-5 Change in Well Use DRS,	12/6/2017) Di	vision of Water		Well ID	
	WATER WELL:	Fraction NEWSEW NEW	Se	ction Number			
WELL OWNER Business: 22 CE		First:			here well is located		
Address: 156578	direction from nearest town or intersection): If at owner's address, check here:						
Address: City: McCor	nell AFB State:	: KS ZIP: 67221-3617	1	u within Nicc	onnell Arb, wichia	a, No	
LOCATE WELL		COMPLETED WELL:		5 Latitue	37.61845	(desimal degrees)	
WITH "X" IN SECTION BOX:	ft.	ft. Longitude: 97.25428 (decimal degrees)					
N		2) ft. 3) ft., or 4) ☐ Dry We WELL'S STATIC WATER LEVEL: ft.					
	y - yr)	yr) GPS (unit make/model: Garmin 60c					
NW NE		urface, measured on (mo-day Well water was				Yes No)	
	E after hours pumping			Online Mapper:			
SW SE		Well water was					
	Estimated Yield:gpm			6 Elevation:ft. ☐ Ground Level ☐ TOC			
S Bore Hole Diameter: . 8.25 in. to			ft. and	Source: ☐ Land Survey ■ GPS ☐ Topographic Map ☐ Other			
	TO BE USED AS:	III. W	16.				
Domestic: 5. ☐ Public Water Supply: well ID ☐ Household 6. ☐ Dewatering: how many wells?							
☐ Household ☐ Lawn & Garden	7. ☐ Agu		Cased Uncased Geotechnical				
Livestock		nitoring: well ID .SWMU2 nmental Remediation: well I					
☐ Irrigation ☐ Feedlot	9. Environ	Extraction	, <u> </u>				
☐ Industrial	Rec	overy Injection		13. 🔲 Oth	er (specify):		
		submitted to KDHE?	Yes No	If yes, date	sample was submitted	1:	
	ed? Yes No	■ PVC □ Other	CASI	NG JOINTS:	☐ Glued ☐ Clamped	☐ Welded ■ Threaded	
asing diameter2	.0 in. to 17	ft., Diameter	. in. to .	ft., Diame	ter in. to	. ft.	
	OR PERFORATION	in. Weight IMATERIAL:	: lbs./ft.	Wall thickn	ess or gauge NoŞÇII	.49	
☐ Steel ☐ S	Stainless Steel	Fiberglass PVC		_	r (Specify)		
	Galvanized Steel ORATION OPENING		used (open ho	e)			
☐ Continuous Slot	Mill Slot	☐ Gauze Wrapped ☐ T	orch Cut	Orilled Holes	Other (Specify)		
Louvered Shutte	r	☐ Wire Wrapped ☐ S From .27.0 ft. to .17.0	aw Cut 🔲	None (Open Ho	le) - A Erom -	A	
GRAVEL I	ACK INTERVALS:	From28.0 ft. to15.	0 ft., From		ft., From	ft. to ft.	
GROUT MATE	RIAL: Neat cemer	nt 🗌 Cement grout 🔳 B	Sentonite	Other			
	sible contamination:	.0 ft., From .12.0	. ft. to1.8	ft., From	ft. to	ft.	
☐ Septic Tank	☐ Latera			Livestock Pens			
☐ Sewer Lines☐ Watertight Sewer	☐ Cess I Lines ☐ Seepa			Fuel Storage Fertilizer Stora		ned Water Well	
☐ Other (Specify)		-				i/Gas Well	
FROM TO		Distance from v	vell? FROM			PLUGGING INTERVALS	
28.0	Clay	OLOGIC LOG	rkow	10 1	THO. LOG (cont.) or	FLUGGING INTERVALS	
	-		Notes:				
CONTRACTO	R'S OR LANDOWN	VER'S CERTIFICATIO	N: This water	r well was 🔳	constructed, recor	nstructed, or plugged	
ansas Water Well	Contractor's License	on (mo-day-year) .1.0/5/2 No7.10 This W	ater Well,Re	cord was com	oleted on (mo-day-ye	ar) .10/25/20.16	
der the business n	ame of Below Grou	nd Surface, Inc	white				
		for each constructed well to: Ka Kansas 66612-1367. Mail one to					
		ntml	KSA 82a-1			Revised 1/20/2015	