		WATER WE	LL RECORD	Form WV	VC-5 K	SA 82a-121	12			
1 LOCATION OF WAT	ER WELL:	FRACTION				P NUMBER RANGE NUMBER				
Sedgwick	am accept town or sit	SW 1/4 ity street address of well if		E 1/4	30	⊤ 28	8 s	R 2E	E/W	
1636 E Patri		Derby, Kansas	riocated within city?							
2 WATER WELL		LVARY BAPTI	ST CHURCH							
RR#,ST. ADDRES	S,BOX #: 163	6 E. Patriot					Board of Agri	culture, Division of W	later Resource	
CITY		by, Kansas			IP CODE: 6	7037	Application Nun	nber:		
3 LOCATE WELL'S L	OCATION 4	DEPTH OF COMPL	ETED WELL:	<b>87</b> ft.		ELEVATION:				
N	D	epth of groundwater E		fi			ft.		ft.	
		WELL'S STATIC WAT			OW LAND S	JRFACE MEASU				
NW NW	NE -	Est. Yield:		I water was II water was		ft. after ft. after		of pumping @ of pumping @	gpm gpm	
w Mile	E	Bore Hole Diameter	12 in.	to	<b>87</b> ft		in.	to	ft.	
-	i l	WELL WATER TO BE					9. Dewateri	ng 11. Injed	ction well	
SW	SE-					and garden only			ecify below)	
	2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning  Was a chemical/bacteriological sample submitted to Department? YES NO 10. Monitoring well ; If yes, what mo/day/yr was sample									
		submitted				Water Well Disinf	ected?	YES N	10	
	SING USED:	5. Wrought Ir	ron 7. Fiberg	lass 9. C	ther (Specif	y below) CAS	ING JOINTS: (	Glued	Threaded	
1. Steel	3. RPM (S	6. Asbestos-	Cement 8. Concre	ete tile SD	R-26			Welded	Clamped	
Blank casing diame	_	in. to 5	55 ft., Dia.	in.	to	ft.,	Dia.	in. to	ft.	
Casing height abov		12 in.,	Weight:		bs. / ft.	•				
Casing height above land surface: 12 in., Weight: 2.35 lbs. / ft. Wall thickness or gauge No214  TYPE OF SCREEN OR PERFORATION MATERIAL:										
1. Steel	3. Stainless Steel	5. Fiberglass	7. PVC	9. A	ABS	11. Oti	ner (specify)			
2. Brass	4. Galvanized	<ol><li>Concrete Tile</li></ol>	e 8. RMP (5	SR) 10. A	Asbestos-Ce	ment 12. No	ne used (open	hole)		
SCREEN OR PERFORATION OPENINGS ARE:  1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None ( open hole)										
1. Continuous sto			7. Torch cut 9. Drilled holes 11. None ( open hole)							
2. Louvered shutt	ter 4. Key	punched 6. W	ire wrapped		w cut	10. Othe	er (specify)			
SCREEN - PERFOR	ATION INTERVAL	- From	<b>55</b> ft.	to <b>87</b>	ft.,	From	ft.	to	ft.	
		From	ft.	to	ft.,	From	ft.	to	ft.	
GRAVEL PA	ACK INTERVALS:	From	<b>24</b> ft.	to <b>87</b>	ft.,	From	ft.	to	ft.	
		From	ft.	to	ft.,	From	ft.	to	ft.	
6 GROUT MATERIALS: 1. Neat cement 2. Cement Grout					3. Bentonite	•	Other bent	onite hole plu	ıg	
Grout Intervals: From 4 ft. to 24 ft., From What is the nearest source of possible contamination:					ft. to ft., From ft. to ft.					
1. Septic tank 4. Lateral lines 7. Pit privy					vestock pens 13. Insecticide storaç		cide storage	15. Oil well/G	ias well	
2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 16. Other (specify below									ecify below)	
3. Watertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage										
Direction from well?	East	LITUOLOGIO	100		T +:	How ma	any feet? 100			
From To	tonsoil	LITHOLOGIC	LUG	From	То		LITHOLC	GIC LOG		
$\begin{array}{c c} 0 & 3 \\ \hline 3 & 28 \end{array}$	topsoil clay		-	i						
28 40	very fine sar	nd								
40 50	clay				<u> </u>					
50 70 70 87	medium san gray shale	<u>a</u>					***************************************			
					<u> </u>					
					-					
									70.474	
	-				-					
7 Contractor's or	L andowner's Certi	ification: This water w	vell was 1 Constru	cted 2 5	constructe	d or 3, 1	plugged	un <b>d</b> er my jurisdicti	on and	
Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and was completed on (mo/day/year) 10/11/17 and this record is true to the best of my knowledge and belief.										
1								12/17		
	ell Contractor's Lice					d on (mo/day/yea	,	13/17		
under the business name of Harp Well and Pump Service by (signature) Todd S. Harp										