		RECORD		WWC-5		sion of Water		Well ID	
	Original Record Correction Change in Well Use OCATION OF WATER WELL: Fraction					ources App. No. Well ID ction Number Township Number Range Number			
County	SEDGW	CK	L/•	SE ¹ / ₄ NW ¹ / ₄ NW ¹ / ₄		31	T 28 S	$R 2 \blacksquare E \square W$	
2 WELL	OWNER:	Last Name:		First:				(if unknown, distance and	
	WARREN	N BROS HOM	IES			nearest town or intersection): If at owner's address, check here:			
Address: Address:							OKOUT PL		
City:						ERBY, KS 67037			
	3 LOCATE WELL 4 DEPTH OF COMPLETED WELL:80.						le	(decimal degrees)	
WITH "		Depth(s) Groundwater Encountered: 1)				Longitude:(decimal degrees)			
	SECTION BOX: N $(2) \dots ft. 3) \dots ft. (t, or 4)$ Dry Well						tal Datum: 🛛 WGS 84	4 🗆 NAD 83 🗆 NAD 27	
[]	·····	WELL'S ST	WELL'S STATIC WATER LEVEL:				for Latitude/Longitude	·	
			above land surface, measured on (mo-day-yr)				GPS (unit make/model:) (WAAS enabled?		
NW	NE		Pump test data: Well water was ft.				□ Land Survey □ Topographic Map		
w	> E	after	after hours pumping gpm				Online Mapper:		
sw			Well water was ft.						
		Estimated V	after hours pumping gpm Estimated Yield:16gpm				6 Elevation:ft. Ground Level TOC		
·	S	Bore Hole D	Bore Hole Diameter:				Source: Land Survey GPS Topographic Map		
1 n			in. to ft.						
7 WELL WATER TO BE USED AS:									
1. Domestic:	Domestic: 5. □ Public Water Supply: well ID □ Household 6. □ Dewatering: how many wells?								
	Lawn & Garden 7. Aquifer Recharge: well ID					□ Cased □ Uncased □ Geotechnical			
	Livestock 8. Monitoring: well ID					12. Geothermal: how many bores?			
	□ Irrigation 9. Environmental Remediation: well ID					a) Closed Loop 🔲 Horizontal 🗌 Vertical			
	3. ☐ Feedlot					b) Open Loop Surface Discharge Inj. of Water 13. Other (specify):			
4									
Water well disinfected? Yes No									
8 TYPE OF CASING USED: □ Steel ■ PVC □ Other									
8 TYPE OF CASING USED: ☐ Steel ■ PVC ☐ Other									
Casing height above land surface									
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Fiberglass PVC Other (Specify)									
□ Steel □ Fiberglass ■ PVC □ Other (Specify) □ Brass □ Galvanized Steel □ Concrete tile □ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
Contir	nuous Slot	Mill Slot							
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From .50 ft. to .80 ft., From ft., From ft., From ft. to ft.									
GRAVEL PACK INTERVALS: From									
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other									
Grout Intervals: From									
Nearest source of possible contamination:									
Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well									
Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well									
☐ Other (Specify) Direction from well? WEST Distance from well? .24.									
							ft	r PLUGGING INTERVALS	
10 FROM 0	то 1	TOP SOIL	ATHOLO	GIC LUG	FROM	TO	LITERO. LOG (CORL) 0	I LUUUINU INTEKVALS	
1	40	CLAY		······································				MI	
40	47	FINE SAND							
47	50	CLAY							
50	55	MED SAND					and the second		
55	75	SHALE			Nata				
75	80	SYP Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged									
under my jurisdiction and was completed on (mo-day-year) .06/29/2017 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 884. This Water Well Record was completed on (mo-bay-year) 07/0.020.17. Under the business name of WENINGER DRILLING, LLC. Signature									
Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section,									
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524,									
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015									