	WATER WE	LL RECORD F	orm WW	'C-5 K	SA 82a-1212				
1 LOCATION OF WATER WEI	1 LOCATION OF WATER WELL: FRACTION			ON NUMBER	1	JMBER	RANGE NUMBER		
Sedgwick	NW 1/4	SW 1/4 NW	1/4	30	T 28	S	R 2E	E/W	
	rest town or city street address of well i	•							
3376 N. Tyndall C		Kansas							
2 WATER WELL OWNE	Roard of Agriculture, Division of Water Resource								
RR#,ST. ADDRESS,BOX					•				
CITY, STAT	7.1			CODE:		oplication Num	ber:		
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION	ON 4 DEPTH OF COMPL	ETED WELL: 8	-		ELEVATION:			_	
N	Depth of groundwater		ft.			ft.		ft.	
	WELL'S STATIC WAT	ER LEVEL 35	FT. BELO	W LAND SU	RFACE MEASURE	D ON mo/da	ay/yr: 1/10/	19	
NW NE	Pum	p test data: Well wa	ter was		ft. after		of pumping @	gpm	
w Wile	Est. Yield:	gpm Well wa	_	. .	ft. after		of pumping @	gpm	
∑ w	Bore Hole Diameter	12 in.	to 8	5 ft.	and	in.	to	ft.	
SW SE	WELL WATER TO BE		ter supply '	7. Lawn a	nd garden only	9. Dewaterir	ng 11. Inject 12. Other (Spe		
	1	ndustrial 6. Oil field v				0. Monitorin		city below;	
		ological sample submitted to		YES	NO		what mo/day/yr wa	•	
	submitted			Was V	ater Well Disinfect	ed? (YES N	<u> </u>	
5 TYPE OF CASING	5. VVrought i	ron 7. Fiberglass	9. Ot	her (Specify	below) CASING	3 JOINTS: C	Glued	Threaded	
1. Steel	3. RPM (SR) 4 ARS 6. Asbestos-	Cement 8. Concrete t	SDI	R-26			Welded	Clamped	
2. PVC	4. 700	•			. 5:				
Blank casing diameter		50 ft., Dia.	in.	to	ft., Dia	i. i	n. to	ft.	
Casing height above land		Weight:	2.35 lb	s. / ft.	Wall thick	ness or gaug	e No214		
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify) 2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)									
		e 0. KWP (3K)	10. A	spesios-cen	12. 140He	used (open)	noie)		
SCREEN OR PERFORATI					0 0-111-4	halaa	44 None (or	on bala)	
1. Continuous slot 3. Mill slot 5. Gauzed wrapped				rch cut		9. Drilled holes 11. None (open hole)			
2. Louvered shutter	4. Key punched 6. W	ire wrapped	8. Sa	w cut	10. Other (specify)			
SCREEN - PERFORATION	N INTERVAL From	50 ft. to	85	ft.,	From	ft.	to	ft.	
	From	ft. to	•	ft.,	From	ft.	to	ft.	
GRAVEL PACK IN	NTERVALS: From	24 ft. t	85	ft.,	From	ft.	to	ft.	
	From	ft. to)	ft.,	From	ft.	to	ft.	
6 GROUT MATERIALS:		2 Coment Court			Ot				
Near tenent 2. Center Glour 3. Bentonite Borne Plug								₽5 ft.	
What is the nearest source of possible contamination:									
1. Septic tank 4. Lateral lines 7. Pit privy 10				k pens	13. Insecticio	13. Insecticide storage 15. Oil well/Gas well			
2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 16. Other (specify							cify below)		
3. Watertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage									
	South					feet? 20 f			
From To	LITHOLOGIC	LOG	From	То		LITHOLO	GIC LOG		
1	osoil		<u> </u>						
3 49 cla 49 57 fin	,	· · · · · · · · · · · · · · · · · · ·	 						
	e sand av shale								
37 83 g12	ay sitate								
			<u> </u>						
			 						
			 						
				<u> </u>					
			†						
7 Contractor's or Land	lowner's Certification: This water	well was 1. constructe	d) 2. re	constructed	or 3, plu	igged	under my jurisdiction	on and	
was completed on (mo/	4.40.40				knowledge and bel	ief.			
	ntractor's License No. 236			-	on (mo/day/year)		4/19		
i									
under the business name of Harp Well and Pump Service by (signature) Todd S. Harp									