			WATER V	VELL R	ECORD	For	m WW	'C-5 K	SA 82a-12°	12		
	OF WATER	WELL:	FRACTION					ON NUMBER	R TOWNSHII	NUMBER	RANGE N	
Sedgw			NW 1/4			VW 1	/4	30	т 2	8 S	R 21	C E/W
	Tyndal		r city street address of w	ell if located y, Kansa								
	R WELL O		OLINA, Steve	, Kansa	13							
	ADDRESS,		617 Derby Hills	Ct.						Board of Ag	griculture, Division of V	Vater Resource
	CITY, S	STATE: D	erby, Kansas				ZIF	CODE: 6	7037	Application No	umber:	
	WELL'S LO		4 DEPTH OF COM	IPLETED V	NELL:	85	ft.		ELEVATION:			
WITHAR	N X IN SEC	HON BOX:	Depth of groundwar	ter Encount			ft.			ft.		ft.
		1	WELL'S STATIC V	VATER LEV	√EL 3	8 F	T. BELOV	W LAND SI	JRFACE MEASI			/19
i IX	NW	- NE	i	ump test d		ell water			ft. after		rs of pumping @	gpn
w Wile			Est. Yield: Bore Hole Diamet	gpm er 1	ı w L 2 in.	'ell water	was to 8:	5 ft	ft. after . and	in.	rs of pumping @ to	gpm ft.
- "	1		WELL WATER TO	-	AS:					9 Dewate	44 Inda	ction well
	sw	- SE		3. Feedlot	5. Pub	lic water	supply <	7. Lawn	and garden onl		12. Other (S	pecify below
				4. Industri				8. Air co		10. Monito	ring well , what mo/day/yr	wae eamnie
	s		Was a chemical/bac submitted	teriological s	ample submit	ted to Dep	artment?	YES Was \	Water Well Disin			NO
5 TYP	E OF CAS	ING USED:					9. 04	her (Specif		SING JOINTS	Glued	Threaded
	Steel	3. RPM	/ (SR) 5. Wroug	nt Iron	7. Fibe	-	SDF		, 5010H) CA		Welded	Clamped
\bigcirc 2	. PVC	4. ABS	6. Asbes	tos-Cemen	t 8. Con	crete tile	SDF	C-20				
Blank casi	ng diamete	r 5	in. to	50 f	t., Di	a.	in.	to	ft.,	Dia.	in. to	ft.
Casing he	eight above	land surface:	12 in.,		Weigh	nt: 2.	.35 lb	s. / ft.	Wall th	nickness or ga	uge No214	ļ
			TION MATERIAL:		7.01/0		0.45	20	11.0	thor (chacify)		
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify) 2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cernent 12. None used (open hole)												
				: III C	O, PAIVIE	(314)	10. A	5063103-06	12.14	ono aooa (ope	,,,,,,,,,	
	OR PERFO nuous slot	RATION OPE		5. Gauzed	wranned		7 To	rch cut	9 Dril	ied holes	11. None (open hole)
					• • •		8. Sav			er (specify)	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,
	red shutte			6. Wire wra	••				10. 00	er (specify)		
SCREEN -	PERFORA	TION INTERV	/AL From	50	ft.	to	85	ft.,	From	ft.	to	ft.
			From	24	ft.	to	0.5	ft.,	From	ft.	to	ft.
G G	RAVEL PAG	CK INTERVAL	.S: From	24	ft.	to	85	ft.,	From	ft.	to	ft.
			From		ft.	to		ft.,	From	ft.	to	ft.
<u> </u>	JT MATERI	1.10	leat cement		ment Grou		_	. Bentonit	e		ntonite hole p	Ū
						-rom	ft. to		ft.,	From	ft. to	ft.
What is the nearest source of possible contamination: 1. Septic tank 4. Lateral lines 7. Pit privy						10.	10. Livestock pens		13. Insecticide storage 15. Oil well/Gas well			
										II 16. Other (s	pecify below	
3 Water	tight sewe	r line 6. Se	eepage pit	9. Feed y	ard	12.	Fertilizer	storage				
Direction 1	rom well?	West							How m	any feet? 20		
From	То		LITHOLOG	SIC LOG	}		From	То	-	LITHOL	OGIC LOG	
3	48	topsoil clay				-+			 			
48	59	fine sand										
59	85	gray shale	е									
												
						-+						
				·		-+		 				
7 Conf	tractor's or I	Landowner's C	Certification: This wa	ter well was	s 1. cons	tructed) 2. re	constructe	ed or 3.	plugged	under my jurisdi	ction and
was cor	mpleted on	(mo/day/year)	1/9/19		and this	record is	true to the	e best of my	y knowledge and	belief.		
Kansas	Water Well	Contractor's I	License No. 236		This w	vater well	record wa	s complete	ed on (mo/day/ye	ear) 1	/14/19	
under th	ne business	name of H	arp Well and P	umn Sei	rvice		by (si	gnature)	τ	L. ha	S. Hari	h
		110	arp wen and I	amp Sci	. , , , ,		, ,,,,,	,	- 1	Juw	J. ILWI	•