		WATER W	ELL REC	CORD F	orm WV	VC-5 K	SA 82a-	1212				
1 LOCATION OF WATE	R WELL:	FRACTION			4	TION NUMBE	1	TOWNSHIP NUMBER		RANGE NUMBER		
Sedgwick		SW 1/4		1/4 NW	1/4	30	<u> </u>	28 S	R	2E	E/W	
Distance and direction from			II if located with	hin city?								
920 Freedom 2 WATER WELL C		by, Kansas USMEYER (CONSTR	LICTION								
2 WATER WELL C		8 W York	CONSTR	COLION				Board of	Agriculture, Divis	sion of Wa	ter Resource	
		ita, Kansas			z	IP CODE: 6	7215	Application	Number:			
3 LOCATE WELL'S LO		DEPTH OF COMP	PLETED WE	LL: 8			ELEVATIO	N:				
WITH AN "X" IN SEC	CTION BOX:	oth of groundwater			fi			ft.			ft.	
		ELL'S STATIC WA			FT. BELO	W LAND SU	JRFACE ME	ASURED ON r	no/day/yr:	6/19/1	19	
NW	NE		mp test data				ft. after		ours of pumpin	g @	gpm	
	''-	Est. Yield:	gpm	Well wa	ter was		ft. after	r he	ours of pumpir	g @	gpm	
w ×	E Bo	ore Hole Diameter	r 12	in.	to	86 ft	. and	in	i.	to	ft.	
sw		LL WATER TO B		6: 5. Public wa		7 Lawn:	and garden	9. Dewa	toring	1. Injecti		
	''		Feedlot				nditioning		12. Ot toring well	her (Spe	cify below)	
		as a chemical/bacte	. Industrial eriological sami	6. Oil field world ble submitted to		YES	NO		es, what mo/d	ay/yr wa	s sample	
		omitted		,	,		Water Well D		YES	NC)	
5 TYPE OF CAS		5. Wrought	tiron	7. Fiberglass	9. C	ther (Specify	/ below)	CASING JOINT	S: Glued	T	Threaded	
1. Steel	3. RPM (SR	() 6. Asbestos		8. Concrete t	ilo SD	R-26			Welded	(Clamped	
2. PVC	> 4. ABS				ii c			ъ.				
Blank casing diamete		in. to	60 ft.,	Dia.	in.	to	ft.,	Dia.	in.	to	ft.	
Casing height above		12 in.,		Weight:	2.35	bs. / ft.	Wa	all thickness or g	jauge No.	.214		
1. Steel 3	DR PERFORATION 3. Stainless Steel	5. Fiberglass		7. PVC	9. 4	ABS	11	. Other (specify)			
	. Galvanized	6. Concrete T	_	8. RMP (SR)		Asbestos-Ce		. None used (or	•			
SCREEN OR PERFO		S ADE.		` ,					,			
1. Continuous slot			Gauzed wra	pped	7. To	orch cut	9. 1	Drilled holes	11. N	one (op	en hole)	
2. Louvered shutte	er 4. Key pu		Wire wrapp			w cut	10 (Other (specify)	1		·	
								outer (specify)				
SCREEN - PERFORA	ATION INTERVAL	From		ft. to		ft.,	From	ft.		to	ft.	
		From		ft. to		ft.,	From	ft.		to	ft.	
GRAVEL PAG	CK INTERVALS:	From		t. to		ft.,	From	ft.		to	ft.	
		From	f	t. to)	ft.,	From	ft.		to	ft.	
6 GROUT MATERI	ALS: 1. Neat o		2. Ceme	nt Grout		3. Bentonite	,	Other be	entonite ho		_	
Grout Intervals: What is the nearest so	From	ft. to	ft.	., From	ft.	to	ft.,	, From	4 ft.	to 2	24 ft.	
1. Septic tank	4. Lateral	7	. Pit privy	•	10. Livesto	ck pens	13. Ins	ecticide storaç	je 15. Oi l	well/Ga	s well	
2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 16. Other (speci									cify below)			
3 Watertight sewe	r line 6. Seepag	je pit 9	. Feed yard		12. Fertilize	r storage						
Direction from well? North							Hov	v many feet? 8	30 ft. plus			
From To		LITHOLOGIC	CLOG		From	То		LITHO	LOGIC LO)G		
0 3	topsoil				ļ	<u> </u>						
3 52 53 68	clay fine sand				-					<u></u>		
68 86	grey shale											
					 							
					1							
							-					
					ļ							

7 6							<u> </u>			urio di atta		
	_andowner's Certific					constructed		plugged	under my j	unsaictioi	n ano	
was completed on	(mo/day/year)	6/19/19	а	and this record	is true to th	e best of my	knowledge a	ind belief.				
Kansas Water Well	Contractor's Licens	e No. 236		This water w	eli record wa	as completed	d on (mo/day	/year)	6/21/19			
under the business	name of Harp	Well and Pur	np Servi	ce	by (s	ignature)	•	Todd	S. Ho	wb		