			WATER V	WELL RI	ECORD	Form V	/WC-5 k	(SA 82a-1	212			
144	N OF WATE	R WELL:	FRACTION	C**!		1	ECTION NUMBE		SHIP NUMBER	RANGE N		
Sedgy			NW 1/4	·	1/4 NW	1/4	30	<u> </u>	28 S	R 21	E E/W	
	direction fro N. Tynd	m nearest town or city	rstreet address of w rby, Kansas	vell if located v	within city?							
	ER WELL (USMEYER	CONS	TRUCTION	1						
	ADDRESS		8 W. York			•			Board of Ag	griculture, Division of V	Vater Resource	
,			hita, Kansas	S			ZIP CODE:	57037	Application Nu	ımber:		
	E WELL'S LO		DEPTH OF CON	IPLETED V	VELL:	35	ft.	ELEVATION	√1:			
WITH A	N "X" IN SEC	CTION BOX: De	pth of groundwa	ter Encount	ered:		ft.		ft.		ft.	
	Ť	w	ELL'S STATIC V	VATER LEV	'EL 40	FT. BE	LOW LAND S	URFACE MEA	SURED ON mo.	/day/yr: 7/15	5/19	
	. NW	NE NE	F	Pump test da	ata: Well w	ater was		ft. after	hou	rs of pumping @	gpn	
_ w ∰ -		1	Est. Yield:	gpm	•	ater was	.=	ft. after	hou	rs of pumping @	gpm	
≥ w			Bore Hole Diamet		- ""	to	85 f	t. and	in.	to	ft.	
	sw -	L L	'ELL WATER TO I. Domestic	3. Feedlot	AS: 5. Public w	ater supp	ly 7. Lawn	and garden o	9. Dewater	iiiig .	ction well pecify below	
				4. Industria			ply 8. Air co		10. Monitor		pecity below	
'	S	v	Was a chemical/bac	teriological sa			YES	NO	•	, what mo/day/yr v		
_1			ubmitted				Was	Water Well Di	sinfected?	=	NO	
	PE OF CAS . Steel	SING USED: 3. RPM (SI	5. Wroug	ht Iron	7. Fiberglas	s 9	Other (Specif	y below) C	ASING JOINTS:		Threaded	
	2. PVC	> 4. ABS	· -	tos-Cement	8. Concrete	tile				Welded	Clamped	
_	ing diamete		in. to	70 ft.	. Dia.	in	to	ft.,	Dia.	in. to	ft.	
	-	e land surface:	12 in.,	, 0	Weight:	2.35	lbs. / ft.		l thickness or gau			
_	-	OR PERFORATION	,		weight.	2.33	105. / It.	vvai	i illickiless or gat	.ge No214		
1. Stee		3. Stainless Steel	5. Fiberglas	ss (7. PVC	9	. ABS	11.	Other (specify)			
2. Bras	ss 4	I. Galvanized	Concrete	Tile	8. RMP (SR)	10	. Asbestos-Ce	ment 12.	None used (oper	n hole)		
SCREEN	OR PERFO	RATION OPENING	GS ARE:									
1. Conti	nuous slot	3. Mill si	lot 5	. Gauzed w	rapped	7.	Torch cut	9. D	rilled holes	11. None (c	pen hole)	
2. Louve	ered shutte	er 4. Key p	unched 6	. Wire wrap	ped	8 .	Saw cut	10. C	Other (specify)			
SCREEN -	PERFORA	ATION INTERVAL	From	70	ft. 1	o 8 5	ft.,	From	ft.	to	ft.	
00/122/1			From	, 0		0	ft.,	From	ft.	to	ft.	
G	RAVEL PA	CK INTERVALS:	From	24		to 85		From	ft.	to	ft.	
			From			to	ft.,	From	ft.			
GROL	JT MATER	IAI S:					•			to	ft.	
<u>~</u>	intervals:	From	cement ft. to		nent Grout ft., From		3. Bentonite		DCII	t onite hole pl i O ft. to	ug 24 ft.	
		ource of possible of			11.,			ft.,				
1. Septio	c tank	4. Latera	il lines	7 Did makes			10. Livestock pens		13. Insecticide storage 15. Oil well/Gas well			
2. Sewe	r lines	5. Cess I	Pool	8. Sewage	lagoon	11. Fuel :	torage	14. Aba	ndon water well	16. Other (sp	ecity below)	
	tight sewe		ge pit	9. Feed ya	rd	12. Fertil	zer storage					
Direction f		East	1171101 00	10 1 00				How	many feet? 20			
From	To		LITHOLOG	IC LOG		Fror	n To		LITHOL	OGIC LOG		
3	<u>3</u> 47	topsoil clay	I			 						
47	71	fine sand										
71	80	medium sand	1									
80	86	grey shale										
			-			+	_	1				
						+					-	
						1						
		 				+		-				
		<u> </u>				+						
7 Cont	ractor's or	Landowner's Certifi	ication: This wat	er well was	1. constructe	d) 2.	reconstructe	d or 3,	plugged	under my jurisdict	tion and	
			7/15/19							, ,		
	•	(mo/day/year)			and this record		·	_		1.7/10		
		l Contractor's Licen					was complete			16/19		
under th	e business	name of Harp	Well and Pu	ımp Serv	vice	by	(signature)	-	Todd S	S. Harb)	