KOLAR Document ID: 1534581

WATER W				WWC-5		vision of Wat						
Original Record Correction Change in Well Use						irces App. No. Well ID Well ID						
1 LOCATION OF WATER WELL: County:Fraction1/41/41/41/4					cuon numb	T S R \square E \square W						
county!						reet or Rural Address where well is located (if unknown, distance and						
						rection from nearest town or intersection): If at owner's address, check here:						
Address:				uncetion nom								
Address:												
City:		[State:	ZIP:								
3 LOCATE WELL WITH (1977) N 4 DEPTH OF COMPLETED WELL					f	ft. 5 Latitude :(decimal degrees)						
	WITH "X" IN SECTION BOX:				ncountered: 1) ft.			Longitude:(decimal degrees)				
N	(1) (1) (1) (1) (1)					Dry Well Datum: WGS 84 NAD 83 NAD 27						
WELL'S STATIO				TER LEVEL:	Source	Source for Latitude/Longitude:						
				yr)		GPS (unit make/model:)						
NW I	NE			yr)		(WAAS enabled? Yes No)						
		Pump test d	hours			□ Land Survey □ Topographic Map □ Online Mapper:						
W	E	alter	Well w									
Xw	SE	after	hours									
		Estimated Y		8r	6 Elevation:ft. Ground Level TOC							
S		Bore Hole I		ft. and	Source	Source: Land Survey GPS Topographic Map						
1 mile-				ft.	□ Other							
7 WELL WATER TO BE USED AS:												
1. Domestic: 5. □ Public Water Supply: well ID												
	Lawn & Garden 7. Aquifer Recharge: well ID											
2. Irrigation	□ Livestock 8. □ Monitoring: well ID . □ Irrigation 9. Environmental Remediation: well ID						12. Geothermal: how many bores?a) Closed Loop ☐ Horizontal ☐ Vertical					
			Recovery				13. \Box Other (specify):					
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:												
Water well disinfected? Ves No												
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.												
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No.												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
□ Steel □ Stainless Steel □ PVC □ Other (Specify)												
□ Brass □ Galvanized Steel □ None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
	Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)											
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)												
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft. to ft.												
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft.												
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other												
Grout Intervals: From												
Septic Tan			Lateral Line			Livestock P	ens	□ Insectio	de Storage			
Sewer Line			Cess Pool			Fuel Storage			oned Water V			
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well												
□ Other (Specify)												
Direction from well? ft.												
10 FROM	ТО	Ι	ITHOLOG	GIC LOG	FROM	TO	LIT	HO. LOG (cont.) or	PLUGGIN	G INTERVALS		
├												
<u>├</u> ───┤──												
<u>├</u>												
					Notes:		I					
<u> </u>												
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged												
under my juris	diction an	d was compl	eted on (n	no-day-year)	and	this record	is tru	ie to the best of m	y knowledg	ge and belief.		
Kansas Water	Well Cont	tractor's Lice	ense No	This Wa	ter Well Re	cord was co	mple	ted on (mo-day-ye	ear)			
under the busir	ness name	of		/ELL OWNER and retain of		1 1 1 1 1 1		1	<u></u>			
KS Department	of Health ar	ena one copy to d Environment	WATER W Bureau of V	ELL OWNER and retain of Vater, Geology Section 10	one for your rec 00 SW Jacksor	oras. Fee of \$ St. Suite 420	5.00 fc Tone	or eacn <u>constructed</u> we ka. Kansas 66612-136	11. 7. Telenhone	785-296-3565		
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212												