	4.0	WATER W	ELL RECC	RD F	orm WW	/C-5 K	SA 82a-121	2			
1 LOCATION OF WATE	R WELL:	FRACTION				TON NUMBE	1			NUMBER	
Sedgwick		NE 1/4	SW 1/4		1/4	30	T 28	3 S	R 2	E EW	
Distance and direction fro		•									
825 E. Hickar			erby, Kans							1.	
2 WATER WELL (Board of Agriculture, Division of Water Reso									Water Resource	
	CITY, STATE: Wichita, Kansas						ZIP CODE: Application Number:				
3 LOCATE WELL'S LO			DIETED WELL:	86		0004.	ELEVATION:				
WITH AN "X" IN SEC	CTION BOX:	epth of groundwate			ft.			ft.		ft.	
1 - 1		VELL'S STATIC W		26		WIANDSL	JRFACE MEASU		av/vr: 10/1	15/20	
	NE		imp test data:	Well water			ft. after		of pumping @	gpm	
	1	Est. Yield:	gpm	Well wat			ft. after		of pumping @	gpm	
w Wile	 € 6	Bore Hole Diamete	r 12	in.	to 8	6 6 ft	and	in.	· to	ft.	
-		VELL WATER TO	•				and corden calc	9. Dewateri	ng 11. Inj	ection well	
1. Domestic 3. Feedlot 5. Public water supply 7. Lawn and garden only 12. Other (Specify below 2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring well										Specify below)	
		Irrigation 4Was a chemical/bacte		. Oil field wa submitted to De		o. Air coi	NO		what mo/day/yr	was sample	
3		ubmitted					Water Well Disinf	ected? (YES	NO	
5 TYPE OF CAS		5. Wrough	t Iron 7.	Fiberglass	9. O	her (Specify	y below) CAS	ING JOINTS:	Glued	Threaded	
1. Steel	3. RPM (S	SR)		_	. SDI	R-26			Welded	Clamped	
2. PVC	> 4. ABS	6. Asbesto		Concrete til			_	. .			
Blank casing diamet		in. to	45 ft.,	Dia.	in.	to	ft.,	Dia.	in. to	ft.	
Casing height above		12 in.,	,	<i>N</i> eight:	2.3 5 II	os. / ft.	Wall thi	ckness or gaug	je No214	4	
TYPE OF SCREEN	OR PERFORATIO 3. Stainless Steel	N MATERIAL: 5. Fiberglass	. 7	PVC	9. A	RS	11. Ott	ner (specify)			
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify) 2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)											
SCREEN OR PERFO				(,					•		
1. Continuous sio			Gauzed wrapp	ed	7 To	rch cut	9. Drille	ed holes	11. None (open hole)	
2. Louvered shutte			• •	-		w cut	_	-	,	•	
:		•	Wire wrapped			W CUL	IO. Othe	er (specify)			
SCREEN - PERFOR	ATION INTERVAL	From	45 ft.	to	86	ft.,	From	ft.	to	ft.	
		From	ft.	to		ft.,	From	ft.	to	ft.	
GRAVEL PA	ACK INTERVALS:	From	24 ft.	to	86	ft.,	From	ft.	to	ft.	
		From	ft.	to		ft.,	From	ft.	to	ft.	
6 GROUT MATER	RIALS: 1. Neat	t cement	2. Cement	Grout	3	Bentonite	•	Other bent	onite hole p	_	
Grout Intervals:	From	ft. to	ft.,	From	ft.	to	ft.,	From 4	ft. to	24 ft.	
What is the nearest s 1. Septic tank	ource or possible c 4. Later a		7. Pit privy	16	D. Livestoc	k pens	13. insect i	cide storage	15. Oil well	Gas well	
2. Sewer lines	5. Cess		B. Sewage lago	on 1	1. Fuel sto	rage	14. Aband	on water well	16. Other (s	pecify below)	
		_	Feed yard	1:	2. Fertilize i	storage					
3. Watertight sewer line 6. Seepage pit 9. Feed yard 12. Direction from well? South							How ma	How many feet? 50 ft. plus			
From To		LITHOLOGI	C LOG		From	То			GIC LOG		
0 3	topsoil	, , , , , , , , , , , , , , , , , , , ,						· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·		
3 25	clay										
25 49 49 86	fine sand grey shalr					<u> </u>			• • • • • • • • • • • • • • • • • • •		
32 00	grey Silair										
							,				
											
							<u> </u>				
											
		· · · · · · · · · · · · · · · · · · ·									
											
 		.			L	<u> </u>	<u> </u>		•		
7 Contractor's or	Landowner's Certif			onstructed) 2. re	constructe	d or 3.	plugged	under my jurisdi	ction and	
was completed on	(mo/day/year)	10/15/2020	U and	this record i	s true to the	best of my	knowledge and t	belief.			
Kansas Water Wel	l Contractor's Licer	nse No. 236	Т	his water we	Il record wa	s completed	d on (mo/day/yea	r) 10/1	7/2020		
under the business name of Harp Well and Pump Service by (signature) Todd S. Hovb											