CORRECTION TO WATER WELL RECORD (WWC-5)

The following correction(s) was made to the attached WWC-5 log, in order to file the item or to rectify lacking or incorrect information.

Fraction (1/4 1/4) Section-Township-Range changed:
listed as
changed to SW NW NE, 12-285-2E
Other changes: Initial statements:
Changed to:
Comments:
verification method: Weitten & legal descriptions, position on plat map, Wichita city may
verification method: Written & legal descriptions, position on plat map, Wichita city may
submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment Bureau of Water Industrial Programs, Bldg 283, Forbes Field, KS 66620

LOCATION OF WA	TER WELL:	Fraction	11 / 11	/ Se	ction Number	Township	Marinoei	Rang	,	0.
inty: Je glo		15W 1/4		2 1/4	12	TA	8 s	R	2	E/W
ance and direction	1 / / /	, ,	dress of well if locate	within city?	ra A	0	10			
	1/2 W.	/ //	Grager	21-	- F Con	rasover	-Kd			
VATER WELL OV	2	10 hae/		•						
, St. Address, Bo	··· '' ·			,		Board of	Agriculture, [Division of \	Water Re	esour
State, ZIP Code		echoto ,b					on Number:			
N "X" IN SECTIO	OCATION WITH 4	DEPTH OF CO Depth(s) Groundw	OMPLETED WELL	20	ft. ELEVA ft. 2	TION:		75	بسسر د . در در	ft
!	V V	VELL'S STATIC	WATER LEVEL 🚄	3⊘ ft. t	elow land sur	face measured of	on mo/day/yr	June.	15/	78
NW	X NF	Pump	test data: Well water	rwas	ft. at	fter	hours pu	mping		. gp
1 6			gpm: Well wate							
w			er. $I.O.\ldots$ in. to							
		VELL WATER TO		5 Public water		8 Air conditionir	-	Injection we		
sw	SE	1 Domestic					12			
! !	!	2 Irrigation	4 Industrial acteriological sample s			10 Monitoring w				
	\$ m	nitted	acteriological sample s		-	ter Well Disinfec	ted? Yes	No.	-	vas s
TYPE OF BLANK			5 Wrought iron	8 Concr	ete tile	CASING J	OINTS: Glued		lamped .	
1 Steel	3 RMP (SR)		6 Asbestos-Cement		(specify below	•		ed		
2 PVC	4 ABS		7 Fiberglass					ded		
			ft., Dia							
	•		in., weight							
1 Steel	R PERFORATION 3 Stainless s		E Eiberglass	7 PV	_		sbestos-ceme			
2 Brass	4 Galvanized		5 Fiberglass 6 Concrete tile	9 AB	IP (SR)		ther (specify) one used (op			
	RATION OPENINGS			ed wrapped		8 Saw cut	one used (op	11 None	(open ho	ıle)
1 Continuous sk			6 Wire			9 Drilled holes	;	11 140110	(opon no	,,,,
2 Louvered shut	ter 4 Key	punched	7 Torch	cut _		10 Other (spec	ifv)		<i></i> .	
DEEN DEDEODAT		·	<i> </i>	1 1/1/2			, ,			
HEEN-PERFORAT	ED INTERVALS:	From	ft. to	109	ft., Fron	n	ft. to)		1
HEEN-PERFORAT	ED INTERVALS:		4 ft. to ft. to	•						
	CK INTERVALS:		ft. to ft. to ft. to	•						
GRAVEL PA	ACK INTERVALS:			104	ft., Fron ft., Fron ft., Fron	n))		
GRAVEL PA	ACK INTERVALS:	From	ft. to ft. to ft. to ft. to Cement grout	104 (3 Bento	ft., Fron	n	ft. to)		
GRAVEL PA	CK INTERVALS: L: 1 Neat cer	From	ft. to (i) ft. to ft. to ft. to	104 (3 Bento	ft., Fror ft., Fror onite 4	n	ft. to	o		1 1 1 1
GRAVEL PA	L: 1 Neat cer	From	ft. to ft. to ft. to ft. to Cement grout ft., From	104 (3 Bento	ft., Fror ft., Fror honite 4 to	n	ft. to	o	vater wel	1 1 1
GRAVEL PAGE GROUT MATERIAL DUT Intervals: From the state of the state	L: 1 Neat cerom	From	ft. to ft. to ft. to ft. to Cement grout ft., From	3 Bento	tt., Fror tt., Fror tt., Fror tt., Fror tt., Fror to	n	ft. to ft. to	ft. to pandoned v	vater wel	
GRAVEL PAGE GROUT MATERIAL out Intervals: From the state of the state	L: 1 Neat cer om	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago	3 Bento	tt., Fror to	n	ft. to ft. to	o	vater wel	
GRAVEL PAGE GROUT MATERIAL out Intervals: From the state of the state	L: 1 Neat cerom	From	ft. to ft. to ft. to ft. to Cement grout ft., From	3 Bento	tt., Fror tt., F	n	ft. to ft. to	ft. to pandoned v	vater wel	f
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? ROM TO	L: 1 Neat cer om	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento	tt., Fror tt., Fror tt., Fror onite to Livest 11 Fuel s 12 Fertilii: 13 Insect How mar	n	ft. to ft. to	ft. to pandoned v I well/Gas	vater well well y below)	
GRAVEL PAGROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sevention from well?	CK INTERVALS: 1 Neat cer 1 Neat cer 2 ft. 2 ource of possible cor 4 Lateral 5 Cess power lines 6 Seepag	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento	tt., Fror tt., F	n	14 At 15 Oi	ft. to pandoned v I well/Gas	vater well well y below)	
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? ROM TO	L: 1 Neat cer om	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento	tt., Fror tt., Fror tt., Fror onite to Livest 11 Fuel s 12 Fertilii: 13 Insect How mar	n	14 At 15 Oi	ft. to pandoned v I well/Gas	vater well well y below)	
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sev section from well? ROM TO Ø 8	CK INTERVALS: 1 Neat cer 1 Neat cer 2	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento	tt., Fror tt., Fror tt., Fror onite to Livest 11 Fuel s 12 Fertilii: 13 Insect How mar	n	14 At 15 Oi	ft. to pandoned v I well/Gas	vater well well y below)	
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? ROM TO 6 8 2/ 2/ 35	CK INTERVALS: 1 Neat cer 1 Neat cer 2	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento	tt., Fror tt., Fror tt., Fror onite to Livest 11 Fuel s 12 Fertilii: 13 Insect How mar	n	14 At 15 Oi	ft. to pandoned v I well/Gas	vater well well y below)	
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? ROM TO	CK INTERVALS: 1 Neat cer 1 Neat cer 2 ft. 1 Ource of possible cor 4 Lateral 5 Cess pr 2 ver lines 6 Seepag Ezntt Brown Gellow	From. From. From. From. Prom.	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento	tt., Fror tt., Fror tt., Fror onite to Livest 11 Fuel s 12 Fertilii: 13 Insect How mar	n	14 At 15 Oi	ft. to pandoned v I well/Gas	vater well well y below)	
GRAVEL PA GROUT MATERIAL aut Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight severation from well? BOM TO 8 2 J 2 J 3 S 5 S 5 S 7 S	CK INTERVALS: 1 Neat cer 1 Neat cer 2 ft. 1 Ource of possible cor 4 Lateral 5 Cess pr 2 ver lines 6 Seepag Ezntt Brown Gellow	From. From From ment 2 to 80 ontamination: lines ool ge pit LITHOLOGIC L c/zy c/zy s/s/s/e	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento	tt., Fror tt., Fror tt., Fror onite to Livest 11 Fuel s 12 Fertilii: 13 Insect How mar	n	14 At 15 Oi	ft. to pandoned v I well/Gas	vater well well y below)	
GRAVEL PA GROUT MATERIAL aut Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight severation from well? BOM TO 8 S 2/ 2/ 35 50 75 75	CK INTERVALS: 1 Neat cer 1 Neat cer 2	From. From From ment 2 to 80 ontamination: lines ool ge pit LITHOLOGIC L c/zy c/zy s/s/s/e	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento	tt., Fror tt., Fror tt., Fror onite to Livest 11 Fuel s 12 Fertilii: 13 Insect How mar	n	14 At 15 Oi	ft. to pandoned v I well/Gas	vater well well y below)	
GRAVEL PA GROUT MATERIAL at Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? BOM TO 2 S 5 2/ 5 50 7 5	CK INTERVALS: 1 Neat cer 1 Neat cer 2	From. From From ment 2 to 80 ontamination: lines ool ge pit LITHOLOGIC L c/zy c/zy s/s/s/e	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento	tt., Fror tt., Fror tt., Fror onite to Livest 11 Fuel s 12 Fertilii: 13 Insect How mar	n	14 At 15 Oi	ft. to pandoned v I well/Gas	vater well well y below)	
GRAVEL PA GROUT MATERIAL aut Intervals: Fro at is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? BOM TO CO S 2/ 2/ 35 50 75	CK INTERVALS: 1 Neat cer 1 Neat cer 2	From. From From ment 2 to 80 ontamination: lines ool ge pit LITHOLOGIC L c/zy c/zy s/s/s/e	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento	tt., Fror tt., Fror tt., Fror onite to Livest 11 Fuel s 12 Fertilii: 13 Insect How mar	n	14 At 15 Oi	ft. to pandoned v I well/Gas	vater well well y below)	
GRAVEL PA GROUT MATERIAL aut Intervals: Fro at is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? BOM TO CO S 2/ 2/ 35 50 75	CK INTERVALS: 1 Neat cer 1 Neat cer 2	From. From From ment 2 to 80 ontamination: lines ool ge pit LITHOLOGIC L c/zy c/zy s/s/s/e	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento	tt., Fror tt., Fror tt., Fror onite to Livest 11 Fuel s 12 Fertilii: 13 Insect How mar	n	14 At 15 Oi	ft. to pandoned v I well/Gas	vater well well y below)	
GRAVEL PA GROUT MATERIAL aut Intervals: Fro at is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? BOM TO CO S 2/ 2/ 35 50 75	CK INTERVALS: 1 Neat cer 1 Neat cer 2	From. From From ment 2 to 80 ontamination: lines ool ge pit LITHOLOGIC L c/zy c/zy s/s/s/e	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento	tt., Fror tt., Fror tt., Fror onite to Livest 11 Fuel s 12 Fertilii: 13 Insect How mar	n	14 At 15 Oi	ft. to pandoned v I well/Gas	vater well well y below)	
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? ROM TO	CK INTERVALS: 1 Neat cer 1 Neat cer 2	From. From From ment 2 to 80 ontamination: lines ool ge pit LITHOLOGIC L c/zy c/zy s/s/s/e	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento	tt., Fror tt., Fror tt., Fror onite to Livest 11 Fuel s 12 Fertilii: 13 Insect How mar	n	14 At 15 Oi	ft. to pandoned v I well/Gas	vater well well y below)	
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? ROM TO	CK INTERVALS: 1 Neat cer 1 Neat cer 2	From. From From ment 2 to 80 ontamination: lines ool ge pit LITHOLOGIC L c/zy c/zy s/s/s/e	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento	tt., Fror tt., Fror tt., Fror onite to Livest 11 Fuel s 12 Fertilii: 13 Insect How mar	n	14 At 15 Oi	ft. to pandoned v I well/Gas	vater well well y below)	
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? ROM TO	CK INTERVALS: 1 Neat cer 1 Neat cer 2	From. From From ment 2 to 80 ontamination: lines ool ge pit LITHOLOGIC L c/zy c/zy s/s/s/e	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento	tt., Fror tt., Fror tt., Fror onite to Livest 11 Fuel s 12 Fertilii: 13 Insect How mar	n	14 At 15 Oi	ft. to pandoned v I well/Gas	vater well well y below)	
GRAVEL PA GROUT MATERIAL out Intervals: Fro lat is the nearest si 1 Septic tank 2 Sewer lines 3 Watertight sevection from well? ROM TO Ø 8 2/ 2/ 35 50 75 75 75	L: 1 Neat cer om. 3ft. ource of possible co 4 Lateral 5 Cess pover lines 6 Seepag Ezntt Brown Gellow Ned 6	From	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard OG	3 Bento ft.	tt., Fror tt., F	n	14 Al 15 Or 16 Or 17 PLUGGING IN	ft. to pandoned v I well/Gas ther (specif	vater well well y below)	
GRAVEL PA GROUT MATERIAL out Intervals: Fro lat is the nearest si 1 Septic tank 2 Sewer lines 3 Watertight sevection from well? ROM TO Ø 8 2/ 2/ 35 75 75 75 CONTRACTOR'S	CK INTERVALS: 1 Neat cer 2 ft. ource of possible cc 4 Lateral 5 Cess power lines 6 Seepag Ezntt Brown Gellow Accel 6 Gray Shale OR LANDOWNER'S	From	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard OG	3 Bento ft.	tt., Fror tt., F	n	ft. to ft	ft. to pandoned v I well/Gas ther (specif	vater well well y below)	nd wa
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? ROM TO 8 8 2/ 2/ 35 75 75 75 75 75 75 75 75 75 75 75 75 75	CK INTERVALS: 1 Neat cer 1 Neat cer 2 ft. 1 Ource of possible co 4 Lateral 5 Cess power lines 6 Seepag 2 ft. Brown Cellow Act of Company Company	From	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard OG	3 Bento ft.	tt., Fror ft., Fror ft., Fror ft., Fror ft., Fror inite ft.	n	plugged und	ft. to pandoned v I well/Gas ther (specif	vater well well y below)	nd wa
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? ROM TO 8 8 2/ 2/ 2/ 2/ 2/ 2/ 2/ 2/ 2/ 2/ 2/ 2/ 2/	CK INTERVALS: 1 Neat cer 1 Neat cer 2	From	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard OG	3 Bento ft.	tt., Fror ft., Fror ft., Fror ft., Fror ft., Fror inite ft.	n	ft. to ft	ft. to pandoned v I well/Gas ther (specif	vater well well y below)	nd w