GSI Job No. 137416 MW-7 WATER WELL RECORD Form WWC-5 KSA 82a-1212 ID No. 0049259 1 LOCATION OF WATER WELL: Range Number Fraction Section Number Township Number Neosho NW ½ NW ½ 32 **28** s R 20 County: Distance and direction from nearest town or city street address of well if located within city? 434 N. Main St. - Erie 2 WATER WELL OWNER: Pete's Corporation RR#, St. Address, Box # : 1712 Broadway Board of Agriculture, Division of Water Resources City, State, ZIP Code : Parsons, KS 67357 Application Number: LOCATE WELL'S LOCATON WITH A DEPTH OF COMPLETED WELL

IN "X" IN SECTION BOX:

| Depth(s) Groundwater Encountered 1 22 ft. 2 ft. 3 ft. 3 ft. 103/21/14 Depth(s) Groundwater Encountered 1 22 ft. 2 ft. 3 ft. WELL'S STATIC WATER LEVEL 13.94 ft. below TOC measured on mo/day/yr 03/21/14 Ŵ-· NF ---Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm
Bore Hole Diameter 8.25 in. to 24.5 ft. and in. to ft.
WELL WATER TO BE USED AS: 5 Public water supply 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 鬟 W 2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes _____No X ___ If yes, mo/day/yr sample was Water Well Disinfected? Yes No X submitted 5 TYPE OF BLANK CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC Threaded Flush 4 ABS 7 Fiberglass Blank casing diameter 2 in. to 11 ft., Dia in. to ft., Dia in. to ft.

Casing height above land surface 0 in., weight 0.703 lbs./ft. Wall thickness or gauge No. SCH. 40 5 Fiberglass 8 RMP (SR) 11 Other (specify)
6 Concrete tile 9 ABS 12 None used (open hole)
5 Gauzed wrapped 8 Saw cut 11 None (open hole) 7 PVC 10 Asbestos-cement TYPE OF SCREEN OR PERFORATION MATERIAL: 3 Stainless steel 1 Steel 5 Fiberglass 4 Galvanized steet 2 Brass 5 Gauzed wrapped 6 Wire wrapped SCREEN OR PERFORATION OPENINGS ARE: 3 Mill slot 1 Continuous slot 9 Drilled holes 10 Other (specify) 2 Louvered shutter 4 Key punched 7 Torch cut SCREEN-PERFORATED INTERVALS: From 11 ft. to 21 ft. From ft. to ft.
 From
 ft. to
 ft. From
 ft. to
 ft. ft.

 From
 9
 ft. to
 24.5
 ft. From
 ft. to
 ft.
 GRAVEL PACK INTERVALS: ft. to ft. From ft. to From 3 Bentonite 4 Other 6 GROUT MATERIAL: 1 Neat cement 2 Cement grout Grout Intervals From 1 ft. to 9 ft. From ft. to ft. From ft. to ft. What is the nearest source of possible contamination: 14 Abandoned water well 10 Livestock pens 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/ Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage Direction from well? How many feet? LITHOLOGIC LOG FROM FROM PLUGGING INTERVALS TO 0 1 Topsoil, Silty Clay, dark brown Silty Clay, dark brown to brown, trace 1 24.5 to some fine sand Survey Date: 04/08/14 Northing: 1658544.85 Easting: 2255971.96 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/yr) 03/21/14 and this record is true to the best of my knowledge and belief. Karısas Water Well Contractor's License No. 531 This Water Well Record was completed on (mo/day/yr) 04/14/14 under the business name of GSI Engineering, LLC by (signature)

INSTRUCTIONS: Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment, Bureau of Water, 1000 S W Jackson St., Ste. 420, Topeka, Kansas 66612-1367. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.