WATER WELL RECORD Form WWC-5 KSA 82a-1212 LOCATION OF WATER WELL: FRACTION SECTION NUMBER TOWNSHIP NUMBER RANGE NUMBER **Butler** NE 1/4 NE 1/4 NW1/4 31 Т 28 S 3E E/W Distance and direction from nearest town or city street address of well if located within city? 1230 Country Walk Ct. Rose Hill, Kansas LEEWOOD HOMES INC. WATER WELL OWNER: Board of Agriculture, Division of Water Resource RR#,ST. ADDRESS,BOX #: 3500 N. Rock Road Wichita, Kansas CITY, STATE: ZIP CODE Application Number: 87 LOCATE WELL'S LOCATION 4 DEPTH OF COMPLETED WELL: **ELEVATION:** WITH AN "X" IN SECTION BOX: 7/31/17 ft. ft. ft. Depth of groundwater Encountered: 48 WELL'S STATIC WATER LEVEL FT. BELOW LAND SURFACE MEASURED ON mo/day/yr: Well water was ft. after Pump test data: hours of pumping @ gpm NW NE Est. Yield: Well water was ft. after hours of pumping @ gpm Ξ Bore Hole Diameter 12 87 ft. WELL WATER TO BE USED AS: 11. Injection well 9. Dewatering 5. Public water supply 7. Lawn and garden only SW SE 3. Feedlot 1. Domestic 12. Other (Specify below) 10. Monitoring well 4. Industrial 6. Oil field water supply 8. Air conditioning 2. Irrigation ; If yes, what mo/day/yr was sample NO Was a chemical/bacteriological sample submitted to Department? YES submitted Was Water Well Disinfected? NO TYPE OF CASING USED: 5 9. Other (Specify below) CASING JOINTS: Glued Threaded 7. Fiberglass 5. Wrought Iron 3. RPM (SR) 1. Steel Clamped Welded SDR-26 6. Asbestos-Cement 8. Concrete tile 4. ABS 2. PVC 5 45 Dia. Dia. ft. Blank casing diameter in. to in. ín. to 12 2.35 Casing height above land surface: in.. Weight: lbs. / ft. Wall thickness or gauge No. .214 TYPE OF SCREEN OR PERFORATION MATERIAL: 7. PVC 11. Other (specify) 3. Stainless Steel 5. Fiberglass 9. ABS 1. Steel 6. Concrete Tile 8. RMP (SR) 12. None used (open hole) 10. Asbestos-Cement 2. Brass 4. Galvanized SCREEN OR PERFORATION OPENINGS ARE: 3. Mill slot 7. Torch cut 9. Drilled holes 11. None (open hole) 5. Gauzed wrapped 1. Continuous slot 2. Louvered shutter 4. Key punched 6. Wire wrapped 8. Saw cut 10. Other (specify) SCREEN - PERFORATION INTERVAL 45 From to ft., From to ft. From to ft., From ft. ft. to 24 GRAVEL PACK INTERVALS: ft. to From ft.. From to ft. From ft. to ft.. From to ft. **GROUT MATERIALS:** Other 1. Neat cement 2. Cement Grout 3. Bentonite bentonite hole plug Grout Intervals: From 4 ft. 24 ft.. From ft. to ft.. From ft. What is the nearest source of possible contamination: 10. Livestock pens 13. Insecticide storage 15. Oil well/Gas well 7. Pit privy 1. Septic tank 4. Lateral lines 16. Other (specify below) 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 2. Sewer lines 5. Cess Pool 12. Fertilizer storage 9. Feed yard 3. Watertight sewer line 6. Seepage pit West How many feet? 50 ft. plus Direction from well? LITHOLOGIC LOG From Τо LITHOLOGIC LOG From To 0 topsoil 20 clay 3 brown shale 20 35 35 87 grey shale

Contractor's or Landowner's Certification: This water well was 1.

Constructed 2. reconstructed or 3. plugged under my jurisdiction and was completed on (mo/day/year) 7/31/17 and this record is true to the best of my knowledge and belief.

Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 8/1/17 under the business name of Harp Well and Pump Service by (signature) Todds. Harp