WATER WELL R	RECORD Form	WWC-5	Divis	sion of Water			
Original Record	Correction Chang	ge in Well Use		irces App. No.		Well ID	
1 LOCATION OF W	ATER WELL:	Fraction	Sect	ion Number	Township Numb	per Range Number	
County: Butler		NE 1/4 SW 1/4 NW 1/4	6	T 28 S	R 3 ■E□W		
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and							
Business: Sharp Homes direction from nearest town or intersection): If at owner's address, check here:							
Address: 2131 Collective Ln. Address: 12293 Blazing Meadows, Andover, KS 67002							
1/0							
THE THE PARTY OF T							
3 LOCATE WELL WITH "X" IN	4 DEPTH OF COMPLETED WELL:83 ft. 5				5 Latitude:(decimal degrees)		
SECTION BOX:	Depth(s) Groundwater	Depth(s) Groundwater Encountered: 1) ft.				(decimal degrees)	
N N	2) ft.			Horizontal Datum: ☐ WGS 84 ☐ NAD 83 ☐ NAD 27			
					r Latitude/Longitude	<u>≥</u> :	
	below land surface			☐ GPS (unit make/model:) (WAAS enabled? ☐ Yes ☐ No)			
NW NE	above land surface						
X	Pump test data: Well v			☐ Land Survey ☐ Topographic Map			
W		rs pumping water was f	ie Mapper:	., .,			
SW SE	afterhours pumpinggpm						
S	Estimated Yield:gpm  Bore Hole Diameter:10"in. to83ft. and						
1 mile	in. to						
7 WELL WATER TO BE USED AS:							
1. Domestic:		ater Supply: well ID				ease	
☐ Household	6. Dewaterin			11. Test Hole: well ID			
Lawn & Garden	7. Aquifer Recharge: well ID				☐ Cased ☐ Uncased ☐ Geotechnical		
Livestock	8. Monitoring: well ID						
2. Irrigation	9. Environmental Remediation: well ID						
3. Feedlot	☐ Air Sparg	10000	Extraction			ischarge Inj. of Water	
4. Industrial Recovery Injection 13. Other (specify):							
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ■ No If yes, date sample was submitted:							
Water well disinfected?							
8 TYPE OF CASING USED: ☐ Steel ■ PVC ☐ Other							
Casing diameter							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel ☐ Fiberglass ■ PVC ☐ Other (Specify)							
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous Slot							
Louvered Shutter							
SCREEN-PERFORATED INTERVALS: From .63							
GRAVEL PACK INTERVALS: From							
9 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ■ Bentonite ☐ Other							
Grout Intervals: From 2' ft. to 22' ft., From ft. to ft. From ft. to ft.							
Nearest source of possible contamination:							
□ Septic Tank       □ Lateral Lines       □ Pit Privy       □ Livestock Pens       □ Insecticide Storage         □ Sewer Lines       □ Cess Pool       □ Sewage Lagoon       □ Fuel Storage       □ Abandoned Water Well							
☐ Sewer Lines       ☐ Cess Pool       ☐ Sewage Lagoon       ☐ Fuel Storage       ☐ Abandoned Water Well         ■ Watertight Sewer Lines       ☐ Seepage Pit       ☐ Feedyard       ☐ Fertilizer Storage       ☐ Oil Well/Gas Well							
Other (Specify)							
Direction from well? West Distance from well? .37.							
10 FROM TO	LITHOLO		FROM			or PLUGGING INTERVALS	
0 2	dirt				, , , ,		
2 20 (	clay						
	shale						
	shaley lime						
			+				
			1				
			Notes:	<u> </u>			
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged							
under my jurisdiction and was completed on (mo-day-year) 4/27/17 and this record is true to the best of my knowledge and belief.							
under my jurisdiction and was completed on (mo-day-year) .4/27/17							
under the business name of Reiserer Well Drilling Signature Jarry Russian Signature							
Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section,							
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.							
Visit us at http://www.kdheks	s.gov/waterwell/index.html		KSA 82a-121	. 2		Revised 7/10/2015	