

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <u>Sedgwick</u>		<u>SW 1/4 SW 1/4 SE 1/4</u>	<u>1</u>	<u>T 29 S</u>	<u>R 1 EW</u>
Distance and direction from nearest town or city street address of well if located within city? <u>KIS Service 620 N. Baltimore, Derby KS</u>					
2 WATER WELL OWNER: <u>Confederated Construction</u>					
RR#, St. Address, Box # : <u>503 N. Buckner Atnw Jenny Wilkes</u>					
City, State, ZIP Code : <u>Derby, KS 67037</u>					
Board of Agriculture, Division of Water Resources Application Number: <u>—</u>					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <u>58</u> ft. ELEVATION: <u>49.5</u> ft.			
		Depth(s) Groundwater Encountered 1. <u>49.5</u> ft. 2. <u>—</u> ft. 3. <u>—</u> ft.			
		WELL'S STATIC WATER LEVEL <u>49.5</u> ft. below land surface measured on mo/day/yr <u>3/5/97</u>			
		Pump test data: Well water was <u>—</u> ft. after <u>—</u> hours pumping <u>—</u> gpm			
		Est. Yield <u>—</u> gpm: Well water was <u>—</u> ft. after <u>—</u> hours pumping <u>—</u> gpm			
		Bore Hole Diameter <u>4 1/2</u> in. to <u>—</u> ft. and <u>—</u> in. to <u>—</u> ft.			
		WELL WATER TO BE USED AS:			
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well			
		Was a chemical/bacteriological sample submitted to Department? Yes <u>—</u> No <u>—</u> ; If yes, mo/day/yr sample was sub- mitted <u>—</u>			
		Water Well Disinfected? Yes <u>—</u> No <u>—</u>			
5 TYPE OF BLANK CASING USED:					
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued <u>—</u> Clamped <u>—</u> 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded <u>—</u> 7 Fiberglass Threaded <u>—</u>					
Blank casing diameter <u>2</u> in. to <u>38</u> ft., Dia <u>—</u> in. to <u>—</u> ft., Dia <u>—</u> in. to <u>—</u> ft.					
Casing height above land surface <u>3 feet below</u> weight <u>—</u> lbs./ft. Wall thickness or gauge No. <u>SCH 40</u>					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement <u>NA</u> 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify) <u>NA</u> 9 ABS 12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 12 Other (specify) <u>NA</u> 7 Torch cut					
SCREEN-PERFORATED INTERVALS: From <u>999</u> ft. to <u>999</u> ft., From <u>—</u> ft. to <u>—</u> ft., From <u>—</u> ft. to <u>—</u> ft.					
GRAVEL PACK INTERVALS: From <u>—</u> ft. to <u>—</u> ft., From <u>—</u> ft. to <u>—</u> ft., From <u>—</u> ft. to <u>—</u> ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other <u>—</u>					
Grout Intervals: From <u>48</u> ft. to <u>3</u> ft., From <u>—</u> ft. to <u>—</u> ft., From <u>—</u> ft. to <u>—</u> ft.					
What is the nearest source of possible contamination:					
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) <u>CONTAMINATED SITES</u> 13 Insecticide storage					
Direction from well? <u>—</u> How many feet? <u>—</u>					
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
			<u>58</u>	<u>48</u>	<u>Sand (0.22 ft)</u>
			<u>48</u>	<u>3</u>	<u>Bentonite (0.98 ft)</u>
			<u>3</u>	<u>0</u>	<u>Soil (0.06 ft)</u>
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) <u>plugged</u> under my jurisdiction and was completed on (mo/day/year) <u>3-6-97</u> and this record is true to the best of my knowledge and belief. Kansas					
Water Well Contractor's License No. <u>585</u> This Water Well Record was completed on (mo/day/yr) <u>3-11-97</u>					
under the business name of <u>AET</u> by (signature) <u>A. J. Wilkes</u>					