WATER WELL RECORD		Form WWC-5		Division of Water Resources App. No.					
1 LOCATION OF WA		Fraction			on Number	Township No.	Range Nu		
County: Hour V		Se4NW4S			31	T 23 S		XE UW	
Street/Rural Address of						System (GPS) in			
from nearest town or intersection: If at owner's address, check here					Latitude: (in decimal degrees)				
				Longitude: (in decimal degrees) Elevation:					
					n: D WGS &	4, □ NAD 83, □	 NAD 27		
2 WATER WELL OWNER: Steve Roecker RR#, Street Address, Box #: 6/3 Autumn Ridge				Collec	Collection Method:				
RR#, Street Address, Box #: 6/3 Autumn Ridge				GPS unit (Make/Model:)					
City, State, ZIP Code : Newton to 67114				☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m					
3 LOCATE WELL	IVew	Con TS.	5/117	Est. A	ccuracy: [ <	3 m, ∐ 3-5 m, ∐	5-15 m, ∐	>15 m	
WITH AN "X" IN	4 DEPTH OF	COMPLETED WEL	I BU	7	ft				
SECTION BOX:	Depth(s) Ground	dwater Encountered	(1)	ft.	(2) <i>[</i> 2	5 ft. (	3)	ft.	
WITH AN "X" IN SECTION BOX:  N  Depth(s) Groundwater Encountered (1) ft. (2) ft. (3) ft. (3) ft. WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr.									
Pump_test data: Well water wasft. after hours pumping									
EST. YIELDgpm. Well water wasft. afterhours pumpingg								gpm	
w									
								:11	
-SWSW Domestic Feedlot Oil field water supply Dewatering Other (Specify below)									
☐ Irrigation ☐ Industrial ② Domestic-lawn & garden ☐ Monitoring well									
Was a chemical/bacteriological sample submitted to Department? Yes No									
S If yes, mo/day/yr sample was submitted									
'							,		
5 TYPE OF CASING U	SED: Stee	l <b>M</b> PVC	Other						
CASING JOINTS:  Glued  Clamped  Welded  Threaded									
Casing diameter									
Casing height above land surface									
Steel Stainless Steel Steel Other (Specify)									
Brass Galvanized Steel None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot Mill slot Gauze wranned Torch cut Drilled holes None (open hole)									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)  SCREEN-PERFORATED INTERVALS: From ft. to ft., From 6.0 ft. to ft.									
From ft. to ft.								∴π.	
GRAVEL PACK INTERVALS: From									
From									
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other									
Grout Intervals: From									
What is the nearest source of possible contamination:									
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify b						elow)			
Sewer lines Watertight sewer li		☐ Fuel storag ☐ Fertilizer st		☐ Abandoned ☐ Oil well/ga					
Direction from well	me S	in Treedyald				s well			
FROM TO	LITHOLOG		FROM	TO		OG (cont.) or PLU	GGING IN	TERVALS	
0 18 06	7. · /					<u> </u>	001110111	12111120	
	7								
12 30 Sa	nd								
30 65 B/V	1 8 Sha	10							
65 66 Cru	nbled	Shale L	Jonel	Jat	en				
1, 0, 1									
06 80 BIV	e Sha	je	-						
T CONTRA CTORIS OF	N. I. AND OHIDIDE				<u> </u>				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year)									
Wangas Water Well Contractor's License No.									
under the business name of									
INSTRUCTIONS: Use typew	riter or hall point pen	. PLEASE PRESS FIRM	Kand PRINT cle	arly Ple	ase fill in blanke	and check the correct	anguers Se	nd three conies	
(white, blue, pink) to Kansas I	Department of Health	and Environment, Bureau	of Water, Geold	ogy Section	on, 1000 SW Jac	kson St., Suite 420, 7	Topeka, Kansa	as 66612-1367.	
Telephone 785-296-5522. Sen	nd one copy to WAT	ER WELL OWNER and	retain one for y	our recor	ds. Include fee	of \$5.00 for each co	nstructed wel	ll. Visit us at	
http://www.kdheks.gov/waterwell/index.html.  KSA 82a-1212									
NUM 020-1212									