WATER WELL RECORD Form WWC-5				WC-5	Division of	of Water	Resources App. No	0	
1 LOCATION OF WATER WELL:			Fraction	Section Number Township No. Range Number					
County: Sedawick			NW ¼ NW ¼ NE		1	. 1. 20 5 1K. E.S.			
Street/Rural Address of Well Location; if unknown, distance & direction						Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here .						Latitude: .37.56.196 (in decimal degrees) Longitude: 97.27545 (in decimal degrees)			
1430 Nelson Dr. Derby KS, 67037						Elevation: 1303.40			
						Datum: ☐ WGS 84, ☑ NAD 83, ☐ NAD 27			
2 WATER WELL OWNER: Quik Trip Corporation					Collection Method:				
RR#, Street Address, Box #: 1430 Nelson Drive					GPS unit (Make/Model:)				
City, State, ZIP Code : Derby, KS 67037					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m				
3 LOCATE WELL									
	WITH AN "X" IN 4 DEPTH OF COMPLETED WELL .45								
SECT	TION BO	BOX: Depth(s) Groundwater Encountered (1).36							
	N WELL'S STATIC WATER LEVEL 33.90ft. below land surface measured on mo/day/yr. 8/18/15								
	Pump test data: Well water was								
	EST. YIELDgpm. Well water wasft. afterhours pumpinggpm Well water wasft. afterhours pumpinggpm Bore Hole Diameter 10.25in. to .45ft., andin. toft.								
" _	W								
677	Domestic Decodlet Dil field water symply Developing Dether (Specify below)								
34	SW SE								
	Was a chemical/bacteriological sample submitted to Department?								
S If yes, mo/day/yr sample was submitted.8/18/15									
1 mile Water well disinfected? ☐ Yes ☑ No									
5 TYPE OF CASING USED: Steel V PVC Other									
CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter 4									
Casing height above land surface3.00 in., Weight									
TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)									
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to 45 ft., From ft. to ft.									
From									
GRAVEL PACK INTERVALS: From 28 ft. to 45 ft., From ft. to ft.									
From									
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout									
Grout Intervals: From .1									
What is the nearest source of possible contamination: Septic tank									
	Sewer li			Fuel storag			water well		
	Watertig	ht sewer lines 🔲 Seepage	pit Feedyard	Fertilizer s	orage 🔲 Oi	il well/ga	s well LUS	T Site	
		n well							
FROM	TO	LITHOLOG	GIC LOG	FROM	TO LIT	THO. LO	OG (cont.) or PLU	JGGING INTERVALS	
0	1	Concrete							
1	30 F	Clay with silt / CL			OTA	A 43 A / A			
30 30.5	30.5 42	Sand / SP Clay with sand / CL				MW4	0051799		
42	45	Sand / SP			NDF	HE IU#	0051799		
42	70	Odila / Ol							
		· .							
	<u> </u>								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged									
under my jurisdiction and was completed on (mo/day/year) .8/4/15									
Kansas Water Well Contractor's License No. 594 This Water Well Record was completed on (molecular year) 9/10/15									
ingrett	CTIONS	Ilse typewriter or hall point pe	PIFASE PRESS FIRM	and PRINT of	. Dy (Signati	lure)	and check the correct	answers Send one convito	
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the contest answers. Send one copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.									
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									

http://www.kdheks.gov/waterwell/index.html