WATER WELL RECORD			Form WWC-5		Division of V	Vater Resources App. N	ło.	
1 LOCATION OF WATER WELL:			Fraction		Section Number		Range Number	
County: Sedgwick			NW ¼ NW ¼ NE		1	T 29 S	R 1	
Stree	t/Rural A	ddress of Well Location;	if unknown, distance &	Global Positioning System (GPS) information:  Latitude: .37.56167				
from nearest town or intersection: If at owner's address, check here .					Longitude: 97.27493 (in decimal degrees)			
143	U Nelsoi	n Dr. Derby KS, 67037		Elevation: 1308.08				
A WATER WELL OWNER.					<u>Datum</u> : ☐ WGS 84, ☑ NAD 83, ☐ NAD 27			
2 WATER WELL OWNER: Quik Trip Corporation RR#, Street Address, Box #: 1430 Nelson Drive					Collection Method: GPS unit (Make/Model:)			
at a graduate					Digital Map/Photo, Topographic Map, Land Survey			
BGIDY, 110 07007					Est. Accuracy:			
3 LOCATE WELL 4 TOPOTTY OF COLUMN 15								
,	WITH AN "X" IN SECTION BOX: 4 DEPTH OF COMPLETED WELL 45							
SECI	N WELL'S STATIC WATER LEVEL 38.16ft. below land surface measured on mo/day/yr. 8/18/15							
Pump test data: Well water wasft. after hours pumping								
EST. YIELDgpm. Well water wasft. after hours pumpinggpm								
w   ``i	W							
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
sv	SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below) Irrigation Industrial Domestic-lawn & garden Monitoring well							
	s If yes, mo/day/yr sample was submitted 8/18/15							
mile  Water well disinfected?  Yes  No								
5 TYPE OF CASING USED:  Steel  PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter .2 in. to .47.5 ft., Diameter in. to ft., Diameter in. to ft.								
Casing height above land surface2:40 in., Weight								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot								
Louvered shutter    Key punched    Wire wrapped    Saw cut    Other (specify)								
From								
GRAVEL PACK INTERVALS: From 31 ft. to 48 ft., From ft. to ft.								
From								
6 GROUT MATERIAL:  □ Neat cement □ Cement grout  ☑ Bentonite □ Other								
Grout Intervals: From .1								
What is the nearest source of possible contamination:  ☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)								
	Septic ta   Sewer lii			☐ Fuel storag		loned water well		
	Watertig	ht sewer lines 🔲 Seepage	pit  Feedyard	Fertilizer st	orage 🔲 Oil w	ell/gas well LUS	ST Site	
		n well			from well			
FROM	TO	LITHOLOG	GIC LOG	FROM	TO LITHO	D. LOG (cont.) <u>or</u> PL	UGGING INTERVALS	
1	1 35	Clov with cilt / Cl				1144		
35	37	Clay with silt / CL Sand / SP			QTMV			
37	42	Clay with sand / CL		<del>                                     </del>		ID# 0050753		
42	45	Sand to Gravel / SP-G	P		KONE	10# 0000700		
45	48	Clay with silt / CH			<del>-</del>			
· · ·		,						
		ODIC OD I ANDOMANI	DAG GEDEVELGA EVO	N 771	11 53			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was  constructed,  reconstructed, or plugged								
under my jurisdiction and was completed on (mo/day/year) .8/6/15								
Kansas Water Well Contractor's License No. 594 This Water Well Record was completed on (pro/day/year) 9/10/15								
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send one copy to								
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.  Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								

http://www.kdheks.gov/waterwell/index.html