				Wate	er Well Reco	ord Form WW			_	
LILOCA	ATION OF WA	ATER WELL:	FRACTION				Section Number	Township Number	Range Number	
	Sedgy	vick	SW 1/4	NE	1/4	NW 1/4	12	T 29 s	R 1E EW	
Distance	and direction	frem nearest town or city	street address of well if	located within ci	ity?					
M.	arket	Street &	Biver St	reet	200 '	West	De	rby, Kansas		
1 1	TER WELL		Y, CITY		200	HESC	De	IDY, Kansas	· ,·· · · · · · · · · · · · · · · · · ·	
				<i>)</i> E				Roard of Agriculture 1)	lvivsion of Water Resource	
RR#, ST. ADRESS, BOX#: 611 Mulberry CITY, STATE, ZIP CODE: Derby, Kansas					67027			- ·		
							67037	Application Number	r: 980021	
	TE WELL'S I		DEPTH OF C			40		EVATION:		
	1.020110	N	Depth(s) groun			1	ft.	2 ft.	3 ft.	
ΙĪ			WELL'S STATIC	WATER LE	EVEL 1	.8	FT. BELOW LAND SU	RFACE MEASURED ON mo/day/yr	02/05/1998	
	X	NE	Pump (est data:	Well	water was	ft.	after hours pure	p ing gpm	
	.,,,,		Est. Yield	gpm:	Well	water was	ft.	after hours pur	p ing gpm	
v Mile	,	E	Bore Hole Diamete	r 12	in.	to 40	ft.	and in.	to ft.	
≦ *	1		WELL WATER TO		AS:	5 Public wa	ter supply	8 Air conditioning 11 I	njection well	
			1 Domestic	3 Feedl			water supply		Other (Specify below)	
11	SW		2 Irrigation	4 Indus				10 Monitoring well	(opening)	
			_						no/day/yr sample was	
١ ٠		S	Was a chemical/ba	cteriological	sample s	submitted to	•		• •	
	DE OF C		submitted				wa		X No	
\mathbf{H}		ASING USED:			ught iron		8 Concrete tile		lued X Clamped	
1 Ste	el	3 RMP (SR)						Other (Specify below) Welded		
2 PV	C	4 ABS		7 Fiber	glass		SDR-26	7	Threaded	
Blank c	 asing Dian	neter 8	in. to 20	ft.,	Dia		in. to	ft., Dia in.	to ft.	
Casing	height abo	ve land surface 1		•	weight	5.52	lbs. / ft.	Wall thickness or gauge No.	.332	
_	_	EN OR PERFORAT	_		weight	J.JL	7 PVC	10 Asbestos-cem		
1 Ste	el	3 Stainless Steel		5 Fiberg	lass		8 RMP (SR)	11 other (specify	<i>(</i>)	
2 Bra		4 Galvanized stee	3	6 Concr	ete tile		9 ABS	12 None used (o	-	
			_		• •			8 Saw cut	11 None (open hole)	
1	inous slot	RFORATION OPE				uzed wrappe	a	9 Drilled holes	11 None (open note)	
1		3 Mill slo				re wrapped				
2 Louv	ered shutte	er 4 Key pu	ınched		7 Tor	ch cut		10 Other (specify)		
SCREE	N-PERFO	RATION INTERV	ALS: from 2	20	f	t. to 40	ft., Fron	n ft. to	ft.	
ł			from		1	ft. to	ft., Fron	n ft. to	ft.	
	GRAV	EL PACK INTERV	ALS: from	20	:	n. to 40	ft., Fron	m ft. to	ft.	
			from			ft. to	ft., Fron	n ft. to		
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole plug										
Grout Intervals: From ft. to ft. From 2 ft. to 20 ft.										
What is the nearest source of possible contamination:							10 Livesto	ock pens 14 A	bandon water well	
1 Septic tank 4 Lateral lines			71	7 Pit privy		11 Fuel st	torage 15	Oil well/Gas well		
2 Sewer lines 5 Cess pool			8 S	8 Sewage lagoon		12 Fertili	izer storage 16 (16 Other (specify below)		
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage None Apparen								Apparent		
	on from we	-	-8° P.		•			How many feet?	·	
FROM			LITHOLOGIC LO	G		FRO	M TO	PLUGGING INTE	RVALS	
0	3	topsoil								
3	18	clay								
18	25		medium sa	nd.				and the second s		
25	26	clay	meurum so	143.00					4,	
26	28	fine san				-	1			
		1							1	
28	40	grey sha	TE							
	1									
	ļ									
										
	 									
	1								1-7	
L	1									
7 00	NUMB A COM	DD16		Th:		. (4) 1	-4-4 (2) :		ttdtdt	
1 100	NTRACTO	JK'S OR LANDOWNER	R'S CERTIFICATION:	This water v	well was	(1) <u>constri</u>	<u>icte</u> d, (2) reconsti	ructed, or (3) plugged under i	ny jurisdiction and	
								he best of my knowledge and		
vveir	- the been	r's License No ness name of. A		I DIS Wal	ter Well	Record was	s completed on (fi	no/day/yr)	z./z.9	
l nuae	r me ousi	ness name ot.私気			ner/		1012) VO	ialure)		
1								T. 1.1 9	. Harp	