l least	TYON OR W	ATER WELL:	FRACTION	Water Well Ro	ecord Form WWC-:				
سلا				NT. 7	CM	Section Number	Township Number	Range Number	
Sedqwick SW 1/4 Distance and direction from nearest town or city street address of well if locs			NW 1/4	SW 1/4	10	T 29 s	R 1E EW		
i		. 84th S.			Vence				
	TER WELL		NON, Larry	ysville,	Kansas				
	ST. ADRESS		1 E. 84th				Board of Agriculture, D	tvivsion of Water Resource	
CIT	Y, STATE, ZII		sville, Ka			Application Number:			
		LOCATION WITH	4 DEPTH OF CO	OMPLETED WEL	ь 30	ft. ELE	VATION:		
TAN "X	" IN SECTIO	N BOX:	Depth(s) ground	lwater Encountere	d 1	ft.	2 ft.	3 ft.	
1 1			WELL'S STATIC	WATER LEVEL	10 FT	. BELOW LAND SUR	FACE MEASURED ON mo/day/yr	04/06/1998	
	NW	NE	Pump t	est data: We	ell water was	ft. a	fter hours pum	ping gpm	
يوا	1 :		Est. Yield	gpm: We	ell water was	ft. á	after hours pum	ping gpm	
13 M	/	E	Bore Hole Diamete	r 12 in.		ft.	and in.	to ft.	
-	,		WELL WATER TO		5 Public water		•	njection well	
lт	λsw	sac	1 Domestic	3 Feedlot 4 Industrial	6 Oil field wa			Other (Specify below)	
			2 Irrigation		7 Lawn and	•	Monitoring well		
١ ٠	<u> </u>	S	Was a chemical/bac	cteriological sample	e submitted to D	-		no/day/yr sample was	
5 TY	PE OF C	SING USED:	submitted				er Well Disinfected? Yes		
1 Ste		3 RMP (SR)		5 Wrought ire 6 Asbestos-Ce		Concrete tile Other (Specify be		Hued X Clamped Velded	
2 PV		4 ABS		7 Fiberglass	_	`	•	veiueu Threaded	
	 asing Dian		in. to 24	•		DR-26			
	_	•		ft., Dia	in. : 2.35		ft. , Dia in. Vall thickness or gauge No.	to ft. .214	
	•	_	TION MATERIAL:			PVC	10 Asbestos-cem		
1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify)								<i>'</i>)	
2 Bra	83	4 Galvanized stee	el	6 Concrete tile	•	ABS	12 None used (o ₁	pen hole)	
SCREE	EN OR PE	RFORATION OP	ENING ARE:	5 G	auzed wrapped		8 Saw cut	11 None (open hole)	
1 Conti	nous slot	3 Mill sl	lot	6 W	Vire wrapped		9 Drilled holes		
2 Louve	ered shutte	er 4 Key po	unched	7 To	orch cut		10 Other (specify)		
SCREEN-PERFORATION INTERVALS: from 24 ft. to 30 ft., From ft. to ft									
			from		ft. to	ft., From	ft. to	ft.	
GRAVEL PACK INTERVALS: from 24				4	ft. to 30	ft., From	ft. to	ft.	
Jane		1 N4	from	. ~	ft. to	ft., From	ft. to	n.	
GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole plug Grout Intervals: From 4 ft. to 24 ft. From ft. to ft. From ft. to ft.									
Grout Intervals: From 4 ft. to 24 What is the nearest source of possible contamination:				ft. From	ft.	to 10 Livestoc	ft. From k nens 14 4	ft. to ft. Abandon water well	
1 Septic tank 4 Lateral lines				7 Pit priv	7 Pit privy				
2 Sewer lines 5 Cess pool				8 Sewage l	8 Sewage lagoon			15 Oil well/Gas well 16 Other (specify below)	
2 Townshills down							Apparent		
Direction from well? How many feet?									
FROM			LITHOLOGIC LO	G	FROM	ТО	PLUGGING INTE	RVALS	
0	2	topsoil							
2	4	clay				<u> </u>			
4	30	medium c	coarse san	<u>d</u>					
						ļ			
 									
}	 								
ļ	 								
l	†					1			
		·							
			· · · · · · · · · · · · · · · · · · ·						
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and									
was completed on (mo/day/year)									
Well Contractor's License No									
Unde	the busi	ness name of.从f	yrd wett y	ser	viceII	າດ by (signa	ture) 🦙 // a	9.0	
							Jodd L	. Harp	