WATER WELL RECORD Form WWC-5 KSA 82a-1212													
1 LOCATION OF WATER WELL:			FRACTION				1		1				
Sedgw				/4 NE	1/4 N	E 1/4	4	17	т 2	9 <u>S</u>	R	1E E/W	
Distance and direction from nearest town or city street address of well if located within city? 131 W. 87th Ct. South Haysville, Kansas													
	R WELL O		ON, David		Tunisus								-1
	ADDRESS,		W. 87th Ct.							Board of Agr	iculture, Division	of Water Resour	rce
	CITY, S	STATE: Hays	ville, Kans	as			ZIP	CODE: 67	7060	Application Nur	mber:		
	WELL'S LOO	CATION 4	DEPTH OF CO	MPLETED W	VELL:	35	ft.		ELEVATION:				
	N N	Dep	oth of groundwa	ater Encounte			ft.			ft.		ft.	
		X WE	ELL'S STATIC	WATER LEV				V LAND SU	RFACE MEASU			/6/18	
	NW -	NE		Pump test da		water w			ft. after		s of pumping @	•	jpm
Mile w			Est. Yield: pre Hole Diame	gpm eter 12		water w	to 35	5 ft.	ft. after and	in.	s of pumping @ to		ipm ft.
- " -			ELL WATER TO				10 5.	5 H.	and	9. Dewater		njection well	
	SW SE SE 1. Domestic 3. Feedlot 5. Public water supply 7. Lawn and garden only 12. Other (Specify b												
	2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring well ; if yes, what mo/day/yr was sample												
S Was a chemical/bacteriological sample submitted to Department? YES NO ; If yes, what moroday/yr was sample ubmitted was Water Well Disinfected? (YES) NO													
5 TYPE OF CASING USED: 5. Wrought Iron 7. Fiberglass 9. Other (Specify below) CASING JOINTS: Glued Threaded													
	Steel	3. RPM (SR	R)	•	•		SDR		,		Welded	Clamped	1
	. PVC	4. ABS		stos-Cement		te tile		20					
Blank casi	ng diamete	r 5	in. to	85 ft.	., Dia.		in.	to	ft.,	Dia.	in. to	ft.	
-	+	land surface:	12 in.	•1	Weight:	2.3	85 lb	s. / ft.	Wall th	ickness or gau	ge No2	14	
1	-	R PERFORATION Stainless Steel	I MATERIAL: 5. Fibergla	ass (7. PVC	,	9. AE	s	11. 0	her (specify)			
1. Steel 2. Bras		Galvanized	6. Concre		8. RMP (S	R)		bestos-Cen		one used (oper	hole)		
		RATION OPENING	S ARE										
	nuous slot	3. Mill slo		5. Gauzed w	rapped		7. Tor	ch cut	9. Dril	led holes	11. None	e (open hole))
	red shutte	4. Key pu		6. Wire wrag		0	8. Sav	v cut	10, Oth	er (specify)			
				85		4.0	35						
SCREEN -	PERFURA	TION INTERVAL	From	05	ft. ft.	to	33	ft.,	From	ft.	to	ft.	
		CK INTERVALS:	From	24	n. ft.	to to	35	ft.,	From	ft. ft.	to	ft.	
G	RAVEL PAG	CK INTERVALS.	From	27	ft.	to	33	ft.,	From		to	ft.	
		AL C.	From			10		ft.,	From	ft. Other hen	to	ft.	
뜨	JT MATERI	1. 11041	-		ment Grout	-	3 ft.	Bentonite		ben	tonite hole		4
Grout Intervals: From ft. to ft., From What is the nearest source of possible contamination:								to	ft.,				ft.
1. Septio		4. Lateral		7. Pit priv			ivestock		13. Insect	icide storage		ell/Gas well	
2. Sewe	r lines	5. Cess P	ool	8. Sewage	lagoon	11. F	Fuel stor	age	14. Abano	ion water well		(specify belo ne Yet	SW)
3. Watertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage										140	ne rei		
Direction f			LITHOLO				rom	То	How m	any feet?	OGIC LOG		
From	To 3	topsoil	LITHULU	GIC LUG		<u>-+</u> -		10		LIINUL			
0	6	clay											
6	15	fine sand											
15	35	medium sand							_				
												-di-41-	
F		andowner's Certifi						constructed		plugged	under my juris	aiction and	
was cor	mpleted on	(mo/day/year)	3/6/18	8				-	knowledge and				
Kansas	Water Well	Contractor's Licen	se No. 236		This wate	er well re	ecord wa	s completed	on (mo/day/ye	ar) 3.	/8/18		
under th	ie business	name of Harp	Well and I	Pump Ser	vice		by (sig	gnature)	Т	odds	S. Har	Ъ	