KOLAR Document ID: 1613071

				WWC-5		vision of Wat			Wall ID		
	Original Record Correction Change in Well Use LOCATION OF WATER WELL: Fraction					Resources App. No. W Section Number Township Number			Well ID	aa Numbar	
1LOCATION OF WATER WELL:FractionCounty:1/41/41/41/41/4					ction NumberTownship NumberRange NumberTSR \Box E \Box W						
2 WELL OWNER: Last Name: First: S						treet or Rural Address where well is located (if unknown, distance and					
Business: di Address:						irection from nearest town or intersection): If at owner's address, check here:					
Address:											
City:			State:	ZIP:							
3 LOCATE WELL 4 DEPTH OF COMP				IPLETED WELL	E TED WELL: ft.					(decimal degrees)	
	Depth(s) Groundwater Encountered: 1)						5 Latitude:(decimal degrees) Longitude:(decimal degrees)				
	SECTION BOX: N $(2) \dots ft. 3) \dots ft. or 4)$							WGS 84 🛛 NAE		AD 27	
	WELL'S STATIC WATER LEVEL:					Source		Latitude/Longitude:			
				-yr)			init make/model:				
NW	NE			·yr) it			VAAS enabled?		0)		
w	E	Pump test data: Well water was ft. after hours pumping gpm					□ Land Survey □ Topographic Map □ Online Mapper:				
		Well water was ft.									
5w	SE	after hours pumping gpi Estimated Yield:			gpm	6 Elevation:ft. Ground Level TOC					
	S S			ft and		Source: Land Survey GPS Topographic Map					
1 1		Bore Hole Diameter: in. to									
7 WELL WATER TO BE USED AS:											
1. Domestic				ter Supply: well ID		10. 🗌 Oil Field Water Supply: lease					
	☐ Household 6. ☐ Dewatering: how many wells?					11. Test Hole: well ID					
	□ Lawn & Garden 7. □ Aquifer Recharge: well II										
	Livestock 8. Monitoring: well ID							I: how many bores			
2. ☐ Imgati 3. ☐ Feedlo	2. Irrigation 9. Environmental Remediation: well ID 3. Feedlot Air Sparge Soil Vapor Ez							Loop 🗌 Horizonta			
4. □ Industrial □ Recovery							ther (specify):				
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:											
Water well disinfected? \Box Yes \Box No											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.											
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
Steel Steinless Steel PVC Other (Specify) Brass Galvanized Steel None used (open hole)											
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: Image: Comparison of the sector of											
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)											
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)											
				n ft. to							
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
Grout Intervals: From											
			Lateral Line			Livestock P	ens	☐ Insectic	ide Storage		
□ Sewer	Lines		Cess Pool	Sewage La	goon 🗌	Fuel Storage		Abando			
				☐ Feedyard		Fertilizer St	torage	🗌 Oil Wel	l/Gas Well		
Direction from well? ft.											
10 FROM	TO TO		LITHOLOG		FROM	ТО		HO. LOG (cont.) or	PLUGGIN	GINTERVALS	
					1 100101	10		10. 200 (cont.) 01	1200011		
							 				
					Notor						
					Notes:						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged											
under my i	urisdiction an	d was comp	leted on (m	no-dav-vear)	and	this record	is tru	e to the best of my	v knowled	ge and belief.	
Kansas Water Well Contractor's License No This Water Well Record was completed on (mo-day-year) under the business name of											
		Send one copy t	o WATER W	ELL OWNER and retain	one for your reco	ords. Fee of \$		or each constructed we		<u></u>	
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.											
Visit us at h	Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212										